

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

DANGER: Corrosive. May cause severe irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may not be discharged into lakes, streams, ponds, or public waters without a valid discharge permit. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS:
STRONG OXIDIZING AGENT: May react with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia or acids, detergents, or other chemicals may release fumes that are irritating to eyes, lungs, and mucous membranes.

Manufactured by

GOLD COAST CHEMICAL, INC.
5875 SW 23rd Street
Hollywood, FL 33023

EPA REG NO 42389-3 EPA EST. NO.
NET CONTENTS

S.S. BLEACH

ACCEPTED
42389-3
JUL 17 1980

**FOR SWIMMING POOL CHLORINATION
AND SANITIZING.**

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID: If inhaled, move to fresh air. If swallowed, drink water. If on skin, wash with plenty of water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, do not induce vomiting. If on skin, wash with plenty of water. If in eyes, flush with water for at least 15 minutes. Get medical attention.

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

DIRECTIONS FOR SWIMMING POOL CHLORINATION

1. Add 1 lb. of S.S. Bleach to 10,000 gallons of water. Allow to stand for 30 minutes before swimming.

2. Add 1 lb. of S.S. Bleach to 10,000 gallons of water. Allow to stand for 30 minutes before swimming.

**DIRECTIONS FOR DISINFECTION OF POTABLE WATER
FOR HOME WELL WATER SYSTEMS**

1. Add 1 lb. of S.S. Bleach to 10,000 gallons of water. Allow to stand for 30 minutes before drinking.

DIRECTIONS FOR SANITIZING FOOD PROCESSING OR DAIRY EQUIPMENT

1. Add 1 lb. of S.S. Bleach to 10,000 gallons of water. Allow to stand for 30 minutes before use.

NOTE: S.S. Bleach is a strong oxidizing agent. It may react with certain materials. Do not mix with ammonia or acids.

STORAGE AND DISPOSAL:

Store in a cool, dry place. Do not store near food or feed. Dispose of in accordance with local regulations.