

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (15-767)
WASHINGTON, DC 20460

EPA REGISTRATION NO.

DATE OF ISSUANCE
NOV 14 1988

NOTICE OF PESTICIDE: REGISTRATION
 REREГИSTRATION
(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

TERM OF ISSUANCE

NAME OF PESTICIDE PRODUCT

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)


KELCO LABORATORIES, INC.
2000 W. 10th Street
P.O. Box 1000
Brea, CA 92620

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby **Registered/Reregistered** under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.



ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

A-9 MICROBIOCIDAL

INDUSTRIAL MICROBICIDE

ACTIVE INGREDIENTS

Methylene bis(thiocyanate) 2.5%

2-Thiocyanomethylthio-1H-benzotriazole 2.5%

INERT INGREDIENTS

95.0%

This product weighs 7.99 pounds per gallon

**KEEP OUT OF REACH OF CHILDREN
DANGER**

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER Corrosive, causes irreversible eye damage and causes skin damage. Harmful or fatal if swallowed or absorbed through the skin. This product is a potential skin sensitizer. Workmen handling this product or treated material should wear impervious gloves, goggles or face shield, and protective clothing. All protective clothing, work shoes or boots, and equipment must be left at the work site at the end of the day. Eating, drinking, or smoking during use of this product is prohibited.

FIRST AID In case of skin contact, wash promptly and thoroughly with soap and water and finally with glycerin. If product gets in the eyes, flush immediately with copious amounts of clean, cool water for 15 to 30 minutes. Get medical attention immediately. If product is swallowed, call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

ENVIRONMENTAL HAZARDS This pesticide is toxic to fish. Do not apply directly to water or wetlands. Permits may be required for discharges containing this pesticide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS Do not expose to extreme temperatures.

STORAGE & DISPOSAL

STORAGE Do not expose to extreme temperatures. Do not stack more than five drums high. Drums should be opened in well ventilated areas. Leaking or damaged drums should be placed in overpack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep container closed when not in use.

PESTICIDE DISPOSAL Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or waste is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at your EPA Regional Office for guidance.

CONTAINER DISPOSAL Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

COOLING TOWERS A-9 MICROBIOCIDAL is used to control bacterial and fungal growth in wood against soft or surface rot and internal or dry rot. It is applied as a surface treatment containing 2.0 to 2.8% A-9 MICROBIOCIDAL. The amount applied should provide 2.4 to 3.2 lb A-9 MICROBIOCIDAL per 1000 ft² of wood surface. Soft or surface rot can also be controlled by applying A-9 MICROBIOCIDAL to the recirculating cooling water. The dosage should provide 5.0 lb of A-9 MICROBIOCIDAL per 1000 gal of water and the bleed-off should be stopped for 4 to 6 hr after treatment. Repeat every four months.

COOLING WATER A-9 MICROBIOCIDAL is used to control bacterial and fungal growth in industrial recirculating cooling water systems. Bleed-off should be stopped for 4 to 6 hr after treatment. Systems should be cleaned thoroughly to remove old algal growth, microorganisms, and debris. A-9 MICROBIOCIDAL should be added to the recirculating water at a rate of 0.8 to 4.8 fl oz per 1000 gal should be made every 1 to 5 days, depending on the severity of microbiological fouling.

DRILLING FLUIDS To inhibit bacterial and fungal degradation of wells, A-9 MICROBIOCIDAL is used at concentrations of 0.2 to 1.0% based on the total wet weight of the drilling fluid.

PETROLEUM SECONDARY RECOVERY A-9 MICROBIOCIDAL is used to control sulfate reducing bacteria, slime forming bacteria, and other oil field water problems in secondary recovery systems. Add 1.0 to 2.0 fl oz of A-9 MICROBIOCIDAL per 1000 gal of water.

A-9 MICROBIOCIDAL can be added continuously or intermittently by means of a metering pump after injection pumps and injection well headers. Continuous feed is recommended. Add 15.6 to 52.0 fl oz A-9 MICROBIOCIDAL per 1000 gal of water. Intermittent or Slug Method. When system is noticed to be fouling, add 15.6 to 52.0 fl oz A-9 MICROBIOCIDAL per 1000 gal of water.

and 1 to 4 times per week, or as needed to maintain control of bacterial and fungal growth.

CRUDE AND REFINED OILS A-9 MICROBIOCIDAL is used to control bacterial and fungal growth that cause the degradation of storage tanks. It should be added to the oil as it is being transferred to storage tanks at the rate of 2.4 to 24.0 fl oz A-9 MICROBIOCIDAL per 1000 gal of oil. Addition should be made batchwise where mixing or use of transfer pump.

AC
Under the
Pesticide
EPA Reg.

EPA REG NO

EPA EST

NET CONTENTS

Manufactured by:
GARNET LABORATORIES
P.O. BOX 100
SARASOTA, FL 34209