# POTATO SEED-PIECE TREATER (Contains Dithane® M-45 & Fir Bark)

## ACCEPTED

APR 1 7 1987

11 jurio, ier prakeido

registra. Lauren EPA Reg. No. 424

ACTIVE INGREDIENTS: A co-ordination product of zinc ion and manganese athylene bisdithiocarbamate	4**		6.09
in which the ingredients are:  Manganese Zinc	1	1 2046	
Zinc		0.15%	
Ethylene bisdithiocarbamate ion		4.65%	
INERT INGREDIENTS:  • D-H Trademark of Daly-Herring Co.			

### CAUTION

#### KEEP OUT OF THE REACH OF CHILDREN

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

Dithane Trademark of Rohm & Haas Company

IF INHALED: Remove from exposure. Keep patient quiet. Get medical

IF ON SKIN: Wash thoroughly with soap and water.

IF IN EYES: Rinse eyes with water for 15 minutes. Get medical attention.

#### PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Caution: May be harmful if swallowed. Avoid breathing dust, Avoid contact with eyes, skin or clothing. Wash thoroughly after handling.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons. Do not enter treated areas without protective clothing until dusts have settled.

Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information. ENVIRONMENTAL HAZARDS-This product is toxic to fish. Do not apply directly to water. Do not contaminate bodies of water by improper disposal of wastes and containers. Use this product only as specified on this label.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool, dry area away from water, feed and foodstuffs.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in sanitary landfill or by incineration if allowed by state, and local authorities, by burning. If burned, stay out of smoke.

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to applicable federal, state, or local procedures. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

#### RECOMMENDATIONS

D-H POTATO SEED-PIECE TREATER is a special fungicide dust formulation for application on whole or cut potato tubers to protect them from seed-piece decay caused by Fusarium sambucinum.

DIRECTIONS FOR USE-it is a Violation of Federal Law To Use This Product in a Manner Inconsistent With its Labeling.

Use 1 lb. of D-H POTATO SEED-PIECE TREATER per 100 lbs. of whole or cut potato seed pieces. Apply the dust in a manner such that the entire surface or the seed pieces. becomes thoroughly covered with the fungicide dust. Plant seed as soon after treatment as possible. Do not use treated seed potatoes for food or feed purposes.

Seller's guarantee shall be limited to the terms of the label, and subject thereto the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

EPA Reg. No. 42463-43 EPA EST. No. 42463-NCI (430187)

Manufactured By- DALY-HERRING CO!-Kinston, N. C. 28501

**NET WEIGHT** 50 pounds