

184
P. 2
42579-4

PAMOL'S
3.25 LB. CACODYLIC ACID


For Lawn and Ornamental Turf Use

ACTIVE INGREDIENTS:

Sodium Cacodylate.....29.0%
Dimethyl Arsinic Acid
(Cacodylic Acid)..... 5.0%

INERT INGREDIENTS:.....66.0%

Total Arsinic (as elemental)
all in water soluble form.....16.28%



KEEP OUT OF THE
REACH OF CHILDREN
CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Immediately flush eyes with plenty of water. Get medical attention.

IF ON SKIN: Flush with plenty of water. Get medical attention if irritation persists.

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not give anything by mouth to an unconscious person.

See Side Panel For Additional Precautionary Statements

EPA Registration No.
EPA Establishment No.

Net Contents:

Manufactured by:

2-4

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment.

PESTICIDE DISPOSAL

Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved state procedures under Subtitle C of the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL:

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by incineration if allowed by state and local authorities.

WARRANTY - CONDITION OF SALE:

OUR RECOMMENDATIONS FOR USE of this product are based upon tests believed reliable. Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith.

In no case shall Pamol or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product when such use and/or handling is not in strict accordance with directions given herewith. The foregoing is a condition of sale by Pamol Ltd. and is accepted as such by the Buyer.

PRECAUTIONARY STATEMENTS

Hazards to humans and domestic animals.

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes, skin and clothing. Avoid breathing spray mist. Wash hands and face before eating or smoking. Wash thoroughly after handling. Keep children and domestic animals off treated areas until the material has been washed into the soil.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

GENERAL INFORMATION

3.25 lb. Cacodylic Acid is designed to kill grasses and weeds. It is non-selective in its herbicidal action. The phytotoxic properties of this material are quickly inactivated on contact with soil. Seed may be planted about 5 days after treatment.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Calculate the area to be treated and prepare the solution accurately. A surface-active (detergent or wetting) agent markedly improves effectiveness of this herbicide. Such a compound may be added in a proportion of 1% by volume of the final spray solution.

Dilute 3.25 lb. Cacodylic Acid with the correct volume of water, mix thoroughly, and apply to a measured area using any type of sprayer, according to the following chart.

3.25 lb. Cacodylic Acid Application Rates

<u>Liquid Measure of</u> <u>3.25 lb. Cacodylic Acid</u>	<u>Add Water</u> <u>to make</u>	<u>Apply to</u>
1 pint (16 oz.)	4 gal.	825 sq. ft.

(3.25 lb. Cacodylic Acid contains the equivalent of 3.25 lbs. dimethyl arsinic acid per gallon.)

LAWN RENOVATION

Apply 3.25 lb. Cacodylic Acid at any time during the growing season; preferably on a warm, sunny day when grass is in rapid growth. Cover foliage thoroughly. Average turf will brown and die within five days. Certain weeds and matted turf may require a second treatment. Reapply in five days if necessary. New seed should be applied in about five days after treatment. Do not remove dead stubble unless the matted turf prevents the seed from making soil contact. Water heavily before seeding. Seed at rate indicated for new lawns. Keep area moist.

WEED AND GRASS CONTROL IN NON CROP AREAS

Carefully direct spray to the undesired vegetation along sidewalks, driveways and fences. Whenever necessary, repeat treatment in five days. A repeat treatment usually results in better kill than excessive single dosage. Bermuda grass and certain other deep rooted perennial grasses and weeds may not be killed. 3.25 lb. Cacodylic Acid may be used to kill noxious weeds and grasses near perennial shrubbery, around buildings and other structures, if precautions are used to keep spray from contacting desired vegetation.

Do not graze treated areas with livestock

CARE OF EQUIPMENT

Wash all spray equipment thoroughly after use to avoid corrosion of metal parts.