

# DPX-M6316 TECHNICAL HERBICIDE FOR FORMULATION USE ONLY

## ACTIVE INGREDIENT:

Methyl 3-[[[[(4-methoxy-6-methyl-1,3,5-triazin-2-yl)amino]carbonyl]-amino]sulfonyl]-2-thiophenecarboxylate min. 94%

**INERT INGREDIENTS** 6%

U.S. Pat. 4,481,029

EPA Reg. No. 352-xxx

## INSTRUCTIONS FOR FORMULATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This pesticide may be used only for the formulation of a herbicide. Formulators using this product are responsible for obtaining EPA registration for their formulated products.

## STORAGE AND DISPOSAL

**STORAGE:** Store product in original container only, away from other pesticides, fertilizer, food or feed.

**DISPOSAL:** Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into manufacturing equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by state and local authorities. If drums are contaminated and cannot be reused, dispose of in the same manner.

## NOTICE OF WARRANTY

Du Pont warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for the purposes stated on such label only when used in accordance with the directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Du Pont. In no case shall Du Pont be liable for consequential, special or indirect damages resulting from the use or handling of this product. All such risks are assumed by the buyer. **DUPONT MAKES NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.**

## KEEP OUT OF REACH OF CHILDREN PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

## CAUTION!

Harmful if inhaled or absorbed through the skin. Avoid breathing dust. Avoid contact with skin, eyes or clothing.

For medical emergencies involving this product, call toll free 1-800-441-3637.

## STATEMENT OF PRACTICAL TREATMENT

In case of contact with eyes, immediately flush with plenty of water. If on skin, wash with plenty of soap and water. Get medical attention if irritation persists.

## ENVIRONMENTAL HAZARDS

Do not discharge into lakes, streams, ponds or public waters unless in accordance with an NPDES permit. For guidance contact your regional office of the EPA. In case of significant spill, call CHEMTREC (800) 424-9300.

**NET \_\_\_\_\_**

**E. I. DU PONT DE NEMOURS & CO. (INC.), AGRICULTURAL PRODUCTS DEPT., WILM., DE 19898**

E-110328A

U.S. ENVIRONMENTAL PROTECTION AGENCY  
OFFICE OF PESTICIDES PROGRAMS  
REGISTRATION DIVISION (71-26)  
WASHINGTON, DC 20460

EPA REGISTRATION

DEC 20 1988

TERM OF REGISTRATION

NOTICE OF PESTICIDE

Under the Federal Insecticide, Fungicide, and Rodenticide Act

NAME OF PESTICIDE

NAME AND ADDRESS OF REGISTRANT

**NOTE:** Changes in labeling or formulation of a pesticide registered under this registration must be approved by the Registration Division before the change is made. In all correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Re-registration is attached herewith.

Registration is given only to the pesticide as described and approved by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. No acceptance of any new formulation or registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name of the product if has been covered by others.

☐ ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

-2-

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Richard F. Mountfort  
Product Manager (23)  
Fungicide-Herbicide Branch  
Registration Division (TS-767C)

Enclosures

LUXEMBURG-PAMOL

2.48 CACODYLATE

Sodium Cacodylate and Cacodylic Acid Liquid Plus  
Surfactant for General Post-Emergent Weed Control

ACTIVE INGREDIENTS:	
Sodium Cacodylate	22.7%
Dimethylarsinic Acid (Cacodylic Acid)	3.9%
INERT INGREDIENTS:	<u>73.4%</u>
TOTAL	100.0%

Total Arsenic (as elemental) all in water soluble form 12.8%  
Product Contains 2.48 lbs. cacodylic acid equivalent per gallon.

EPA Registration No. 42519-Y  
EPA Establishment No. 42519-IS-1.


PRECAUCION AL USUARIO: SI USTED NO LEE INGLES NO USE ESTE PRODUCTO HASTA QUE LA  
ETIQUETA LE HAYA SIDO EXPLICADA AMPLIAMENTE.

CAUTION - CAUCION  
STATEMENT OF PRACTICAL TREATMENT

**If Swallowed:** Drink one or two glasses of water and induce vomiting by touching  
back of throat with finger. Do not give anything by mouth to an unconscious  
person. Get medical attention.

**If On Skin:** Wash contaminated areas thoroughly with soap and water. Do not  
reuse contaminated clothing until washed. Get medical attention if irritation  
develops.

**If In Eyes:** Flush with copious amounts of clean water for 10-15 minutes. Get  
medical attention.



**PRECAUTIONARY STATEMENTS - CAUTION**  
Hazards to Humans and Domestic Animals

Harmful if swallowed. Avoid breathing spray mist. Avoid contact with skin, eyes, and clothing. In cases of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation occurs. Keep children and domestic animals off treated areas until this material has been washed into the soil. Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons. Do not feed treated foliage to livestock or graze treated areas.

**ENVIRONMENTAL HAZARDS**

Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate waters used for domestic consumption or by animals, wildlife and aquatic life, or for irrigation purposes. Do not apply when weather conditions favor drift from target area.

**AGRICULTURAL CHEMICAL**

Do not ship or store with foods, feeds, drugs, or clothing.

For chemical spill, leak, fire, or exposure call toll free  
**1-800-424-9300**

**NET CONTENTS:**

**MANUFACTURED FOR:**

**LUXEMBOURG-PAMOL, INC.**  
Memphis, Tennessee USA

## READ ENTIRE LABEL BEFORE USING THIS PRODUCT

### DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with this labeling.

**REENTRY STATEMENT:** Do not enter treated areas without protective clothing until sprays have dried. Protective clothing should include: hat or other suitable head covering, long sleeved shirt and long legged trousers, or a coverall type garment, shoes, and socks.

Because certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. The front panel PRECAUTIONARY STATEMENTS should be read to workers as well as the instruction not to enter until sprays have dried. When oral warnings are given, warnings shall be given in language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information:

CAUTION: Area treated with Sodium cacodylate on (date of application). Do not enter without appropriate protective clothing until sprays have dried. (Insert here Statements of Practical Treatment as on front panel.)

### STORAGE AND DISPOSAL

**STORAGE:** Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not store this product near fertilizers, seeds, insecticides, or fungicides. Containers should not be stacked more than six (6) high. Reclose all partially used containers by thoroughly tightening screw cap. Damaged or leaking containers which cannot be used immediately should be transferred to suitable sound containers and properly marked. Absorb any spills with a suitable clay absorbant and dispose of as indicated under "Pesticide Disposal."

Freezing point of this product is approximately 0°F. If product is subjected to temperatures below its freezing point warm to 50°F and agitate before using.

For safety and prevention of unauthorized use, all pesticides should be stored in locked facilities.

To prevent accidental misuse, different pesticides should be stored in separate areas with enough distance between to provide clear identification.

Opened, partially used pesticides should be stored in original labeled containers when possible. When transfer to another container is necessary because of leakage or damage, carefully mark, and identify contents of the new container.

**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent), adding rinsate to spray tank. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

### GENERAL INFORMATION

2.48 CACODYLATE herbicide is useful for general post-emergent weed control. It is non-selective in its action. The phytotoxic properties of the active ingredient are quickly inactivated on contact with soil. This formulation contains a surfactant. It is unnecessary to add any other surfactant to the spray solution.

Best results are obtained on young actively growing weeds. 2.48 CACODYLATE produces top-kill only, therefore, repeat applications are required for season long weed control of perennials.

**Mixing Instructions:** 2.48 CACODYLATE Herbicide is completely water soluble. Any spray equipment that gives good coverage may be used. Fill the spray tank with approximately one half the amount of water to be used then add the required amount of herbicide with agitation. Finish filling the tank with water and apply. After use, clean equipment thoroughly by flushing with water. Do not store spray solution in tank for a prolonged period. Although 2.48 CACODYLATE Herbicide is only moderately corrosive, do not use in galvanized or aluminum equipment.

### APPLICATIONS

**Non-Crop:** 2.48 CACODYLATE Herbicide is useful for general weed control on drainage ditch banks and rights-of-way, along sidewalks, driveways and fences, around buildings and ornamentals, and on similar non-crop areas. Mix 1 to 2 gallons of 2.48 CACODYLATE Herbicide in 100 gallons of water. Spray unwanted vegetation to just short of run-off. If regrowth occurs reapply as required.

Do not allow spray to come in contact with foliage, green bark, grafted unions, or scuffed, damaged or broken bark when spraying around trees and ornamentals.

**Agricultural Plants-Citrus (Except Florida):** 2.48 CACODYLATE Herbicide is useful as a directed application in non-bearing citrus orchards such as orange, grapefruit, tangerine, lemon and lime orchards. It should be applied at the rate of 1/2 to 2 gallons per acre.