

## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON DC 20460

JUN 1 5 2006

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Luxembour-Pamol, Inc. c/o Mr. Frederick Smith 5100 Poplar Ave., Suite 2700 Memphis, TN 38137

Subject:

Product Name: Vital

EPA Reg. No: 42519-24

Application for label Notification dated April 12, 2006: to add registered trademark recognition statements to Vital, Clorox, and Lysol. To change manufacturer's name from Luxembourg Industries (Pomal) Ltd. to

LUXEMBOURG-PAMOL, INC.

Dear Mr. Smith:

The Biopesticides and Pollution Prevention Division is in receipt of your application for Notification under 98-10 dated above. A preliminary screen of this request has been conducted for its applicability under PRN 98-10 and it has been determined that the action(s) requested falls within the scope of PRN 98-10. Our records have been duly noted, and the label submitted with this application has been stamped "Notification, received, but not reviewed" and will be placed accordingly in our records.

Questions concerning this action should be directed to Mr. Raderrio Wilkins at (703) 308-1259 or email at wilkins.raderrio@epa.gov.

Sincerely,

Sheryl K. Reilly

Sheryl K. Reilly, Ph.D.
Chief
Biochemical Pesticides Branch
Biopesticides and Pollution Prevention Division

# VITAL®

A systemic fungicide for the control of diseases caused by Peronospora spp., Phytophthora spp. and Pythium spp. on turf and ornamentals.

**ACTIVE INGREDIENT:** 

Potassium Phosphite\* .....54.50% OTHER INGREDIENTS: ......45.50% ......100.00% TOTAL \*Phosphorous acid equivalent: 34.30% (4.2 lbs / gal.).

## KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID				
If swallowed	<ul> <li>Call poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>			
If in eyes	<ul> <li>Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>			
	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15 – 20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> <li>ct container or label with you when calling a poison control center or doctor, or</li> </ul>			
going for treatment. For emergency information concerning this product, call 1-800-424-9300.  See back panel for additional precautionary statements.				

EPA Reg. No.: 42519-24

EPA Establishment No.: 42519-ISR-001

Manufactured for:

LUXEMBOURG-PAMOL, INC. 5100 Poplar Avenue, Suite 2700 Memphis, Tennessee 38137

Customer Service (713) 661-8800

Batch No. XXXX-XX

FOR CHEMICAL SPILL, LEAK, FIRE OR EXPOSURE CALL TOLL FREE: 1-800-424-9300

Net Contents: 1 or 2.5 gallons

NOTIFICATION received

AGRICULTURAL CHEMICAL

DO NOT SHIP OR STORE WITH FOODS, FEEDS.

DRUGS OR CLOTHING

## PRECAUTIONARY STATEMENTS

Hazard to humans and domestic animals: Caution. Harmful if swallowed or if absorbed through skin. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

PERSONAL PROTECTIVE EQUIPMENT (PPE): Applicators and other handlers must wear:

- long-sleeved shirt and long pants,
- · waterproof gloves,
- shoes plus socks.

Follow manufacturer's instructions for cleaning / maintaining PPE. Keep and wash PPE separately from other laundry.

**User Safety Requirements:** Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards: For terrestrial uses: Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean highwater mark. Do not contaminate water when cleaning equipment or disposing of equipment washwater or rinsate.

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

## Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted entry intervals (REI). The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval of 4 hours unless wearing appropriate PPE.

PPE requirement for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water, is:

- · coveralls.
- · waterproof gloves,
- · shoes plus socks.

## Non-Agricultural Use Requirements

The requirements in this box apply to uses of this product that are **not** within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries or greenhouses.

Keep unprotected persons out of treated areas until sprays have dried.

## General Information:

VITAL® is a systemic product, which contains potassium and phosphate. The phosphonic anion is effective in prevention and control of diseases caused by *Peronospora*, *Phytophthora* and *Pythium*, by fungicidal activity and activation of the plants' natural resistance mechanism. VITAL® is intended for use as part of an Integrated Pest Management (IPM) system. When used in conjunction with good cultural management practices and as part of a complete disease control program, VITAL® will control downy mildew, *Phytophthora*, *Pythium* and *Xanthomonas campestris*. In order to achieve maximum results in controlling the disease, spraying should be carried out before the appearance of the disease or when disease is first observed. Applications should be initiated when environmental conditions are favorable for disease development.

## Mixing and Application Instructions:

Apply in sufficient water to ensure thorough coverage. Fill spray tank halfway with clean water. Add the required amount of VITAL® to the tank as indicated in the table below. While agitating, add the remaining amount of water. Apply solution directly to turfgrass or ornamental foliage, unless directed otherwise in the directions for use. For optimum control, thorough coverage is required.

### Compatibility:

VITAL® is believed to be compatible with most commonly used pesticides. Consult specific product labels for additional information. It is always advisable to conduct a tank spray compatibility test when you plan to mix this product with other products. To determine the physical compatibility of this product with other products, use a jar test. Using a quart jar, add the proportionate amounts of the products to approximately one quart of water with agitation. Add dry formulations first, then flowables, and then emulsifiable concentrates last. After thorough mixing, allow this mixture to stand for 5 minutes. If the combination remains mixed or can be readily remixed, it is physically compatible. Once compatibility has been proven, use the same procedure for adding products to the spray tank.

Test the tank-mix combinations on a small number of plants before treating large areas, as the sensitivity of plants to these mixtures may vary.

VITAL® has been evaluated for phytotoxicity on a large variety of plants under various normal field conditions. However, testing all plant species, in all mixtures and combinations is not feasible. Where feasible, test for phytotoxicity a small portion of the area to be treated, prior to treating the entire area.

## **Application Rate:**

Begin spraying when environmental conditions are favorable for the development of disease or as indicated below. Do not apply above the recommended rates.

Use Site	Disease	Rate	Application Interval	Remarks
Turf	Pythium Yellow Tuft	4-6 fl. oz. per 1000 sq. ft. 12 fl. oz. per 1000 sq. ft.	14 days 21 days	Begin preventative applications when conditions first favor disease. Repeat at recommended interval. Do not mow or water, treated areas until foliage is completely dry.
Bedding Plants FOLIAR APPLICATION	Downy Mildew Phytophthora Pythium spp.	4 pints/100 gal.  2-4 pints <sup>1</sup> /100 gallons	7 days 14 days	Plants such as Begonia, Geranium, Impatiens, Marigold, Pansy, Petunia, Phlox, Salvia, Snapdragon, Verbena, Vinca and Zinnia.
Conifers in Nurseries DIP at Transplanting FOLIAR APPLICATION	Phytophthora Pythium spp.	4 pints/100 gallons  2-4 pints <sup>1</sup> /100 gallons	14 days	Plants such as Douglas fir, spruce and pines. Thoroughly wet plant and root mass. Spray to wet using no more than 400 gallons per acre.
Ornamentals FOLIAR APPLICATION	Downy Mildew	4 pints/100 gal.	7 days	Plants such as Aglaonema, Aphelandra, Azalea, Bougainvillea, Boxwood, Cattelya

Page 4 of 6 VITAL® April 12, 2006

		<del></del>		
	Phytophthora Pythium spp. Xanthomonas campestris	2-4 pints <sup>1</sup> /100 gallons	14 days	skinneri, Cissus, Diffenbachia, Hibiscus, Juniper, Leather Leaf Fern, Pittosporum, Philodendron, Pothos, Rhododendron, Spathaphyllum, and Taxus media, English Ivy, Schefflera authurium, Syngonium fills.
DRENCH APPLICATION	Phytophthora Pythium spp.	0.65 to 1.25 pints 1/100 gallons per 400 sq. ft.	30 days	Plants such as Aphelandra, Azalea, Boxwood, Cissus, Dieffenbachia, Japanese Holly, Monterey Pine, Philodendron, Pieris, Pittosporum, Rhododendron, Schefflera, Spathiphyllum, and Taxus media.
SOIL INCORPORATION	Phytophthora	0.80 to 1.25 pints <sup>1</sup> per cubic yard of soil mix.	30 days	Plants such as Rhododendron, Azalea, or Pieris. Apply immediately prior to potting. Follow this with FOLIAR APPLICATIONS as needed.
Roses FOLIAR APPLICATION	Downy Mildew	4 pints/100 gallons	7 days	In field, container, or landscape in conjunction with disease sanitation. No more than 400 gallons per acre.
Oak TREE INJECTION	Phytophthora ramorum	Measure the area under the tree canopy. Apply 1ml. of Vital® in 20ml. water for each 10 square feet of area under the canopy. Divide the total amount needed per tree by the number of syringes or injections to be used.	Not more than one application per year	<ol> <li>Tree Preparation:         <ol> <li>Carefully remove 2-4 inches of soil from the base of the tree to uncover the top of the root flares.</li> <li>Drill holes through the bark into the sapwood under the root flares. Drill hole diameter (typically 3/16-5/16inch) should be adequate to allow insertion of syringe or injection tee and formation of airtight contact between active xylem and delivery point of the injection. The key is to deliver the product to the active xylem. Space holes 3-6 inches apart around the base of the tree with a slight downward angle into only healthy tissue.</li> </ol> </li> <li>Disinfect the drill bit with Lysol® or 20% Clorox® between trees.</li> <li>Inject only Vital® and water.</li> </ol>

Notes:

1 Use the higher rate when conditions favor disease development and/or with increased disease pressure.

### Important:

Do not apply on plants when they are under water stress, or during severe weather conditions such as high or very low temperatures.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a dry, cool place.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at

an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

## Warranty Limitations and Disclaimer

To the fullest extent permitted by law, Luxembourg warrants that at the time of delivery, the product will conform to its chemical description on the label, that it will pass without objection in the trade under the contract description, that seller will convey good title thereto, and that such product will be delivered free from any lawful security interest, lien or encumbrance.

This is the only warranty made on this product. Luxembourg EXPRESSLY DISCLAIMS ANY IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE AND, EXCEPT AS SET FORTH IN THE ABOVE PARAGRAPH, ANY OTHER EXPRESS OR IMPLIED WARRANTIES. Buyer assumes all risk of use of this material when such use is contrary to label instructions. Read and follow the label directions carefully.

Vital® is a registered trademark of Luxembourg Industries Ltd. Clorox® is a registered trademark of The Clorox Co. Lysol® is a registered trademark of Reckitt Benckiser Inc.

Environmenta	Inited States al Protection Agency ington, DC 20460	Registration Amendment  X Other	OPP Identifier Number			
	Application for Pesticide - S	<del></del>				
1. Company/Product Number 42519-24	2. EPA Product	Manager 3 (	Proposed Classification			
4. Company/Product (Name)	S. Reilly		x None Restricted			
Vital 5 Name and Address of Applicant (Include ZIP Cod	91 6 Expedited	Review in accordance with E	-IFRA Section 3/c)(3)			
Luxembourg-Pamol, Inc. 5100 Poplar Ave., Suite 2700 Memphis, TN 38137  Check If this is a new address	(b)(i), my produ to: EPA Reg. No	6. Expedited Review, in accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No.  Product Name				
	Section - II					
		nted labels in response to				
Amendment - Explain below	· · · · · · · · · · · · · · · · · · ·	letter dated				
Resubmission in response to Agency letter date	ed Me Too	"Me Too" Application.				
X Notification - Explain below	Other - E	Explain below.				
Explanation: Use additional page(s) if necessary.	(For section I and Section II.)					
made to the labeling or the confidential stateme willfully make any false statement to EPA. I furt 40 CFR 152.46, this product may be in violation of FIFRA.	ther understand that if this notification is	s not consistent with the term:	s of PR Notice 98-10 and			
	Section - III					
Material This Product Will Be Packaged In:     Chilo-Resistant Packaging Unit Packaging						
	Datasa Calubia Dagkaning	0 Tun- of Ctou-				
Yes Yes No	Water Soluble Packaging Yes No	2. Type of Containe  Metal  Plastic  Glass  Paper				
Yes No  * Certification must  Unit Packaging wgt	Yes No Per It 'Yes No	Metal Plastic Glass				
Yes No  * Certification must be submitted  Yes No  If "Yes Unit Packaging wgt	Yes No Per It 'Yes No	Metal Plastic Glass Paper Other 'Sr	pecity)			
Yes Yes No No No No Lackaging wgt De submitted Not Contents Information A	No Per it "Yes No Container Package wgt Co	Per Other (Sp. On label accompanying	pecity)			
Yes No No No No Certification must If "Yes Unit Packaging wgt De submitted St. Location of Net Contents Information Laber Container Container Manner in Which Laber is Affixed to Product	Ves No Per It "Yes No Container Package wgt Co  4. Size(s) Retail Container  Lithograph Paper gueg Stendled  Section - IV	Per Other (S)    Description   Description	pecify)			
Yes No	Ves No Per It+Yes No Container Package wgt Co  4. Size(s) Retail Container  Lithograph Other Paper grued Stenciled  Section - IV  Identification of individual to be contacted, if	Metal Plastic Glass Paper Other (Sp  5 Location of Label Directions On label accompanying er  mecessary to process this applic	pecify)  g product  ation.,			
Yes No No No No Certification must If "Yes Unit Packaging wgt De submitted St. Location of Net Contents Information Laber Container Container Manner in Which Laber is Affixed to Product	Ves No Per It "Yes No Container Package wgt Co  4. Size(s) Retail Container  Lithograph Paper gueg Stendled  Section - IV	Metal Plastic Glass Paper Other (Sp  5 Location of Label Directions On label accompanying er  mecessary to process this applic	pecity)  g product  atton.,  No. (Include Area Code)			
Yes No	Ves No Per It "Yes No Container Package wgt Co  4. Size(s) Retail Container  Lithograph Other Paper glued Stenciled  Section - IV  Identification of Individual to be contacted, if Title Agent (SciReg, Inc.)  Certification  this form and all attachments thereto are true	Metal Plastic Glass Paper Other (St    S	pecity)  g product  atton.,  No. (Include Area Code)			
Yes No No No No No Certification must be submitted  3. Location of Net Contents Information Label Container  6. Manner in Which Label is Affixed to Product  1. Contact Point (Complete items directly below for Name Frederick T. Smith  1. certify that the statements which I have made on the Lacknowledge that any knowingly fa'se or misleading the statements which I have made on the Lacknowledge that any knowingly fa'se or misleading the statements which I have made on the Lacknowledge that any knowingly fa'se or misleading the statements which I have made on the Lacknowledge that any knowingly fa'se or misleading the statements which I have made on the lacknowledge that any knowingly fa'se or misleading the statements which I have made on the lacknowledge that any knowledge that any k	Ves No Per It "Yes No Container Package wgt Co  4. Size(s) Retail Container  Lithograph Other Paper glued Stenciled  Section - IV  Identification of Individual to be contacted, if Title Agent (SciReg, Inc.)  Certification  this form and all attachments thereto are true	Metal Plastic Glass Paper Other (St    S	pecify)  altion.,  No. (Include Area Code)  5500  6 Date Application  Received			