

42519-32

5/23/2013

1/5



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

May 23, 2013

SciReg Inc.
12733 Director's Loop
Woodbridge, VA 22192
Attn: Frederick T. Smith

Subject: Notification to change the EPA establishment Number and site consistent with the provisions of PR Notice 98-10. New establishment Number & site address to:

Product name: ProPhyt - PHC.
EPA Reg. No: 42519-32.
EPA Est. No. 42519-ISR-002.
Luxembourg Industries Ltd.
Emek Sarah.
Ramat Hovav, 8551600, ISRAEL.
Your Submission dated April 18, 2013.

Dear Mr. Smith:

The Biopesticides and Pollution Prevention Division is in receipt of your application for Notification under Pesticide Registration Notice (PRN) 98-10 dated above. A screen of this request has been conducted for its applicability under PRN 98-10, and it has been determined that the action requested falls within the scope of this Notice. Our records have been duly noted, and the label submitted with this application has been stamped "Notification Accepted" and will be placed accordingly in our records.

If you have any questions regarding this action, you may contact Mr. Sylvester George at (703) 603-0688 or via e-mail at george.sylvester@epa.gov.

Sincerely,

Linda A. Hollis

Linda A. Hollis, Chief
Biochemical Pesticide Branch
Biopesticides and Pollution
Prevention Division (7511P)

Redlined Copy

ProPhyt-PHC

A Systemic Fungicide for Post-Harvest Treatment of Citrus

ACTIVE INGREDIENT:

Potassium Phosphite*	54.50%
OTHER INGREDIENTS:	45.50%
Total	100.00%

*Phosphorous acid equivalent: 34.30% (4.2 lbs/gal).

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

FIRST AID	
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency medical information.	
See side panel for additional precautionary statements	

EPA Reg. No. 42519-32

Net Contents: 2.5 gallons

EPA Est. No. 42519-ISR-002


Manufactured for:

LUXEMBOURG-PAMOL, INC.
 3647 Willowbend Blvd., Suite 810
 Houston, Texas 77054, U.S.A.
 Customer Service (713) 661-8800
 Batch No. XXXX-XX

Deleted: 1

**FOR CHEMICAL SPILL, LEAK,
 FIRE OR EXPOSURE CALL
 TOLL FREE: 1-800-424-9300**

**AGRICULTURAL CHEMICAL
 DO NOT SHIP OR STORE WITH FOODS,
 FEEDS, DRUGS OR CLOTHING**



4/5

PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals: CAUTION. Harmful if swallowed or if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling, and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE): Applicators and other handlers must wear:

- long-sleeved shirt and long pants
- waterproof gloves
- shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. Keep and wash PPE separately from other laundry.

User Safety Recommendations: Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards: For terrestrial uses: Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean highwater mark. Do not contaminate water when disposing of equipment washwater or rinsate.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.


Intended for post-harvest control of *Penicillium digitatum* (green mold), *Penicillium italicum* (blue mold), and *Phytophthora spp.* (brown rot) on citrus fruits.

ProPhyt-PHC is formulated for aqueous application only as a dip, wash, or drench. Used as directed, ProPhyt-PHC has curative and preventative action and should be integrated into an overall disease management program within each packinghouse. ProPhyt-PHC is compatible with TBZ and imazalil fungicides. Prior to tank mixing ProPhyt-PHC with other agricultural chemicals, conduct a jar test as follows: Add the proportionate amounts of the products to 1 qt. of water or wax/oil emulsion. Add wettable powders and water-dispersible granules first, followed by liquid flowables, and emulsifiable concentrates last. After thorough mixing, let stand for at least 5 minutes. Separation, globules, sludge, flakes or other precipitates are indicative of physical incompatibility. Physical compatibility is indicated if the combination remains mixed or can be remixed readily.

THE CROP SAFETY OF ALL POTENTIAL PESTICIDE TANK MIXES INCLUDING ANTI-SCALD AGENTS AND WAXES HAS NOT BEEN TESTED ON ALL CITRUS VARIETIES. BEFORE APPLYING ANY TANK MIX, CONFIRM SAFETY TO THE TARGET FRUIT.

DOSE RECOMMENDATIONS:

In dips, wash tanks, and drenchers, apply ProPhyt-PHC at rates of 1.2-3.5 gal. of product per 100 gal. of water. Use higher rate under severe disease pressure. Ensure thorough coverage of treated fruit. Treatment solution may be heated up to 50°C (122°F) for better effectiveness. Periodically check the treatment solution to insure the proper concentration of the active ingredient. Once treated, allow fruit to air dry. Repeated applications of ProPhyt-PHC may be necessary.



5/5

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Triple rinse (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into the application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling, if available, or puncture or dispose of in a sanitary landfill, or by incineration. Do not burn unless allowed by state and local ordinances.

Warranty Limitations and Disclaimer

To the extent consistent with applicable law, Luxembourg-Pamol, Inc. warrants that at the time of delivery, the product will conform to its chemical description on the label, that it will pass without objection in the trade under the contract description, that seller will convey good title thereto, and that such product will be delivered free from any lawful security interest, lien or encumbrance.

Deleted: To the fullest extent permitted by law

This is the only warranty made on this product. Luxembourg EXPRESSLY DISCLAIMS ANY IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE AND, EXCEPT AS SET FORTH IN THE ABOVE PARAGRAPH, ANY OTHER EXPRESS OR IMPLIED WARRANTIES. Buyer assumes all risk of use of this material when such use is contrary to label instructions. Read and follow the label directions carefully.

