# HERBICIDE

1 1

ACTIVE INGREDIENT:

Isooctyl ester of 2-(2,4-dichlorophenoxy) proplonic acid\*...36.35≴ INERT INGREDIENTS: ......63.65\$ 

\*Equivalent to 24.60% of 2,4-DP acid or not less than 2.00 lbs. of 2.4-OP acid per gallon.

# KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

IFSWALLOWED: Do not induce vomiting. Call a physician. Note to physician: Aspiration Hazard, may contraindicate the use of gastric lavage.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF IN EYES: Flush with water for 15 minutes. Get medical attention.

See Side Panel for Additional Precautionary Statements

By sirlue of an agreement with the patent owner, the purchaser of the material in this container is hereby authorized toroxactice with said material the processes of U.S. Patents 3,197,299; 3,592,385; and 3,640,461. Similar authorization . . to practice the processes of said patents with material from any source is available from the patent owner

, INCENSED FOR USE UNDER U.S. PATENT 3, 189, 430



MANUFACTURED BY:

# Gilmore, Inc.

5501 Murray Road - Memphis, TN, U.S.A. 38119-3703 Phone (901) 761-5870 · Telex 533349 / 6828022 Cable: Gilmore Memphis

EPA Reg. No. 42545-3 4 TO E SU NO ASSAS-MO-1 NET CONTENTS

**GALLONS** 

# HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

PRECAUTIONARY STATEMENTS

Harmful if swallowed. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Harmful if inhaled. Avoid breathing spray mist. Remove contaminated clothing and wash before reuse. Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons. May cause skin irritation

### **ENVIRONMENTAL HAZARDS**

Do not contaminate water in irrigation ditches or water used for domestic purposes Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with labeling

### STORAGE AND DISPOSAL

Do not contaminate water, food, feed, seeds, fertilizer, insecticides or fungicides by transport, storage. disposal or cleaning of equipment. Open dumping is prohibited. Do not use or store near heat or open flame. Do not store near other pesticides or seeds. Do not reuse containers. Store at temperatures above 32°F. If stored below freezing, it may be necessary to warm to 40°F and agitate before using.

### PESTICIDE DISPOSAL:

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. CONTAINER DISPOSAL:

METAL CONTAINERS - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

PLASTIC CONTAINERS - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities. by burning. If burned, stay out of smoke

NOTE: Do not mix with liquid fertilizers.

Visiko-Rhap formulations are designed to produce thick inverternulsions when used in the Two-Fluid Soray System' The formulation and water enter the spray system separately to be mixed in a special chamber as the spraying is performed.

ACCEPTED

JUN 1 8 1985

Under the Federal Insecticids, Fungicial, and Rodenticide Act. as amended, for the pesticide RPA Reg. No. 42545-39

LITERS

The formulation and water SHOULD NOT be mixed before use.

If this product is to be applied through a biffuld nozzle, sodium bisulfate, water—conditioning agent, must be added at the rate of 2 pounds per 50 gallons of water.

This product when used as directed forms a thick invert emulsion that breaks up into large spray droplets, which are least likely to drift. However, minute quantities can cause injury by drift, and application conditions that permit drift of spray should be avoided. Do not allow this chemical or dilution of it to come in contact with suceptible broadleaf plants that are desirable such as cotton, soybeans, tomatoes, grapes, clover and other legumes, ornamentals. Excessive amounts of this product in the soil may temporarily inhibit seed germination and all plant growth. Do not use the same spray equipment for other purposes where even trace amounts of this chemical may cause injury.

### WHERE TO USE

VISKO-RHAP Low Volatile 2DP is used to control broadleaf weeds in rights-of-way, industrial sites, tenc erows, drainage ditchbanks and firebreaks and similar non-crop areas.

### WEEDS CONTROLLED

VISKO-RHAP Low Volatile 2DP will control Sand Sagebrush and Shinnery Oak. Best results are obtained when spraying is done while weeds are young and actively growing

Application rates of  $\frac{1}{2}$  to 1 pound per acre of 2, 4–DP acid equivalent (1 to 2 quarts of formulation) are recommended depending on brush density and height. Spray to cover foliage of unwanted vegetation. Two successave applications spaced a year apart are recommeded for Shinnery Oak.

Aerial Application: Fill water tank with fresh, clean water. Water temperature should not be less that 55°F. Dissolve sodium bisulfate, water-conditioning agent (supplied with formulation), at the rate of 2 pounds per 50 gallons of water. Add Visko-Rhap Low Vokatile 2DP herbicide to the formulation tank. Use orifices giving (formulation water) ratio in the range of 1:3 to 1:9. Adjust pressure regulator on the pumps to suit the spray job being done, but do not exceed 35 P.S.I. Application rate: 1/2 to 1 pound per acre of 2,4 DP acid equivalent (1 to 2 quarts of formulation).

## DO NOT USE AROUND HOME OR RECREATION AREAS

Do not apply this product on lawns, legumes, such as White Clover are susceptible and may be severly damaged or killed.

# CONDITION OF SALE, WARRANTY, LIMITATION OF LIABILITY

This product conforms to the chemical description on the label thereof and is reasonably fit for the purpose stated on such label only when used in accordance with directions under normal use conditions. Follow directions exercibly. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material, not in strict accordance with directions given herewith. In no case shall the seller be liable for consequential, special or indirect damages such as loss of profits or values resulting from the use or handling of this product.