

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460 NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION <i>(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)</i>	EPA REGISTRATION NO. 42545-47	DATE OF ISSUANCE JUN 3 1986
	TERM OF ISSUANCE Conditional	
	NAME OF PESTICIDE PRODUCT SEE™ MCPA	
NAME AND ADDRESS OF REGISTRANT (Include ZIP code) <div style="border: 1px solid black; padding: 5px; margin: 5px;"> <p>Gilmore, Inc. 5501 Murray Road Memphis, TN 38119-3703</p> </div>		
<p>NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:</p> <ol style="list-style-type: none"> 1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data. 2. Make the labeling changes listed below before you release the product for shipment: <ol style="list-style-type: none"> a. Add the phrase "EPA Registration No. 42545-47." b. Change the signal word "WARNING" on the front and left panel to "CAUTION." c. Add directions for conducting a compatibility test for combining SEE™ MCPA with liquid fertilizers. 3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling. 		
<input type="checkbox"/> ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL		JUN 3 1986

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Richard F. Mountfort *RFM*
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (TS-767C)

Enclosures

30FS



TM

SEE MCPA

HERBICIDE

FOR SELECTIVE CONTROL OF CERTAIN WEEDS IN WHEAT, OATS, BARLEY, RYE, GRASSLAND AND IN NON-CROP AREAS

ACTIVE INGREDIENT:

Isooctyl ester of 2-methyl-4-chlorophenoxyacetic acid*	66.51%
INERT INGREDIENTS	33.49%
TOTAL	100.0%

*Equivalent to 42.6% of 2-methyl-4-chlorophenoxy acetic acid isomer specific or not less than 3.7 pounds of 2-methyl-4-chlorophenoxy acetic acid isomer specific per gallon at 58° F. Isomer specific by A.O.A.C. Method.

KEEP OUT OF REACH OF CHILDREN
WARNING—AVISO

IF SWALLOWED: Call a physician or poison control center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything to an unconscious person.

IF ON SKIN: Wash skin with soap and water.

IF IN EYES: Flush eyes with water for 15 minutes and get medical attention.

SEE ADDITIONAL PRECAUTIONS ON LEFT SIDE PANEL

EPA Reg. No. 42545

EPA Est. No. 285-MO-18

MANUFACTURED BY

Gilmore, Inc.

5501 Murray Road · Memphis, TN, U.S.A. 38119-3703

Phone (901) 761-5870 · Telex 533346 6828022

Cable: Gilmore Memphis

ACCEPTED
 JUN 3 1986
 Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 42545-47

NET CONTENTS _____ GALLONS _____ LITERS

PRECAUCION AL USUARIO: SI USTED NO LEE INGLES, NO USE ESTE PRODUCTO HASTA QUE LA ETIQUETA LE HAYA SIDO EXPLICADA AMPLIAMENTE

PRECAUTIONARY STATEMENTS WARNING

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Do not get in eyes, on skin or on clothing. Harmful if swallowed. Do not breathe vapors or spray mist.

ENVIRONMENTAL HAZARDS

Do not apply directly to water.
Do not apply when weather conditions favor drift from target area.
Spray equipment used in applying this product should be thoroughly cleaned before using for any other purposes. Use repeated flushing with soap and warm water or suitable chemical cleaner. It is best to use a separate sprayer for application of insecticides and fungicides.
Do not contaminate water by cleaning of equipment or disposal of wastes.
This product will kill or seriously injure many desirable forms of vegetation. Do not apply directly to flowers, fruits, vegetables, grapes, ornamentals, cotton or other desirable plants. Do not use when there is hazard from drifting mists. (Coarse sprays are less likely to drift.) Vapors from this product may injure susceptible plants in the immediate vicinity.
Avoid contamination of water used for domestic purposes and irrigation purposes. Excessive amounts of this product in the soil may temporarily inhibit seed germination and plant growth.

PHYSICAL OR CHEMICAL HAZARDS

Do not cut or weld container.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

RE-ENTRY STATEMENT

Do not enter treated areas without protective clothing until sprays have dried. Protective clothing means, at least, a hat or other suitable head covering, a long-sleeved shirt and long-legged trousers or a coverall type garment (all of closely woven fabric covering the body, including the arms and legs), shoes and socks.
Because certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL

STORAGE

Store in a dry location away from children, animals, foods, feeds, seeds and other agricultural chemicals. Keep container closed when not using.

Handle in accordance with information given under "Precautionary Statements".

Keep storage area locked when not in use.

In the event of spillage or leakage, soak up material with absorbent clay, sand, sawdust or other absorbent material. Scrape up and dispose of in accordance with information given under "Pesticide Disposal". Repackage and relabel useable product in a sound container.

In case of fire or other emergency, report at once by toll-free telephone to 800-424-9300.

DISPOSAL

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL:

METAL CONTAINERS - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

PLASTIC CONTAINERS - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

NOTE:

SEE MCPA freezes when stored below -5°C. After thawing, all physical properties are restored.

CONTROLS THESE AND OTHER WEEDS

Susceptible (Most Areas): Lambsquarters, Goosefoot, Marsh Elder, Mustards, Chickweed, Puncturewort, Ragweed, Silene, Wood Pennygrass, Fanweed, Wild Radish, Yellow Rocket or Wintergrass, Cockspur, Goats Beard, Field Peppergrass, Dragon Head Mint, Beggar-ticks, Posion Henchick, Hemlock, Shepherdspurse, Annual Sow Thistle, Kochia, Less Susceptible: Buttercups, Canada Thistle, Dandelions, Plantains, Stinging Nettle, Perennial Sow Thistle, Vetch, White Top or Hoary Cress, Russian Pigweed, Sunflower, Chenop, Miner's Lettuce, Purslane

PREPARATION OF THE SPRAY

Fill the spray tank with half the required amount of water, then add the recommended amount of SEE MCPA and complete filling the spray tank with the balance of water. Keep agitator running when filling spray tank and during spray operation. For crop uses, do not mix with oil, surfactant or other adjuvants as this may reduce selectivity to crops resulting in crop damage or kill.

AMOUNT OF SPRAY TO APPLY

Apply 5 to 15 gallons of total spray per acre when making applications with ground equipment and 3 to 10 gallons of total spray per acre when making applications by aircraft unless directed otherwise under specific directions. Carefully review the Environmental Hazards section of the Precautionary Statements for further information on spray volume.

SELECTIVE SPRAYING

Wheat, Oats, Barley and Rye - Apply as a water mix spray by ground sprayer or airplane. Use 1/2 to 1 pint per acre for the more susceptible weeds after crop has reached the 3 to 4 leaf stage up to boot stage. Use up to 3 pints per acre for the less susceptible weeds after crop has tilled and up to early boot stage. Do not spray from boot to dough stage. Do not forage or graze meat animals on treated areas within 7 days of slaughter. Do not forage or graze dairy animals on treated areas within 7 days after treatment.

FLAX

Use 1/2 to 1 pint per acre. Apply by ground sprayer or by airplane. Apply only when weeds are up and when flax is 4 to 6 inches high and before 4 comes into bud. Treatment after early bud stage may result in severe damage. If Canada Thistle is present, it may be necessary to go as high as 1/2 pint per acre to prevent seed head production. Some injury to the flax may result.

Do not forage or graze meat animals on treated areas within 7 days of slaughter. Do not forage or graze dairy animals on treated areas within 7 days after treatment.

GRASSES

Established Grassland - Use 1 to 3 pints per acre in sufficient water (10 to 100 gallons) by airplane or ground sprayer application and give thorough coverage. Use higher rate for White Top, Canada Thistle and other less susceptible weeds. Spray perennials in early bud to full bloom stage and regrowth in fall, other weeds in spring or fall, when actively growing. Do not forage or graze meat animals on treated areas within 7 days of slaughter. Do not forage or graze dairy animals on treated areas within 7 days after treatment.

GRASES (Grown for seed: aerial and surface applications): Use 1 to 2 pints per acre, the higher rate where weed stands are heavy. In established grasses apply in spring before head comes into boot and on seedling grass after grass has tillered.

NOTE: For weed control in grasses, repeated treatment may be needed for less susceptible weeds. In some areas berm buffalo, carpet and St. Augustine grasses may also be injured by treatment.

NON-CROP SPRAYING ALONG FENCE ROWS AND ROADSIDES

Canada Thistle, White Top and Meadow Buttercup - For spot treatment, use 1/2 pint to 3 to 4 gallons of water or 1/4 gallon in sufficient water to give coverage for most extensive areas. Spray to wet weeds thoroughly when in bud to early bloom and again on fall regrowth.

USE IN

Liquid Nitrogen Fertilizer: Product may be combined with liquid nitrogen fertilizer suitable for foliar application in one operation. Use SEE MCPA according to directions on this label. Use liquid fertilizer at rates recommended by supplier or extension service specialist. Mix the SEE MCPA Concentrate and fertilizer according to the following instructions:

Fill the tank approximately 1/2 full with the liquid fertilizer. Add the SEE MCPA Concentrate while agitating the tank. Add the remainder of the liquid fertilizer while continuing to agitate.

GENERAL INFORMATION

Local conditions may affect the use of this chemical. Consult State Agricultural Extension or Experiment Station specialists for specific recommendations for local weed problems and for information on possible lower dosages. Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

CONDITION OF SALE, WARRANTY, LIMITATION OF LIABILITY

This product conforms to the chemical description on the label thereon and is reasonably fit for the purposes stated such label only when used in accordance with directions under normal use conditions. Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage, or handling of this material not in strict accordance with directions given herewith. In no case shall the seller be liable for consequential, special or indirect damages such as loss of profits or values resulting from the use or handling.

Add instructions for conductivity a compatibility test for combining SEE MCPA with liquid fertilizer