

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may not be discharged into lakes, streams, ponds or public waters without a valid discharge permit. For guidance, contact the regional office of the Environmental Protection Agency.

**PHYSICAL AND CHEMICAL HAZARDS:
STRONG OXIDIZING AGENT:** Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

manufactured by

**TRI-STATE MANUFACTURING, INC.
P.O. Box 7687
Jacksonville, FL 52210**

**EPA REG. NO. 42682-1 EPA EST. NO.
NET CONTENTS**

KLORO-SAN

**INSTITUTIONAL
SANITIZER**

ACTIVE INGREDIENT
SODIUM HYPOCHLORITE 9.2%
INERT INGREDIENTS 90.8%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk or gelatin solution or, if these are not available, drink large quantities of water. Do NOT give vinegar or other acids. Do NOT induce vomiting. Get prompt medical attention.

See additional precautions on side panel

ACCEPTED

42682-1
MAY 06 1981

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No.

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION
FOR PROFESSIONAL USE ONLY**

**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT
IN A MANNER INCONSISTENT WITH ITS LABELING**

DIRECTIONS FOR SWIMMING POOL CHLORINATION
For a new pool or for starting start-up, superchlorinate with one (1) pint (16 fl. oz.) of this sodium hypochlorite solution for each 2500 gallons of water. This dosage is equivalent to 5 ppm available chlorine by weight.

For Pool Maintenance

A) Adjust pool water pH to 7.4 - 7.6 range and maintain.

B) Add manually or by a feeder device this sodium hypochlorite solution at a rate to maintain an available chlorine residual of 0.6 to 1.0 ppm. One-half pint (8 fl. oz.) of this sodium hypochlorite solution for each 6000 gallons of water will provide 1.0 ppm available chlorine by weight.

Use test kit to make certain the pH and chlorine residual are in the proper range.

MILDEW REMOVER: Dilute KLORO-SAN to 800 ppm available chlorine. Maintain contact with disinfectant for 2 minutes. Wipe off with mop or cloth. Rinse well with water.

DIRECTIONS FOR SANITIZING GLASSES, DISHES AND SILVERWARE: Immerse for 30 seconds in a 200 ppm solution available chlorine by weight. Rinse well with water.

DILUTION CHART

5 ppm = 4 oz. per 5,000 gal.
200 ppm = 320 oz. per 1,000 gal.
400 ppm = 640 oz. per 1,000 gal.
800 ppm = 1,280 oz. per 1,000 gal.

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage as necessary to obtain the required level of available chlorine.

STORAGE AND DISPOSAL: Store in a cool, dry area away from direct sunlight. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and either return to manufacturer or discard by placing in trash collection or burying in an approved landfill. Product or residue that cannot be used, should be diluted with water and disposed of in a sanitary sewer. Do not contaminate food or feed by storage, disposal or cleaning of equipment.