

PM 16

Safer™ INSECTICIDAL SOAP FOR FRUITS & VEGETABLES



READY TO USE
KILLS: APHIDS, WHITEFLY, PLANT BUGS, MITES
AND OTHER LISTED PESTS ON FRUITS AND
VEGETABLES.

Active Ingredients	By Wt.	Keep Out of Reach of Children
Potassium salts of fatty acids	2.0%	CAUTION See back panel for additional precautionary statements.
Inert Ingredients	98.0%	
TOTAL	100.0%	

Net Contents 24 FL. OZ.

Safer INSECTICIDAL SOAP FOR FRUITS & VEGETABLES

PRECAUTIONARY STATEMENTS

Hazards to humans and domestic animals
CAUTION: Harmful if swallowed. Avoid contamination of feed and food stuff.

Environmental hazards: Keep out of lakes, streams & ponds

STORAGE & DISPOSAL

Store at room temperature & protect from freezing. Do not reuse empty container. Rinse thoroughly before discarding in trash

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To control APHIDS, LEAFHOPPERS, PLANT BUGS, WHITEFLY, MITES and GRASSHOPPERS on fruits and vegetables. Apply when insects or first signs of damage appear. Spray to wet all infested plant surfaces. 24 oz of spray covers 100 sq. ft. of growing area. For APHIDS spray again after 2 days or when insects return. For SPIDER MITES and WHITEFLY apply weekly being sure to spray underside of leaves. For PLANT BUGS, LEAFHOPPERS and GRASSHOPPERS spray directly on insects when present.

May be used up to day of harvest on all listed crops.

CUCURBITS (Cucumber, Squash, Pumpkin, Melons):
To control aphids, leafhoppers, spider mites, squash bug and whitefly.

BEANS & PEAS: To control aphids, leafhoppers, grasshoppers and spider mites. COLE CROPS (Cabbage, Broccoli, Brussel Sprouts etc.) to control aphids, leafhoppers, and harlequin bug. TOMATOES, PEPPERS & EGG PLANT: To control aphids, spider mites and whitefly.

GRAPES: To control aphids and leafhoppers

SAFER INC. will not accept liability for damage or injury resulting from misuse.

EPA REG. No. 42897-02
EPA Est. No. 907-TN-01

Safer, Inc.

69 WILLIAM STREET
WILLESETT, MA 02181


© 1986, Safer, Inc.



ACCEPTED
MAY 6
Unless otherwise
Fungicide
as amended
registered
EPA Reg. No. 42897-02

Safer™

INSECTICIDAL SOAP FOR HOUSEPLANTS



READY TO USE

KILLS: APHIDS, MEALYBUGS, MITES AND OTHER LISTED PESTS ON HOUSEPLANTS.

Active Ingredients	By Wt.	Keep Out of Reach of Children
Potassium salts of fatty acids	2.0%	CAUTION See back panel for additional precautionary statements.
Inert Ingredients	98.0%	
TOTAL	100.0%	

Net Contents 24 FL. OZ.

Safer™

INSECTICIDAL SOAP FOR HOUSEPLANTS

PRECAUTIONARY STATEMENTS

Hazards to humans and domestic animals:
CAUTION: Harmful if swallowed. Avoid contamination of feed and food stuff.

Environmental hazards:

Keep out of lakes, streams & ponds.

STORAGE & DISPOSAL

Store at room temperature & protect from freezing.

Do not reuse empty container.

Rinse thoroughly before discarding in trash.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To control APHIDS, MEALYBUGS, WHITEFLY, SCALES and SPIDER MITES, on houseplants, spray thoroughly to wet all infested surfaces. For APHIDS and MEALYBUGS spray again after 2 days or when insects return. For

MITES, spray once a week for 2 to 3 weeks. For WHITEFLY, spray at 2 week intervals. Do not use on euphorbias, gardenias, delicate ferns, Japanese maple or bleeding heart. **NOTE:** This product is somewhat stronger than spray mixed from concentrate. Do not use on azaleas, begonias, camellias, fuchsias, impatiens, jade plant or palms without first testing for varietal sensitivity.

Do not spray plants while exposed to full sun.

SAFER INC., will not accept liability for damage or injury resulting from misuse.

EPA REG. No. 42897-02
EPA Est. No. 907-TN-01

Safer, Inc.

60 WILLIAM STREET
WELLESLEY, MA 02181

© 1986, Safer, Inc.



6 1987

42697-2

287

Safer™

APHID, WHITEFLY & MEALYBUG KILLER



READY TO USE

KILLS: APHIDS, WHITEFLY, MEALYBUGS AND OTHER LISTED PESTS ON ORNAMENTAL PLANTS AND VEGETABLES IN AND AROUND THE HOME.

Active Ingredients	By Wt.	Keep Out of Reach of Children
Potassium salts of fatty acids	2.0%	CAUTION See back panel for additional precautionary statements.
Inert Ingredients	98.0%	
TOTAL	100.0%	

Net Contents 24 FL. OZ.

Safer

APHID, WHITEFLY & MEALYBUG KILLER

PRECAUTIONARY STATEMENTS

Hazards to humans and domestic animals:

CAUTION: Harmful if swallowed. Avoid contamination of feed and food stuff.

Environmental hazards: Keep out of lakes, streams & ponds.

STORAGE & DISPOSAL

Store at room temperature & protect from freezing. Do not reuse empty container. Rinse thoroughly before discarding in trash.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To control APHIDS, WHITEFLY, MEALYBUGS on ornamental plants in and around the home spray to thoroughly wet all infested surfaces. Make sure spray penetrates dense foliage.

For APHIDS and MEALYBUGS spray again in 2 days. For WHITEFLY spray every 2 weeks as needed.

To control MITES spray to thoroughly wet the underside of leaves where MITES feed. Re-treat weekly for 2 or 3 weeks as needed.

Do not use on bleeding heart, euphorbia, gardenias, delicate ferns or Japanese maple. **NOTE:** This product is somewhat stronger than spray mixed from concentrate. Do not use on azaleas, begonias, camellias, fuchsias, impatiens, jade plant or palms without first testing for varietal sensitivity.

Do not apply to plants in full sun.

VEGETABLES: Use as provided to control aphids, plant bugs and whitefly. Spray when insects appear. For aphids spray again after 2 or 3 days or when insects return. For whitefly thoroughly spray underside of leaves and repeat every 2 weeks.

TOMATOES AND PEPPERS: To control aphids and whitefly, use up to day of harvest. **COLE CROPS** to control aphids and harlequin bug, use up to day of harvest.

SAFER INC., will not accept liability for damage or injury resulting from misuse.


EPA REG. No. 42007-02

EPA Est. No. 907-TN-01

Safer, Inc.

60 WILLIAM STREET
WILLETSLEY, MA 02181

© 1986, Safer, Inc.



Safer™ MITE KILLER



READY TO USE

KILLS: RED SPIDER MITES, TWO-SPOTTED MITE
AND OTHER LISTED PESTS ON PLANTS IN AND
AROUND THE HOME.

Active Ingredients	By Wt.	Keep Out of Reach of Children
Potassium salts of fatty acids	2.0%	CAUTION See back panel for additional precautionary statements.
Inert Ingredients	98.0%	
TOTAL	100.0%	

Net Contents 24 FL. OZ.

Safer™

MITE KILLER

PRECAUTIONARY STATEMENTS

Hazards to humans and domestic animals:

CAUTION: Harmful if swallowed. Avoid contamination
of feed and food stuff

Environmental hazards: Keep out of lakes, streams & ponds.

STORAGE & DISPOSAL

Store at room temperature & protect from freezing. Do not
reuse empty container. Rinse thoroughly before
discarding in trash.

DIRECTIONS FOR USE

It is a violation of Federal law to use the product in a
manner inconsistent with its labeling.

To control MITES on ornamental plants in and around the
home spray to thoroughly wet the underside of leaves
where mites feed. Re-treat weekly for 2 or 3 weeks as
needed. For control of APHIDS, MEALYBUGS and
WHITEFLY spray to thoroughly wet infested foliage. For
APHIDS and MEALYBUGS spray again in 2 days.

For WHITEFLY, spray every 2 weeks as needed. Do not
use on euphorbias, bleeding heart, gardenias, delicate
ferns or Japanese maple.

NOTE: This product is somewhat stronger than spray
mixed from concentrate. Do not use on azaleas,
begonias, camellias, fuchsias, impatiens, jade plant or
palms without first testing for varietal sensitivity. Do not
apply to plants in full sun.



SAFER INC., will not accept liability for damage or injury
resulting from misuse.

EPA REG. No. 42697-02
EPA Est. No. 907-TN-01

Safer, Inc.

60 WILLIAM STREET
WELLSLEY, MA 02181

© 1984, Safer, Inc.



42697