Hazards to Humans and Domestic Animals: CAUTION: Harmful if swallowed.

Environmental Hazards: Keep out of lakes, streams or ponds.

DISPOSAL: Do not reuse empty container. Rinse clean with water and dispose of in trash collection.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labelling.

Do not apply spray to roses in full sun or during the heat of the day

To Control APHIDS, THRIPS, and PSYLLIDS, spray when insects are first sighted being sure to treat young shoots and buds where aggregations often occur, and underside of leaves where psyllids may be hiding. Repeat application as required.

To Control SCALES, remove established adults manually then spray stems and leaf surfaces thoroughly to kill crawlers. Repeat application hwice more at 7 to 10 day intervals.

Directions continued on right side panel



1112 122712

To Control MITES, spray weekly to thoroughly moisten both upper and lower leaf surfaces Misting foliage with water daily until control is achieved is beneficial.

To Control ROSE SLUGS, spray both sides of leaves where these sawfly larvae are feeding. Watch for a second generation in 4 to 6 weeks and spray again when insects are sighted.

To Control EARWIGS, spray the blossoms after dark or spray earwigs directly after disturbing their daytime hiding places

Safer Agro-Chem Inc., nor the seller accept liability resulting from misuse 91984 SAFER AGRO-CHEM INC

1985 Paten In Strendo.

Fungi e. unit Rode unde Act. as amended, for the posticide

registered under, EPA Reg. No. 7546 EPA Reg No 42697-EPA Est No 907-TN-O!



Safer Agro-Chem Inc. 370 Brooks Rd Eost Memphis, TN 38116