4

(

(

42677-11

.

DRAFT LABEL - FRONT PANEL

ACCEPTEI	5
OCT 2 1 1986	
Under the Federal 1	

SAFERTM INSECTICIDAL SOAP FOR ROSES & FLOWERS Ready to Use

KILLS APHIDS, ROSE SLUGS, PSYLLIDS, EARWIGS, SCALES & SPIDER MITES

ACTIVE INGREDIENTS	BY WT.
Potassium salts of fatty acids	1.5%
INERT INGREDIENTS	98.5%
TOTAL	100.0%

Keep out of reach of children

CAUTION

See Back Panel For Additional Precautionary Statements NET CONTENTS 24 FL. 0Z.

DRAFT PANEL - BACK PANEL

232

PRECAUTIONARY STATEMENTS

misuse.

Hazards to humans and domestic animals: CAUTION: Harmful if swallowed. Avoid contamination of feed and food stuff.

Environmental Hazards: Keep out of lakes, streams and ponds. DISPOSAL: Do not reuse empty container. Rinse thoroughly before discarding in trash.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not spray flowering plants while in full sun or during the heat of the day.

To control APHIDS, THRIPS, and PSYLLIDS, spray when insects are first sighted being sure to treat young shoots and buds where aggregations often occur, and underside of leaves where psyllids may be hiding. Repeat application as required.

To control SCALES, remove established adults manually then spray stems and leaf surfaces thoroughly to kill crawlers. Repeat application twice more at 7 to 10 day intervals.

To control MITES, spray weekly to thoroughly moisten both upper and lower leaf surfaces. Misting foliage with water daily until control is achieved is beneficial.

To control ROSE SLUGS, spray directly on feeding sawfly larvae being sure to check underside of leaves. Watch for a second generation in 4 to 6 weeks and spray again when insects are sighted.

To control EARWIGS, spray the blossoms after dark or spray earwigs directly after disturbing their daytime hiding places.

Safer, Inc.EPA Reg. No. 42697-1160 William St.EPA Est. No. 907-TN-01Wellesley, MA 02181*****Safer, Inc. will not accept liability for damage resulting from