

# Safer™

## AFRICAN VIOLET INSECT KILLER



### READY TO USE

**KILLS: APHIDS, MEALYBUGS, WHITEFLY, THRIPS  
AND SPIDER MITES.**

Active Ingredients	By Wt	<b>Keep Out of Reach of Children</b>
Potassium salts of fatty acids	1.5%	
Inert Ingredients	98.5%	<b>CAUTION</b> See back panel for additional precautionary statements.
TOTAL	100.0%	

**Net Contents 8 FL. OZ**

# Safer™

## AFRICAN VIOLET INSECT KILLER

**PRECAUTIONARY STATEMENTS**  
Hazards to humans and domestic animals  
**CAUTION.** Harmful if swallowed.  
Environmental hazards: Keep out of lakes, streams and ponds.

**STORAGE & DISPOSAL**  
Store at room temperature & protect from freezing. Do not reuse empty container. Rinse thoroughly before discarding in trash.

**DIRECTIONS FOR USE**  
To control **APHIDS, MITES, WHITEFLY** and **THRIPS** spray thoroughly to wet all infested surfaces, or dip foliage portion of plant in spray solution taking care to avoid loss of soil. Repeat treatment at 7 to 10 day intervals. Protect blossoms, or rinse with water after treatment to avoid spotting. Do not allow excess spray solution or water to sit in center of plant. Keep plants out of direct sun while foliage is wet.

To control **ROOT MEALYBUGS**, be sure soil is moist, then pour solution evenly over the soil surface until drainage begins. Leave excess solution in watering saucer to be re-absorbed by the soil. Repeat in 7 to 10 days.


SAFER INC., will not accept liability for damage or injury resulting from misuse

EPA REG. No. 42697-18  
EPA Est. No. 907-TN-01

**Safer, Inc.**  
60 WILLIAM STREET  
WELLESLEY, MA 02181



© 1986, Safer, Inc.



Pm 16

41 077-16

U  
4  
23