ACCEPTED

OCT 2 1 1986

Under the Peder, the mind of Fungicide, and Redenis the letter as amended, for the possicide registered under EPA Reg. No.

42697-16

DRAFT LABEL - FRONT PANEL


SAFERTM
AFRICAN VIOLET INSECT KILLER
Ready to Use

KILLS
APHIDS, MEALYBUGS, WHITEFLY,
THRIPS AND SPIDER MITES

ACTIVE INGREDIENTS
Potassium salts of fatty acids
INERT INGREDIENTS
TOTAL
BY WT.
1.5%
98.5%

Keep out of reach of children CAUTION

See Back Panel For Additional Precautionary Statements
NET CONTENTS 8 FL. 02.



DRAFT LABEL - BACK PANEL

PRECAUTIONARY STATEMENTS

Hazards to humans and domestic animals:

CAUTION: Harmful if swallowed

Environmental hazards: Keep out of lakes, streams and ponds.

DISPOSAL: Do not reuse empty container. Rinse clean with water and dispose of

in trash collection.

DIRECTIONS FOR USE

To control APHIDS, MITES, WHITEFLY and THRIPS spray thoroughly to wet all infested surfaces, or dip foliage portion of plant in spray solution taking care to avoid loss of soil. Repeat treatment at 7 to 10 day intervals. Note: Store and use spray at room temperature. Protect blossoms, or rinse with water after treatment to avoid spotting. Do not allow excess spray solution or water to sit in center of plant. Keep plants out of direct sun while foliage is wet.

To control ROOT MEALYBUGS, be sure soil is moist, then pour ready to use spray solution evenly over the soil surface until drainage begins. Leave excess solution in watering saucer to be re-absorbed by the soil. Repeat in 7 to 10 days.

SAFER INC., will not accept liability for damage resulting from misuse.

EPA. REG. No. 42697-16

SAFER INC.

EPA Est. No. 907-TN-01 60 William St.

Wellesley, MA. 02181