10F4 REL 421.17-17 EPA REGISTRATIO DATE OF ISSUANCE U.S. ENVIRONMENTAL PRUTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-567) TERM OF ISSUANCE UNCOPULT TOHAL WASHINGTON, D.C. 20460 NOTICE OF PESTICIDE: REGISTRATION NAME OF PESTICIDE PRODUCT REREGISTRATION Sater's Garden Hungton Ar/Inticiro/ (Under the Federal Insecticide, Fungicide, the editor to Reading the and Rodenticide Act, as amended) NAME AND ADDRESS OF REGISTRANT (Include ZIP code) Salor ago Chom Sho. P.C. BOX 619 James L. CA 92135 NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number. On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith. Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered is registered to see reance with sire of the by others. 1915 provides 1 anamina tha you take the labeling changes listed below below year to ease the product for shippent a. AM the phrase "FPA Registration 15, 42697-17." b. Objets the claim for applied control or submit data which supports this claim. Submit tive (5) expies of your final printed Labelin; before you releas) the project for shipment. Reter to the 4-79 Enclosure for a further description of that printed labeling. A stapped copy of the table is enclosed for your records.

> Henry M. Jacoby Product Manager 21 Fun picide-Herbicide Branch Registration Division (CS-767C)

ATTACHMENT IS APPLICABLE		,
SIGNATURE OF APPROVING OFFICIAL	Hury M. Jacoby	1/11/86
		والمستناء والمستناء

EPA Form 8570-6 (Rev. 5-76)

. :

PREVIOUS EDITION MAY SE USED UNTIL SUPPLY IS EXHAUSTED.

## LABEL FRONT PANEL

SAFER AGRO-CHEM'S

GARDEN FUNGICIDE - MITICIDE - INSECTICIDE

READY-TO-USE

FOR THE CONTROL OF

POWDERY MILDEW, BLACK SPOT, SCAB, BROWN CANKER, LEAF SPOT AND RUST

PLUS

MITES, LEAFHOPPERS, APHIDS, AND THRIPS

ON

FRUITS, VEGETABLES, FLOWERS, FOLIAGE PLANTS, AND ORNAMENTALS

IN AND AROUND HOMES, NURSERIES, AND GREENHOUSES

Parison Schiede Art as recess posts of against the stage of

42697-17

ACCEPTED

with COMMENTS in EPA Letter Dated:

JAN 1 6 1986

When the Propert Inscripted

ACTIVE INGREDIENTS: BY WEIGHT: Sulfur 0.40% INERT INGREDIENTS 99.60% TOTAL 100.0 %

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional cautions

EPA Reg. No. 42697-xx

EPA Est. No. 907-TN-01

Net Contents 32 Fl. Oz.

## LABEL BACK PANEL

#### PRECAUTIONARY STATEMENTS -

HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

CAUTION: Harmful if swallowed. Do not inhale spray mist. Avoid contact with eyes. Do not use for medical purposes or as a feed supplement.

**ENVIRONMENTAL HAZARDS:** 

Do not apply directly to water. Do not contaminate water when cleaning equipment or disposing of waste.

USE CAUTIONS: Some plants are susceptible to injury from sulfur under certain climatic conditions. Do not use on Boston Fern, spinach, apricots, filberts, walnuts, and viburnum. Do not apply when temperature exceeds 85 F. Do not apply for at least 4 weeks following application of oil spray

RE-ENTRY: Avoid contact v h plants until spray has dried.

DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Do not re-use empty container. Wrap the empty container and put in trash for collection.

### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Spray plants thoroughly to wet the upper and lower surfaces of foliage. Repeat as recommended. For control of mites, apply at seven day intervals.

FLOWERS, FOLIAGE PLANTS, AND ORNAMENTALS: To control powdery mildew, leaf spot, black spot, rust, and mites. Spray at 7 to 10 day intervals or as needed.

ROSES: To control powdery mildew, black spot, brown canker, rust, mites, aphids, and thrips. Spray at 7 to 10 day intervals or following rain. Be sure to treat new growth and buds. Avoid spraying when plants are in full sun or temperature exceeds 85 F.

BEANS AND PEAS: To control powdery mildew and mites. Spray at first sign of disease or mite infestation and repeat at seven day intervals as necessary. May be used up to day before harvest.

POTATOES: To control powdery mildew. Spray before disease appears and repeat as necessary. May be used up to day before harvest.

# LABEL BACK PANEL (CONT.)

TOMATOES: To control russet mite. Spray when fruit begins to set and repeat as necessary. May be used up to day before harvest.

CUCUMBERS AND SQUASH: To control powdery mildew. Spray when disease appears and repeat as necessary. Do not spray young plants. May be used up to day before harvest.

STRAWBERRIES: To control powdery mildew spray at first sign of infection and repeat at three week intervals. May be used up to day before harvest. CAUTION: Do not apply to strawberry fruit that will be used for canning.

GREENHOUSE PLANTS: To control powdery mildew, leaf spot, black spot, rust, and mites. Use according to above recommendations in relation to crop type. Do not use when greenhouse temperature is above 85 F. Test for phytotoxicity before full-scale application.

WARRANTY: Neither Safer Agro-Chem Inc. nor the sellers accept liability resulting from misuse or uses beyond those described on this label.