

ACCEPTED

SEP 16 1987

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 42697-17

# Safer™ GARDEN FUNGICIDE

SHAKE  
WELL

READY TO USE

Active Ingredients	By Wt.	<b>Keep Out of Reach of Children</b>
Sulfur	0.4%	
Inert Ingredients	99.6%	<b>CAUTION</b>
TOTAL	100.0%	

See back panel for additional precautionary statements.

Net Contents 24 FL. OZ.

## Safer GARDEN FUNGICIDE

### PRECAUTIONARY STATEMENTS

Hazards to humans:

**CAUTION:** Harmful if swallowed.

Environmental hazards: Do not apply directly to water or contaminate water when cleaning equipment or disposing of waste.

### STORAGE & DISPOSAL

Store at room temperature & protect from freezing. Do not reuse container or contaminate water or food by storage.

Dispose of in trash collection.

**USE CAUTIONS:** Some plants are susceptible to injury from sulfur under certain climatic conditions. Do not use on Boston Fern, spinach, apricots, ribwort, walnuts and viburnum. Do not apply when temperature exceeds 85°F. or in full sun. Do not apply for at least 4 weeks following application of oil spray or within 4 days of other pesticide application.

**RE-ENTRY:** Avoid contact with plants until spray has dried.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Spray plants thoroughly to wet the upper and lower surfaces of foliage. Repeat as necessary for mildew control.

**FLOWERS, FOLIAGE PLANTS AND ORNAMENTALS:** Spray at 7 to 10 day intervals or as needed to control powdery mildew, leaf spot, black spot, and rust.

**ROSES:** Spray at 7 to 10 day intervals to control powdery mildew, black spot, and rust. Be sure to treat new growth and buds.

**FRUITS AND VEGETABLES:** May be used up to day before harvest.

**BEANS AND PEAS:** to control powdery mildew. Spray at first sign of disease infestation, and repeat at 7 day intervals as necessary.

**STRAWBERRIES:** To control powdery mildew spray at first sign of infection and repeat at 3 week intervals. Do not apply to strawberry fruit that will be used for canning.

SAFER INC., will not accept liability for damage or injury resulting from misuse.

EPA REG. No. 42697-17  
EPA Est. No. 4091-TN-03

**Safer, Inc.**  
40 WILLIAM STREET  
WELLESLEY, MA 02181

© 1986, Safer, Inc.



Page 8 OF 12  
P-1 48 697-17 1051