

Reg # 42697-33

PM-10

194

Safer, Inc.
c/o Ms. Donna K. Todhunter
SRS International
1625 K Street NW. Suite 1000
Washington, DC 20006-1604

MAY 14 1991

Gentlemen:

Subject: Amendments - Pet Use
Safer™ Flea & Tick Spray Ready to Use
EPA Registration No. 42697-33
Safer™ Flea & Tick Spray Concentrate
EPA Registration No. 42697-34
Your Submissions Dated April 26, 1991

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

For registration 42697-33, you may delete the repeated text for Practical Treatment on page 2 of the draft.

In future submissions, do not alter EPA form 8570-29. We have approved these amendments based on the Selective Method of Support for data consideration as described in earlier submissions for these pesticides.

Sincerely yours,

RFM
Richard F. Mountfort
Product Manager (10)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

62494:LA-4:Mountfort:110-12:KEVRIC:5/28/91:6/3/91:EK:WO:EK
CONCURRENCE

SYMBOL							
SURNAME							
DATE							

294

(TM)
Safer

SHAKE WELL READY TO USE

MAY 14 1991

FLEA & TICK
SPRAY

KILLS
FLEAS, TICKS AND OTHER LISTED PESTS

ACTIVE INGREDIENTS:	By Wt.
Pyrethrins	0.01%
Potassium salts of fatty acids	1.00%
INERT INGREDIENTS:	98.99%
TOTAL	100.00%

Keep Out of Reach of Children

CAUTION

See back panel for additional precautions

NET CONTENTS 24 FL. OZ.

ACCEPTED
With COMMENTS
In EPA Letter Dated
MAY 14 1991
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
42697-33
statements

BACK PANEL

TO
CONTROL
FLEAS, LICE AND TICKS

PRECAUTIONARY STATEMENTS

Hazards to humans and domestic animals:

CAUTION: Causes moderate eye irritation. Avoid contact with skin, eyes and clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

If Swallowed: Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink a large quantity of water. Do not administer liquids to an unconscious person.

If On Skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

If In Eyes: Flush with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams and ponds. Do not contaminate water when disposing of equipment washwaters. Cover fish aquaria before spraying adjacent area.

FIRST AID (PRACTICAL TREATMENT)

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF SWALLOWED: Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantity of water. Avoid alcohols.

STORAGE AND DISPOSAL

Storage: Protect from freezing.

Storage: If frozen, thaw and shake well.

Disposal: Do not reuse empty container. Securely wrap original container in several layers of newspaper and discard in trash.

BACK PANEL CONT.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SHAKE BEFORE USING: Turn sprayer nozzle to one of the open positions. Hold sprayer 12 to 18 inches from surface and spray to achieve thorough coverage. Use as provided to control FLEAS, TICKS, AND LICE.

ON PETS: Begin spraying at tail and progress quickly over the rest of the animal being sure to cover entire body including legs and feet. While spraying, fluff the hair so that spray can penetrate to the skin. Thoroughly moisten the coat, but do not soak the animal. Repeat as necessary. CAUTION: Do not get spray in the eyes, mouth or ears. Do not spray genital area. Do not spray nursing females or pets under six weeks of age. If animal shows any signs of dermal irritation, discontinue use and bathe animal with a mild shampoo.

ON PREMISES: Thoroughly spray infected areas including pet bedding, favored resting places, nearby cracks and crevices, along baseboards, moldings and localized areas of flooring and floor coverings. Place clean bedding in pet's quarters with laundered or air dry spray bedding. Concurrent treatment of animals and premises will produce best results. Reapply every seven days to kill newly hatched individuals.

Safer, Inc. nor the sellers accept liability resulting from misuse. ENTIRE (TM) is a trademark of Safer, Inc. Safer (TM) is a registered trademark of Safer, Inc.

EPA Reg. No. 42697-33

V B C

EPA Est. No. 907-TN-01, 4091-TN-03, 4091-CA-001
Superscript corresponds to the first letter of lot no. on bottom of container.

Safer, Inc.
189 Wells Avenue, Newton MA 02159
©1988 Safer, Inc.
Product Code 2321
6321-B0189
Patent Pending