BACK PANEL

SAFER FRUIT AND VEGETABLE INSECT KILLER RTU

PRECAUTIONARY STATEMENTS

Hazards to Humans and domestic animals:

WARNING: Causes skin irritation. Do not get on skin, clothing, or in eyes. Wash thoroughly with soap and water after handling. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Remove contaminated clothing and wash before reuse. Avoid contamination of feed and foodstuff.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams and ponds. Do not contaminate water when disposing of equipment washwaters. Cover fish aquaria before spraying adjacent area.

STORAGE & DISPOSAL

Protect from freezing. If frozen, thaw and hake well. Do not reuse empty container. Rinse thoroughly before discarding in trash. Do not contaminate water, food or feed by storage or disposal. For disposal of unused product, securely wrap original container in several layers of newspaper and discard in trash.

DIERCTIONS FOR USE

It is a violation of Fedral law to use this product in a manner inconsistent with its labeling.

SHAKE BEFORE USING. Turn sprayer nozzle to one of the open positions.

Hold sprayer 12 to 18 inches from surface and spray to achieve thorough coverage. Use with caution on new, tender foliage. Use as provided on asparagus, beans, iroccoli, brussel arratio cabbage, ca liflower, lettuce, kale, herbs, egaplant, perfect tomatoes, potatoes, cucumbers and squash to control ASPARIGUS BEETLES, BEAN BEFTLES, COLORADO POTATO BEETLES, CUCUMBER BEETLES, FLEA BEETLES, SPANESE BEETLES, CABBAGE LOOPERS; IMPORTED CABBAGEWORM, TOMAT CORNWORM, DIAMOND BACK MOTH LAND OTHER CATERPILLARS, PLANT SEAFHOPPERS, APHIDS AND WHITEFLY.

Apply when insects.

thereughly mointen

or resting. Repeat to the very formula laws when income are present or as beeded to process laws.

US ELIVIRONMENTAL PA. COTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (15-767) WASHINGTON DC 2046-)

EPA REGISTRATIO

1°2 GE 6 1953

TERM OF ISSUAL

NOTICE OF PESTICIDE

•

A CONTRACTOR

Under the Protein Indian Control of the Control of

NAME OF PETTERLE FOR THE T

•

.

MARK AND ACTES (E BE 157 AND 17)

.

·

•

<u>:</u>

NCTE course, and breaking the control of the experience of the course of the course of the regularity months of the control of the experience of the control of the control of the control of the control of the above the first property of the control of the contr

on the Burner of the form of the control of the property the property of the control of the control of the form the form of th

A construction of the factor of the control of the Argustratic Series of the control of the cont

For the topological way to the experiment of the experiment of the experiment of the A_{ij} and A_{ij} and the experiment of the A_{ij} and the experiment of the experiment of the A_{ij} and the experiment of the experi

•

:

ATTACHMENT IS ADDICE ARLE

SCHATUME OF APPRICUAL OFF CIA

SOL 1.2

1/

- 3. Your request to add an additional supplier for the pyrethrins is noted. However, the Confidential Statement of Formula (CSF) dated June 22, 1988 is not acceptable. Refer to comment 10 in our letter of July 27, 1988. If you wish to have this alternate supplier, submit a corrected CSF.
- 4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Phil Hutton

Product Manager (17)

Insecticide-Rodenticide Branch Registration Division (TS-767C)

Enclosures

gal.

SEE CORRECTIONS ON LAST PAGE

FRONT PANEL

(DRAFT LABEL)

SAFER
TREE AND SHRUB
INSECT KILLER

Concentrate

KILLS

BEETLES, CATERPILLARS, APHIDS, WHITEFLY, SAWFLIES, SCALES, SOWBUGS, EARWIGS AND OTHER LISTED PESTS

ON FRUIT AND NUT TREES, SHADE TREES, EVERGREENS AND ORNAMENTALS GROWN AROUND HOMES

ACTIVE INGREDIENTS:

Pyrethrins	0.20% 20.00%
INERT INGREDIENTS:	

KEEP OUT OF REACH OF CHILDREN

WARNING

FIRST AID (PRACTICAL TREATMENT)

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF SWALLOWED: Drink promptly a large quantity of milk, egg whites, gelatin

of milk, egg whites, gelatin solution, or if these are not available, drink large quantity

of water. Avoid alcohol.

See back panel for additional precautionary statemetres.

NET CONTENTS 64 FL. 07.

* Also smaller retail containers: 8, 16, and 32 Fb. oz.

42697-34

(DRAFT LABEL)

SAFER TREE AND SHRUB INSECT KILLER (CONCENTRATE)

PRECAUTIONARY STATEMENTS

Hazards to Humans and domestic animals:

WARNING: Causes skin irritation. Do not get on skin, clothing, or in eyes. Wash thoroughly with soap and water after handling. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Remove contaminated clothing and wash before reuse. Avoid contamination of feed and foodstuff.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Reep out of lakes, streams and ponds. Do not contaminate water when hisposing of equipment washwaters. Cover fish aquaria before sproying adjacent area.

STORAGE & DISPOSAL

Protect from freezing. It frozen, thaw and shake well. Do not reuse empty container. Pinse thoroughly before discarding in trash. Do not contaminate water, food or feed by storage or disposal. For disposal of unused product, securely wrap original container in several layers of newspaper and discard in trash.

DIERCTIONS FOR USE

It is a vi-lation of Federal law to use this product in a manner inconsistent with its labeling.

Always use freshly mixed spray solution. Use soft water whenever possible. Use with caution on new tender foliage, and avoid spraying plants in full sun.

Mix one part concentrate to twenty parts water or 'FL. OZ. (10 TBS) PEP GALLON OF WATER.

FFUIT AND NUTS: Use as directed above on applier, avccados, citrus (grapefruit, lem us, oranges, tangerines); peaches, nectarines, apricots, pears almonds, pecans, wathuits, kiwi fruit, blackberries, logan berries, rasberries, stiffwherries and grapes to control Japanese Beetles, flex Beetles, wervil adults, CATERPILLARS (including NAVAL OPANGE WORM, BAGWORMS, LEAFTIERS, CODDLING MOTH and TENT CATERPILLARS), APHIDS, LEAFHORPERS, PSYLLIDS, SCALE CRAWLEPS, and SAWFLY LARVAE.