

OBT 1990

Safer, Inc.  
 c/o Todhunter, Mandava, and Associates  
 1625 K Street NW., Suite 975  
 Washington, DC 20036

Attention: Donna K. Todhunter

Gentlemen:

**BEST AVAILABLE COPY**

Subject: Entire Insect Killer Concentrate  
 EPA Registration No. 42697-34  
 Your Applications Dated June 23, 1989 and June 15, 1990  
 Your Letter Dated June 15, 1990

The proposed amendment to the registration of the product cited above under the Federal Insecticide, Fungicide, and Rodenticide Act, changing the signal word "Warning" to "Caution," is acceptable subject to the comments listed below. A stamped copy of the label is enclosed for your records.

1. The precautionary labeling must be revised to read as follows:

Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

2. Add the following statement of practical treatment:

**STATEMENT OF PRACTICAL TREATMENT**

If Swallowed: Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available,

51318:1:Tavano:L17-11;KENCO:09/17/90:10/14/90:CL:VO:JE:FK:JH:EK

**CONCURRENCES**

SYMBOL	H75056							
SIGNATURE	Tavano							
DATE	9/20/90							

drink a large quantity of water. Do not administer liquids to an unconscious person.

If On Skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

If In Eyes: Flush with plenty of water. Get medical attention if irritation persists.

- 3. The first two sentences of the Storage and Disposal statement must be preceded by the heading "Storage." The remaining sentences must be revised as follows:

Disposal: Do not reuse empty container. Securely wrap original container in several layers of newspaper and discard in trash.

The label comments listed above are based on the labeling submitted with the application dated June 23, 1989.

The labeling submitted with the application dated June 15, 1990 proposing a change in the Statement of Practical Treatment has not been reviewed. These labels bear the previous signal word. Furthermore, comment #2 above covers the Statement of Practical Treatment.

Submit five (5) copies of the finished printed labeling before this product is released for shipment under his revised labeling.

Sincerely yours,



Phil Hutton  
Product Manager (17)  
Insecticide-Rodenticide Branch  
Registration Division (H7505C)

Enclosure

BEST AVAILABLE COPY

FRONT PANEL

(DRAFT MASTER LABEL)

SAFER™

ENTIRE™  
INSECT KILLER  
Concentrate

KILLS

BETTER, CATERPILLARS, APHIDS, WHITEFLY,  
SAWFLIES, SCALES, WASPS, HORNETS, ANTS,  
SOWBUGS, EARWIGS, AND OTHER LISTED PESTS

ON HOUSEPLANTS, FLOWERS, HERBS, BERRIES,  
FRUITS AND VEGETABLES, SHADE TREES, EVER-  
GREENS, ORNAMENTALS, CACTI AND SUCCULENTS  
GROWN IN AND AROUND HOMES AND GREENHOUSES  
AND OTHER INTERIOR PLANTINGS

ACTIVE INGREDIENTS:

Pyrethrins .....	0.20%
Potassium salts of fatty acids .....	20.00%

INERT INGREDIENTS: .....	79.80%
--------------------------	--------

KEEP OUT OF REACH OF CHILDREN

CAUTION

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

OCT 0 : 1990

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended, for the pesticide  
registered under EPA Reg. No.

426 97-34

BEST AVAILABLE COPY

See back panel for additional precautionary statements

NET CONTENTS 64 FL. OZ.\*

\* Also smaller retail containers: 8, 16, and 32 FL. OZ

(ENTIRE: Draft Master Label)

BACK PANEL

SAFER<sup>TM</sup>  
ENTIRE

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans and domestic animals:**

**CAUTION:** Avoid contact with skin, eyes or clothing. In case of contact immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Avoid contamination of feed and foodstuff.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Keep out of lakes, streams and ponds. Do not contaminate water when disposing of equipment washwaters. Cover fish aquaria before spraying adjacent area.

**STORAGE & DISPOSAL**

Protect from freezing. If frozen, thaw and shake well. Do not reuse empty container. Rinse thoroughly before discarding in trash. Do not contaminate water, food or feed by storage or disposal. For disposal of unused product, securely wrap original container in several layers of newspaper and discard in trash.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Always use freshly mixed spray solution. Use soft water whenever possible. Use with caution on new tender foliage, and avoid spraying plants in full sun. For plant use mix one part concentrate to twenty parts water or 5 FL. OZ. (10 TBS) PER GALLON OF WATER.

**VEGETABLES:** Use as directed above on asparagus, beans, broccoli, brussel sprouts, cabbage, kale and oriental vegetables, herbs, lettuce, eggplant, peppers, tomatoes, potatoes, cucumbers, melons and squash to control ASPARAGUS BEETLES, BEAN BEETLES, COLORADO POTATO BEETLES, CUCUMBER BEETLES, FLEA BEETLES, CATERpillARS (including CABBAGE LOOPERS, IMPORTED CABBAGEWORM, ARMYWORMS, HORNWORMS, DIAMOND BACK MOTH LARVAE), LEAF HOPPERS, PLANT BUGS, PSYLLIDS, APHIDS AND WHITEFLY.

## BACK PANEL CONT.

**FRUIT AND NUTS:** Use as directed above on apples, avocados, citrus (grapefruit, lemons, oranges, tangerines), peaches, nectarines, apricots, pears, almonds, pecans, walnuts, kiwi fruit, blackberries, logan berries, raspberries, strawberries and grapes to control JAPANESE BEETLES, FLEA BEETLES, WEEVIL ADULTS, CATERPILLARS (including NAVAL ORANGE WORM, BAGWORMS, LEAFTIERS, CODLING MOTH and TENT CATERPILLARS), APHIDS, LEAFHOPPERS, PSYLLIDS, SCALE CRAWLERS, and SAWFLY LARVAE.

**LAWNS:** Use as directed above on lawns and turf grass to control CINCH BUGS, LAWN MOTH, SOD WEBWORM, ARMY WORMS, and other miscellaneous pests.

**ORNAMENTAL TREES AND SHRUBS:** Use as directed above on ornamentals including azaleas, camelias, cacti dogwood, rhododendrons, evergreens and broad-leafed shade trees to control APHIDS, BEETLES, CATERPILLARS (including GYPSY MOTH LARVAE, TENT CATERPILLARS, WEBWORMS, BAGWORMS AND LEAFTIERS), LACE BUGS, BOX ELDER BUG, LEAFHOPPERS, PSYLLIDS, SAWFLIES, SCALES AND WOOLLY APHIDS.

**CAUTION:** Do not use on horse chestnut, Japanese maple or mountain ash.

**FLOWERS:** Use as directed above on asters, carnations, chrysanthemums, geraniums, marigolds, petunias and roses to control APHIDS, BEETLES (including FLEA BEETLES AND JAPANESE BEETLES), CATERPILLARS, PLANT BUGS and WHITEFLY.

**CAUTION:** Do not spray blooms or partially open flower buds. Do not use on bleeding heart or gardenias. Test on fuchsias and impatiens for varietal sensitivity.

**HOUSEPLANTS:** Use as directed above on houseplants to control APHIDS, CATERPILLARS and WHITEFLY. Apply when insects or signs of damage are first sighted to thoroughly moisten all infested plant surfaces. Repeat treatment at 7 to 10 day intervals or as needed.

**CAUTION:** Do not use on Crown of Thorns, jade plant or delicate ferns. Test on begonias, fuchsias and impatiens for varietal sensitivity.

To control WASPS, HORNETS, ANTS, EARWIGS, TICKS, FLEAS and SOWBUGS apply spray directly to the insects, their nests or their hiding places. DO NOT USE DIRECTLY ON DOMESTIC ANIMALS OR PETS.

## TO CONTROL ADULT MOSQUITOES

Mix one part concentrate to forty parts water or 2.5 FL. OZ. (5 TBS) PER GALLON OF WATER. Apply dilute spray in early morning to foliage where mosquitoes are resting or as a fine aerial application to evening flying adults.

BEST AVAILABLE COPY