

Safer, Inc.  
c/o Ms. Donna K. Tothunter  
SRS International  
1625 K Street NW., Suite 1000  
Washington, DC 20006-1604

MAY 14 1991

Gentlemen:


Subject: Amendments - Pet Use  
Safer™ Flea & Tick Spray Ready to Use  
EPA Registration No. 42697-33  
Safer™ Flea & Tick Spray Concentrate  
EPA Registration No. 42697-34  
Your Submissions Dated April 26, 1991

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

For registration 42697-33, you may delete the repeated text for Practical Treatment on page 2 of the draft.

In future submissions, do not alter EPA form 8570-29. We have approved these amendments based on the Selective Method of Support for data consideration as described in earlier submissions for these pesticides.

Sincerely yours,

  
Richard F. Mountfort  
Product Manager (10)  
Insecticide-Rodenticide Branch  
Registration Division (H7505C)

Enclosure

62494: I: A-4: Mountfort: L10-12: KEVRIC: 5/8/91: 6/3/91: EK: WO: EK

BEST AVAILABLE COPY

274

FRONT PANEL

(TM)  
Safer

CONCENTRATE

MAY 14 1991

FLEA & TICK  
SPRAY

KILLS  
FLEAS, TICKS AND OTHER LISTED PESTS

ACTIVE INGREDIENTS:

Pyrethrins	By Wt.
Potassium salts of fatty acids	0.20%
INERT INGREDIENTS:	20.00%
TOTAL	100.00%

ACCEPTED  
with COMMENTS  
EPA Letter Dated  
MAY 14 1991  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.  
**42697-34**

Keep Out of Reach of Children

CAUTION

See side panel for additional precautionary statements

NET CONTENTS 16 FL. OZ.

BEST AVAILABLE COPY

PRECAUTIONARY STATEMENT

Hazards to humans and domestic animals:

CAUTION: Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams and ponds. Do not contaminate water when disposing of equipment washwaters. Cover fish aquaria before spraying adjacent area.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink a large quantity of water. Do not administer liquids to an unconscious person.

If On Skin: Wash with plenty of soap and water. Get medical attention if irritatin persists.

If In Eyes: Flush with plenty of water. Get medical attention if irritation persists.

STORAGE & DISPOSAL

Storage: Protect from freezing.

Storage: If frozen, thaw and shake well.

Disposal: Do not reuse empty container. Securely wrap original container in several layers of newspaper and discard in trash.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Always use freshly mixed spray solution; mix with soft water whenever possible. Mix one part concentrate to twenty parts water or 6 fl. oz. (12 Tbls.) per gallon of water.

Apply diluted spray with a convenient household sprayer to achieve thorough coverage of area infested with FLEAS, TICKS OR LICE.

SIDE PANEL CONT.

ON PETS: Begin spraying at tail and progress quickly over the rest of the animal being sure to cover entire body including legs and feet. While spraying, fluff the hair so that spray can penetrate to the skin. Thoroughly moisten the coat, but do not soak the animal. Repeat as necessary. CAUTION: Do not get spray in the eyes, mouth or ears. Do not spray genital area. Do not spray nursing females or pets under six weeks of age. If animal shows any signs of dermal irritation, discontinue use and bathe animal with a mild shampoo.

ON PREMISES: Thoroughly spray infected areas including pets bedding, favored resting places, nearby cracks and crevices, along baseboards, moldings and localized areas of flooring and floor coverings. Place clean bedding in pet's quarters with laundered or air dry spray bedding. Concurrent treatment of animals and premises will produce best results. Reapply every seven days to kill newly hatched individuals.

(TM)  
Safer is a registered trademark of Safer, Inc.

EPA Reg. No. 42697-34

V B C

EPA Est. No. 907-TN-01, 4091-TN-03, 4091-CA-001  
Superscript corresponds to the first letter of lot no. on bottom of container.

Product Code 2318 8318-8TU89