



U.S. ENVIRONMENTAL PROTECTION AGENCY  
 Office of Pesticide Programs  
 Biopesticides and Pollution Prevention Division  
 (7511C)  
 1200 Pennsylvania Avenue NW  
 Washington, DC 20460

EPA Reg. Number:  
**42697-61**

Date of Issuance:  
*12/15/08*

Term of Issuance: **UNCONDITIONAL**

Name of Pesticide Product:  
 Safer Slug and Snail Killer

NOTICE OF PESTICIDE:

XX Registration      Re-registration  
 (under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Woodstream Corporation  
 69 Locust Street  
 Lititz, PA 17543-0327

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Biopesticides and Pollution Prevention Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA Sec. 3(c) provided you:

1. Submit and/or cite all data required for registration/ reregistration of your product under FIFRA section 3(c)(5) and section 4 when the Agency requires all registrants of similar products to submit such data.
2. Make the following label change before you release the product for shipment: Revise the EPA Registration Number to read, "**EPA Reg. No. 42697-61**"
3. Submit three (3) copies of the revised final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Signature of Approving Official:

*James H. Anderson*

Date: *12/15/08*

CONCURRENCES

SYMBOL	Michael McDavid, Associate Director	7511P				
SURNAME	Biopesticides and Pollution Prevention Division	COLE				
DATE		11/25/08				

---

*MASTER LABEL – FRONT PANEL (Page 1 of 1)*

# SLUG & SNAIL KILLER

[Additional Brand Names]

Safer® Brand Slug & Snail Killer

ACTIVE INGREDIENT:	BY WT.
Sodium Ferric EDTA.....	6.00%
OTHER INGREDIENTS:.....	94.00%
TOTAL:.....	100.00%

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION:** (See side [back] panel for additional precautionary statements & first aid)

Net Contents: 2.2 lb. (0.997 kg)

**ACCEPTED**

**DEC 15 2008**

Under the Federal Insecticide, Fungicide,  
and Rodenticide Act, as amended, for  
the pesticide registered under  
EPA Reg. No. 42697-61

**MASTER LABEL – BACK PANEL (Page 1 of 3)**

**PRECAUTIONARY STATEMENTS:**

**Hazards to Humans and Domestic Animals**

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling this product and before eating, drinking, chewing gum, or using tobacco.

<b>FIRST AID</b>	
<b>If in eyes:</b>	<ul style="list-style-type: none"><li>- Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li><li>- Remove contact lenses, if present, after first five minutes, then continue rinsing eye.</li><li>- Call a poison control center or doctor for treatment advice.</li></ul>
Have the product container or label with you when calling a poison control center or doctor or going for treatment. Contact the nearest poison control center or 1-800-858-7378 for emergency medical treatment advice.	

**ENVIRONMENTAL HAZARDS:**

For terrestrial uses: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate.

**GENERAL INFORMATION:** Slug & Snail Killer is attractive and deadly to slugs and snails. Slugs and snails quickly find and ingest the bait. This product has a non-toxic mode of action and can be used in areas where pet and wildlife protection is a concern. The active ingredient in this product inhibits the transport of oxygen in slugs and snails. When snails & slugs ingest the bait, they stop feeding and crawl back to their shelter where they eventually die. Paralyzed or dead snails will rarely be seen in the open. This product will not degrade under damp & humid conditions when snails and slugs are most active. It remains effective under varying weather and environmental extremes. Slug & Snail Killer can be used effectively around seedlings, potted plants, vegetables, perennials and annuals. 1 lb of product will treat approximately 1700 square feet.

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**WHEN TO APPLY:** Early morning or evening is the best time to apply this bait since slugs and snails travel and feed in the night or early morning. Reapply as the bait is consumed or at 14 day intervals. In areas of severe infestation, apply bait more heavily.

**MASTER LABEL – BACK PANEL (Page 2 of 3)**

**WHERE TO APPLY:** On Lawns, Perimeter of Home, Around Ornamental Plants (flowers, shrubs & trees) and in Home Gardens. All likely areas of infestation should be treated, especially around the perimeter of garden plots because slugs and snails travel into plant areas from daytime hiding places. Apply bait around the base of plantings that show visible damage. Slugs and snails favor damp places around vegetable plants such as beans, tomatoes, lettuce, cabbage, celery and squash. Slugs and snails often seek shelter inside large leafy plantings like hostas & dahlias. Other favorite areas are flower gardens, rock gardens, hedges, dichondra lawns, citrus groves, ivy patches, and other ground cover where they obtain shelter by day.

**AMOUNT TO APPLY: (TSP=Teaspoon)**

**Spot Treatment-** 1 TSP per square yard.

**Area Treatment-** 2 to 3 cups per 850 square feet. 1 lb. per 1700 square feet.

**HOW TO APPLY: Do not use kitchen utensils for measuring!** Slug & Snail Killer should be applied evenly to the soil around or near plants and areas to be protected. Apply while the ground is moist, in early morning, late evening, or after rainfall. If the ground is dry, wet it before applying the bait. The soil should be moist, but with little or no standing water. For row applications, place prescribed amount of product around base of plant by hand. Avoid placing product on plants. Apply product by hand or by dispensing directly from container to smaller areas as spot treatment. Avoid creating piles of the bait. Keep measuring utensils with pest control products out of reach of children. Immediately clean up any spilled bait.

**APPLICATION RATES:**

Crop/Use	Rate	Directions
<b>Vegetables</b> including (but not limited to): asparagus, artichokes, beans, beets, black-eyed peas, broccoli, Brussels sprouts, cabbage, cantaloupe, carrots, cauliflower, corn, cucumbers, eggplants, garlic, lettuce, onions, peas, peppers, potatoes, radishes, rutabagas, spinach, squash, Swiss chard, tomatoes, turnips.	0.5 -1 lb product per 1,700 square feet for area treatment	Scatter the bait around the perimeter of the vegetable plot to provide a protective barrier from slugs and snails entering the plot. If slugs or snails are inside the plot, scatter the bait on the soil around the base of the plants and between the rows. Do not broadcast treat entire area. Apply at lower rate if infestation is low and pellets can be applied near localized infestation. For heavier infestations, apply at higher rate. Reapply every 14 days while slugs or snails persist.
<b>Berries</b> including (but not limited to): strawberries, blackberries, blueberries, boysenberries, loganberries, and raspberries.	Or 1 tsp product per square yard	Scatter the bait around the perimeter of the berry plot to provide a protective barrier from slugs and snails entering the plot. If slugs or snails are inside the plot, scatter the bait between the furrows near the base of the plants. Do not broadcast treat entire area. For small plots, treat around the base of the plants to be protected. For heavier infestations, apply at higher rate. Reapply every 14 days while slugs or snails persist.

**MASTER LABEL – BACK PANEL (Page 3 of 3)**

**APPLICATION RATES (Continued):**

Crop/Use	Rate	Directions
<b>Grape Vines</b>	0.5-1 lb product per 1,700 square feet	Scatter bait evenly at the base of vines and between rows. Use higher rates for heavy infestations. Reapply every 14 days while slugs or snails persist.
<b>Fruit Trees</b> including (but not limited to): apples, avocados, apricots, cherries, grapes, melons, peaches, plums, nectarines, citrus, and pears	Or 1 tsp product per square yard	Scatter bait evenly around the base of the trees. Use higher rates for heavy infestations. Reapply every 14 days while slugs or snails persist.
<b>Outdoor Ornamentals</b>	1 lb. per 1700 square feet	Use a teaspoon to evenly scatter bait in a 6-inch wide circular band around the base of the plants to be protected. Reapply every 14 days while slugs or snails persist.
<b>Outdoor Containers</b>	1 TSP per container	Scatter bait evenly on the soil surface of containers or scatter evenly around the soil near containers. Reapply every 14 days while slugs or snails persist.
<b>Lawns</b>	1 lb. per 1700 square feet	Scatter bait evenly in area where slugs or snails are observed. Reapply every 14 days while slugs or snails persist.

**STORAGE AND DISPOSAL:**

**STORAGE:** Store in a cool dry place, out of reach of children and domestic animals. Store in original container only.

**DISPOSAL: If Empty:** Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

**If Partly Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**Note:** Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

Distributed By:

Safer, Inc. (A wholly owned subsidiary of Woodstream Corporation)

69 N. Locust St

Lititz, PA 17543

(717) 626-2125

EPA Reg. No. 42697-AR

EPA Est. No. 19535-KS-001

© Copyright 2008 Woodstream Corp.  
 Made In USA

**MASTER LABEL – OPTIONAL CLAIMS (Page 1 of 1)**

**[Additional - Optional Marketing/Advertising Claims]**

- For control of snails and slugs.
- Protects plants from snails & slugs.
- Stops snails & slugs from feeding[on plants]
- Stops plant damage from feeding slugs and snails
- Lures slugs & snails from plants and hiding places
- Protects plants from snail & slug damage
- [Kills] [Controls] Snails & Slugs
- Patent No. PCT/AU97/00033
- Patented technology.
- Patented snail & slug killer.
- Highly attractive to slugs and snails
- 1 lb treats up to 1700 square feet.
- Remains effective after rain or watering
- Effective under wet & dry conditions
- Convenient. Easy-to-Use. Requires no mixing, spraying or special applicators.
- Easily applied from convenient re-sealable package
- No mixing required
- For home and garden use
- For use around ornamentals, lawns, and landscaped areas.
- Can be used in vegetable gardens.
- For use around gardens, flowers, shrubs, trees, and lawns.
- May be used in areas where there are dogs, cats, & birds.
- Can be used around pets and wildlife