

42750-15



19-04-2010

1/3

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

Morris Gaskins  
Albaugh, Inc.  
PO Box 2127  
Valdosta, GA 31604-2127

OCT - 4 2010

Dear Mr. Gaskins:

Subject: Add Red Potato Use  
Albaugh 2,4-D LV4  
EPA Registration No. 42750-15  
Your Submission Dated July 1, 2010


The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended is acceptable provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
  - a. Revise the text "make a second application about 10 to 14 days later" to read "make a second application after a minimum of 10 days, and up to 14 days later."
  - b. The phrase "Pre-Harvest Interval is 45 days" is vague. The preferred statement is "Do not harvest within 45 days of application".
  - c. Please note that the EPA Label Review Manual states that normally, the supplemental labeling will be incorporated into the affixed label at the next printing of the product label (final printed label) or within 18 months, whichever comes first.
2. Submit one (1) copy of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

If you have any questions concerning this letter, please contact Mr. James Stone at 703-305-7391.

Sincerely yours,



Kathryn V. Montague  
Product Manager (23)  
Herbicide Branch  
Registration Division (7505P)

Enclosure

3/3

ACCEPTED  
with COMMENTS  
In EPA Letter Dated:  
OCT - 4 2010

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

42750-15

# SUPPLEMENTAL PRODUCT BULLETIN

## 2, 4-D LV4 HERBICIDE

EPA Reg. No. 42750-15

KEEP OUT OF REACH OF CHILDREN

### CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

All applicable directions, restrictions, precautions and Conditions of Sale and Warranty are to be followed. This labeling must be in the user's possession during application. Read the label affixed to the container for 2,4-D LV4 before applying. Use of 2,4-D LV4 according to this supplemental label is subject to the use precautions and limitations imposed by the label affixed to the container of 2,4-D LV4.

### RED POTATOES (Grown for fresh market only)

Properly timed applications of this product generally enhance red color, aid in storage retention of red color, improve skin appearance, increase tuber set, and improve tuber size uniformity (fewer jumbos).

Application Timing/ Stage of Growth	2,4-D LV4 application rate (fl. oz./acre)	Specific Use Directions
Make the first application when potatoes are in the pre-bud stage (about 7 to 10 inches high) and make a second application 10 to 14 days later.	2.3 fl. ozs.	Apply in 5 to 25 gallons of water using ground or aerial equipment. The specific spray volume selected should be sufficient for good coverage of plants.  Crop response may vary depending on variety, stress factors and local conditions. Consult with Agricultural Extension Service and other qualified crop advisors for local recommendations. Varieties with naturally dark red color generally benefit less from treatment.  Uneven application, or mixture with other pesticides and additives may increase the risk of crop injury.

### RED POTATO RESTRICTIONS:

- Do not apply more than 2.3 fluid ounces per acre per application.
- Do not make more than 2 applications per crop cycle.
- Do not make second application sooner than 10 days after the first application.
- Pre-Harvest interval is 45 days

Manufactured By:  
Albaugh Inc.  
Ankeny, Iowa 50021

