Rog# 12750-16
Please read Instructions on reverse before completing form.

PM-23

103

Please read instructions on reverse before completing form.	Form Approved	. OMB No. 2070-0060	Approval expires 11-30-93	
(A) CEPA United States Environmental Protection Agency Office of Pesticide Programs (H7505C) Washington, DC 20460 Application for Pesticide: Registration Amendment Other		OPP Identifier Number		
Section I				
1. Company/Product Number 42750-16	2. EPA Product Manager	2. EPA Product Manager Joanne I, Miller 3. Proposed Classification		
4. Company/Product (Name)	PM#	. хх	None Restricted	
2,4-D Gran 20	23			
5. Name and Address of Applicant (Include ZIP Code)	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)			
Albaugh, Inc. 1517 N. Ankeny Blvd.	(b)(i), my product is similar or identical in composition and labeling to:			
Ankeny, Iowa 50021	EPA Reg. No.			
Check if this is a new address	Product Name	,		
Section	11	<u> </u>		
Amendment - Explain below	Final printed labels Agency letter date			
Resubmission in response to Agency letter dated	"Me Too" Application	· ,		
X Notification - Explain below.	Other - explain bek			
Explanation: Lieu editional negota) if parassent (For section Lea	d Section II \			
Explanation: Use additional page(s) if necessary. (For section 1 and Section 11.) Notification in response to PR Notice 93-3 revising wetlands statement.				
	•	NOTIFICA		
		LABEL NOT M PER PR NOTI	CE 00-6	
BEST AVAILABI	LE COPY	DATE	193	
Section I	A			
Meterial This Product Will Be Packaged In:		7		
	iter Soluble Packaging	2. Type of Container		
Yes* Yes	Yes	Metal Plastic		
	No	Glass		
	Yes," No. per ckage wgt. container	Paper Other (S	pecify)	
submitted.				
3. Location of Net Contents Information 4. Size(s) of Retail Container 5. Location of Label Directions				
Label Container 1999 On Labeling accompanying product				
6. Manner in Which Label is Affixed To Product Lithograph Paper glued Stenciled				
Section IV				
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)				
Name Tide		Telephor	e No. (Include Area Code)	
Alice Walker, Ph.D. Re	egulatory Consultar	601-	562-5995	
Certification 6. Date Application				
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or (Control of the Control of the Contr				
l	() o			
	3. Tide			
Clin Walker Regulatory Consultant				
). Date			
Alice Walker, Ph.D. June 1, 1993				
EPA Form 8570-1 (Rev. 12-80) Previous editions are obsolete	White - EPA File	Copy (original)	Yellow - Applicant copy	

ALBAUGH, INC.

2.4-D GRAN 20 HERBICIDE

For Preemergence Use on Corn for the Control of Broadleaf Weeds and Certain Seedling Grasses. Also for Use in Lakes and Ponds for the Control of Certain Aquatic Weeds.

Net Contents: 50 lbs./22.7 Kilos

ACTIVE INGREDIENT: Isooctyl ester of 2,4-Dichlorophenoxyacetic acid*.	29.5%
INERT INGREDIENTS:	70.5%
TOTAL	100.0%
*Equivalent to 19.57% of 2,4-Dichlorophenoxyace	tic acid, isomer specific.
EPA Reg. No. 42750-16	EPA Est. No. 42545-MO-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not give anything by mouth to an unconscious person. Get medical attention.

IF ON SKIN: Immediately remove all contaminated clothing. Wash contacted areas with plenty of soap and water. Thoroughly wash contaminated clothing before reusing. Get medical attention if irritation develops and persists.

IF IN EYES: Flush with water for 15 minutes. Get medical attention.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Before buying or using this product, read "Warranty Limitations and Disclaimer" elsewhere on this label. If terms are not acceptable, return unopened package at once to seller for full refund of purchase price paid. Otherwise, use by the buyer or any other user constitutes acceptance of the terms under the Warranty Limitations and Disclaimer.

PER PR NOTICE

DATE 7/1/93

PRECAUTIONARY STATEMENTS

CAUTION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling. Harmful if inhaled. Avoid breathing dust. Remove contaminated clothing and wash before reuse. Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

When mixing, loading, or applying this product or repairing or cleaning equipment used with this product, wear eye protection (face shield or safety glasses), chemical-resistant gloves (nitrile), long-sleeved shirt, long pants, socks and shoes. For aerial applicators in enclosed cockpits and applicators applying this product from a tractor that has a completely enclosed cab, eye protection is not required.

Wash hands, face and arms with soap and water as soon as possible after mixing, loading, or applying this product. Wash hands, face and arms with soap and water before using toilet. After work, remove all clothing and shower using soap and water. Do not reuse clothing worn during the previous day's mixing and loading or application of this product without cleaning first. Clothing must be kept and washed separately from other household laundry. Remove saturated clothing as soon as possible and shower.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D have been associated with mixing/loading and disposal sites. Caution should be exercised when handling 2,4-D pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

' RICULTURAL USE REQUIRMENTS

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 48 hours. Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

For early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, wear: eye protection (face shield or safety glasss), chemical-resistant gloves (nitrile), long-sleeved shirt, long pants, socks and shoes.

STORAGE AND DISPOSAL

Pesticide Storage: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not store this product near fertilizers, seeds, insecticides, or fungicides. Reclose all partially used containers by tightly rolling down top of bag and securing.

In the event of a spill, thoroughly sweep up the spilled material and dispose of as indicated under "Pesticide Disposal."

For safety and prevention of unauthorized use, all pesticides should be stored in locked facilities.

To prevent accidental misuse, different pesticides should be stored in separate areas with enough distance between to provide clear identification.

Opened, partially used pesticides should be stored in original labeled containers when possible. When transfer to another container is necessary because of leakage or damage, carefully mark and identify contents of the new container.

Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate, is a violation of federal law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative of the nearest EPA Regional Office for guidance.

Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

NOTE: Do not allow this chemical to come in contact with desirable plants such as cotton, grapes, melons, tomatoes, beans, peas, other vegetables, legumes, ornamentals and fruit trees. Do not use in or around greenhouses.

SELECTIVE WEEDING IN FIELD CORN

2,4-D is a recognized method of killing weeds in corn. Research at lowa State

College of Agriculture and elsewhere has shown that preemergence applications of 2,4-D in granular form give just as good results as preemergence 2,4-D sprays in controlling susceptible broadleaf weeds as well as keeping down the seedlings of grassy weeds. Between the row cultivation is thus made easy and the number of such cultivations reduced.

CONTROLS THESE WEEDS IN CORN

Smartweed Wild Radish Chicory Pennyworts **Dandelions** Pigweed Sunflower Yellow Star Healall **Plantains** Tarweed Thistle Wild Mustard Morningglory Ragweed and many others

SUPPRESSES THE GROWTH OF THESE WEEDS

Barnyard Crabgrass Giant Foxtail Pigeon Grass
Grass (small foxtail)

RATE OF APPLICATION: (Do not exceed the following rates):

Band Application - On 36 inch rows, apply 3-1/4 to 3-1/3 pounds per acre on a 12 to 14 inch band across the top of the row. Use a press wheel and do not work into soil.

Broadcast Application - Apply 10 pounds per acre.

HOW APPLIED: May be applied broadcast with grass seeder or in band application behind the seed planter. Special attachments for this are available from a number of corn seed drill manufacturers. These place the granules in a 12 or 14 inch band across the top of the row. Use a press wheel and do not work into soil.

WHEN APPLIED: Agrolinz 2,4-D Gran 20 should be applied preferably as a preemergence treatment at corn planting time. It may, however, also be applied just before corn emerges through the soil. It has very little effect on established broadleaf weeds over 6 inches tall, and none at all on grassy weeds once they have germinated.

SPECIAL CAUTION: Plant corn at least 2 inches deep when using preemergence 2,4-D applications. 2,4-D should not be used on sandy or light soils or damage to the crop may result. In other areas, State Agricultural authorities should be consulted before using.

WEED CONTROL IN PONDS AND LAKES

Agrolinz 2,4-D Gran 20 is recommended for control of certain specified water weeds listed below. Best results with 2,4-D are likely to be obtained where water conditions are acid and there is no flow and little or no water movement. In ponds and lakes with excessive movement, it may be possible to draw down the water for a few days

just before and after treatment.

RATE OF APPLICATION: (100 pounds per acre is equivalent to 1 pound per 430 square feet):

WEEDS	RATE PER ACRE
Arrowhead	200 lbs.
(Sagittaria spp.)	
Bladderwort	100-150 lbs.
(Utricularia spp.)	
Bulrush	200 lbs.
(Scirpus spp.)	
Coontail or Hornwort	200 lbs.
(Ceratophyllum demersum)	
Creeping Waterprimrose	200 lbs.
(Jussiaea repens)	-
Pickerelweed	200 lbs.
(Pontederia spp.)	
Spatterdock, Cow Lilly,	
Yellow Water Lily	50 lbs.
(Nuphar spp.)	**
Burreed	200 lbs.
(Sparganium spp.)	444.11
Waterweed	200 lbs.
(Elodea of Anacharis)	4 m m = 86
Waterchestnut	100 lbs.
(Trapa nataris)	400.450.11
Watermilfoil	100-150 lbs.
(Myriophyllum spp.)	2 00 U
Water Smartweed	200 lbs.
(Polygonum spp.)	4=0.41
White Waterlily	150 lbs.
(Nymphaea spp.)	
Naiad	200 lbs.
(Najas flexilis)	- -
Pondweeds	200 lbs.
(Potamogeton spp.)*	
Watershield	50-200 lbs.
Brasenia spp.)	

*Check with state weed control services as results depend much on species and environment.

HOW TO APPLY: Broadcast and spread evenly over the water surface either by hand or with a rotary type seeder or spreader.

TIME OF APPLICATION: Early spring when aquatic growth is most active given best results. The time required for maximum plant kill may extend from 4 to 6, weeks, depending on water temperature and other factors.

SPECIAL PRECAUTIONS: Always check with State Agricultural Experiment Station or Extension Service Specialist so as to comply with existing regulations reference the introduction of chemicals into water for aquatic weed control, and also to check on local variations of rates required. If a pond or lake is very weedy and the entire area requires treatment, do only one-half at a time and wait until weeds are dead and well rotted before treating the other half. This avoids excessive weed decomposition which would reduce oxygen levels in the water to a point harmful to fish life. Do not allow chemical to be applied to adjacent desirable shoreline vegetation. Observe other handling and storage precautions listed elsewhere on label. Do not use treated waters for domestic or irrigation purposes, or for making up spray to be applied to crops and desirable plants.

2,4-D may cause off flavor in fish for some days after application; therefore, apply early before fishing season begins.

Consult your State Fish and Game Agency before applying this product.

WARRANTY LIMITATIONS AND DISCLAIMER

Agrolinz, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the DIRECTIONS FOR USE when used under normal conditions. THIS IS THE ONLY WARRANTY MADE ON THIS PRODUCT. NO OTHER EXPRESS AND NO IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE IS MADE OUTSIDE OF THIS LABEL. Therefore, neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions (including conditions noted on the label, such as unfavorable temperatures, soil conditions, etc.) under abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes, etc.) or under conditions not reasonably foreseeable to or beyond the control of seller.

When buyer or user suffers losses or damages resulting from the use or handling of this product (including claims based on contract, negligence, strict liability, or other legal theories), buyer or user must promptly notify Agrolinz, Inc., in writing, of any claims to be eligible to receive either remedy given below. The EXCLUSIVE REMEDY OF THE BUYER OR USER and the LIMIT OF LIABILITY of Agrolinz, Inc., or any other seller, will be one of the following, at the election of Agrolinz, Inc.:

- 1. Refund of purchase price paid by buyer or user for product bought or
- 2. Replacement of amount of product used.

The seller will not be liable for consequential or incidental damages or losses.

The terms of this Warranty Limitations and Disclaimer cannot be varied by any written or verbal statements or agreements. Any employee or sales agent of the

seller is not authorized to vary or exceed the terms of this Warranty Limitations and Disclaimer in any manner.

ALBAUGH, INC. 1517 N. Ankeny Blvd. Ankeny, Iowa 50021

