

PM 23

42750-32

1-14-98

10/1

ALBAUGH

TRIFLURALIN 4EC

A Selective Herbicide for Preemergence Control of Annual Grasses and Broadleaf Weeds

ACTIVE INGREDIENT:

Trifluralin: a,a,a-trifluoro-2,6-dinitro-N,N-dipropyl-p-toluidine 45.6%

INERT INGREDIENTS:..... 54.4%

TOTAL 100.0%

Contains 4 pounds active ingredient per gallon.

KEEP OUT OF REACH OF CHILDREN

WARNING - AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.

IF SWALLOWED: Do not induce vomiting. Call a physician or Poison Control Center. If available, administer activated charcoal (6-8 heaping teaspoonfuls) with a large quantity of water. Do not induce vomiting or give anything by mouth to an unconscious person. Immediately transport to a medical care facility and see a physician. Avoid alcohol.

IF INHALED: Remove individual to fresh air. If not breathing, give artificial respiration, preferably cardiopulmonary resuscitation assistance (mouth-to-mouth), and get medical attention immediately.


IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

Note to Physician: This product contains an aromatic hydrocarbon and can be extremely harmful if swallowed. Aspiration of this product may produce a severe pneumonitis. Stomach lavage with a cuffed endotracheal tube in place and immediate administration of activated charcoal, 6-8 heaping teaspoonfuls with water, should be considered. Treatment is otherwise symptomatic and supportive.

EPA Reg. No. 42750-32

EPA Est. No. 42750-MO-1

Manufactured By: Albaugh, Inc. Ankeny, Iowa 50021



NET CONTENTS Gals. Liters