

42750-40

10-21-2003

Jacket
1/6



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Morris Gaskins
Albaugh, Inc.
1910 Exeter Road, Suite 1
Germantown, TN 38138

OCT 21 2003

Dear Mr. Gaskins:

Subject: Supplemental Label to Add Non-crop Uses for Rights-of-Way, Utility & Industrial Areas
Albaugh Dicamba DMA Salt
EPA Registration No. 42750-40 ✓
Your Submission Dated September 15, 2003

The amendment referred to above, submitted in connection with registration under section 3(c)(7)(A) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) or 4(a) when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

a. On the Supplemental Labeling modify the statements to read similar to the following:

The labeling must be in the possession of the user at the time of application. Read the label affixed to the container for Albaugh Dicamba DMA Salt before applying. Use of Albaugh Dicamba DMA Salt according to this supplemental labeling is subject to the use precautions and limitations imposed by the label affixed to the container for Albaugh Dicamba DMA Salt.

b. According to PR Notice 82-2, the Tank Mix directions must include statements similar to the following:

This product can be mixed with _____ (chemical name, including percentage of active ingredient and type of formulation, or specific product name, or both) for use on _____ (Crops/sites) in accordance with the more (most) restrictive of label limitations and precautions. No label dosage rates should be exceeded. This product cannot be mixed with any product containing a label prohibition against such mixing.

2/16


3. Submit one (1) copy of your final printed labeling before you release the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

4. Submit one (1) copy of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

If you have any questions concerning this letter, please contact Mr. James Stone at 703-305-7391.

Sincerely yours,



Joanne I. Miller
Product Manager (23)
Herbicide Branch
Registration Division (7505C)

Enclosure

SUPPLEMENTAL PRODUCT BULLETIN

ACCEPTED
with COMMENTS
In EPA Letter Dated
OCT 21 2003

DICAMBA DMA SALT

EPA Reg. No. 42750-40

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
42750-40

KEEP OUT OF REACH OF CHILDREN

WARNING-AVISO

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Unless otherwise directed in supplemental labeling, all applicable directions, restrictions, precautions and Conditions of Sale and Warranty are to be followed. This labeling must be in the user's possession during application.

RIGHTS-OF-WAY, UTILITY AND INDUSTRIAL AREAS

DICAMBA DMA SALT is recommended for use on non-cropland areas such as rights-of-way (such as roadways, rest areas, utility, railroad, highway, pipeline, and rights-of-way that run through pasture and rangeland); utility facilities (such as substations, pipelines, tank farms, pumping stations, parking and storage areas, fencerows, and non-irrigated ditch banks).

Observe all precautions. Read and follow mixing and application instructions.

RIGHTS-OF-WAY

DICAMBA DMA SALT can be used to control many broadleaf weeds on rights-of-way. This use includes applications to roadsides, roadway and highways; to areas along utilities such as cable and power lines; railroad track and embankments; highways; highway medians; bridge abutments, pipelines, and rights-of-way that run through pasture and rangeland. If applied to rights-of-way that run through pasture and rangeland, observe grazing restrictions. Use controlled application techniques that minimize the risk of off-target movement.

UTILITY AND INDUSTRIAL AREAS

DICAMBA DMA SALT can be used to control many broadleaf weeds and brush in noncrop areas on or surrounding substations, pipelines, tank farms, pump stations, production facilities,

and bare ground situations. It may also be used on parking and storage areas (refer to Ground and Surface Water Protection section of label to avoid direct run off to surface waters).

NOTE: Observe all precautions and restrictions on labels of products used in tank mixtures.

MIXING AND APPLICATION

DICAMBA DMA SALT can be applied using water, oil in water emulsions including invert systems, or sprayable fluid fertilizer as a carrier. A compatibility test (see COMPATIBILITY TEST section) should be made prior to tank mixing.

To prepare oil in water emulsions, half-fill spray tank with water. Then add the appropriate amount of emulsifier with continuous agitation. Slowly add the herbicide and then the oil (such as diesel oil or fuel oil) or a premix of oil plus additional emulsifier to spray tank. Complete filling of spray tank with water. Maintain vigorous agitation during spray operation to prevent oil and water from forming separate layers.

DICAMBA DMA SALT may be applied broadcast using either ground or aerial application equipment. When using ground equipment, apply 3 to 600 gallons of diluted spray per treated acre. Volume of spray applied will depend on the height, density, and type of weeds or brush being treated and on the type of equipment being used. When using aerial equipment, apply 1 to 40 gallons of diluted spray per treated acre in a water-based carrier.

DICAMBA DMA SALT may be applied to individual clumps or small areas (spot treatment) of undesirable vegetation using handgun or similar types of application equipment. Apply diluted sprays to allow complete wetting (up to run-off) of foliage and stems.


Herbicide adjuvants or other spray additives (emulsifiers, surfactants, wetting agents, drift control agents, or penetrants) may be used for wetting, penetration, or drift control. Spray additives must be agriculturally approved when used in pasture applications. If spray additives are used, read and follow all use recommendations and precautions on product label.

WEEDS AND BRUSH CONTROLLED

DICAMBA DMA SALT, when applied at recommended rates, will give control of many annual, biennial, and perennial broadleaf weeds, and many woody brush and vine species commonly found in non-cropland areas. (Refer to GENERAL WEED LIST.) Perennial weeds noted with an asterisk (*) may be controlled with lower rates of DICAMBA DMA SALT or DICAMBA DMA SALT plus tank mix combinations. See RATES AND TIMINGS below.

RATES AND TIMINGS

Application rates and timing of DICAMBA DMA SALT are given below. Use the higher level of listed rate ranges when treating dense or tall vegetative growth.



Weed Stage & Type	Product Amount per Acre	Gals. of Spray Mixture Per Acre**	Spray Concentration for use with Low Volume Application****
Annual Small, actively growing Established weed growth	½-1 pt. 1-1 ½ pts.	25-50 50-75	3 3
Biennial* Rosette diameter Less than 3 inches 3 inches or more Bolting	½-1 pt. 1-2 pts. 2-3 pts.	25-50 50-100 100-150	3-4 3-4 3-4
Perennial Suppression or top growth control Noted (*) Perennials	½-1 qt. 1-2 qts.	50-100 100-200	4 4
Other Perennials	2 qts.	200	6
Woody Brush & Vines*** Top growth Stems and roots	½-4 pts. 4 pts.	50-200 200	5 5

*For best performance, make application when biennial weeds are in the rosette stage.

**Assuming typical application rate of 2 pints DICAMBA DMA SALT/100 gals.

***Tank mixes may be required for optimal control. Refer to GENERAL WEED LIST section.

****Low volume rates must not exceed 4 pts. of DICAMBA DMA SALT maximum per acre per year (5% volume/volume = 10 gals. maximum solution per acre per year)

Retreatments may be made as needed; however, do not exceed a total of 4 pints (2 lbs. a.i.) of DICAMBA DMA SALT per treated acre during a growing season.

TANK MIX TREATMENTS

DICAMBA DMA SALT may be tank mixed with other herbicides for additional weed control. The following table lists example options, but does not limit tank mix options.

Read and follow the label of each tank mix product used for precautionary statements, directions for use, application rates and other restrictions. Consult product labels for rate recommendations for tank mix partner.

HERBICIDE	RATES PER TREATED ACRE (lbs. a.i.)
Norflurazon (Predict)	
Proflaminate (Endurance)	
Glufosinate (Finale)	
Glyphosate (Roundup, Accord, Gly Star Plus)	

6/6

HERBICIDE	RATES PER TREATED ACRE (lbs. a.i.)
Metsulfuron-methyl (Escort)	Consult product labels for rate recommendations
Pendimethalin (Pendulum)	
Triclopyr (Redeem, Garlon)	
Clopyralid (Transline)	
Bromacil (Hyvar)	
Chlorsulfuron (Telar)	
Diquat (Reward)	
Simazine (Princep)	
Diuron (Karmex)	
DSMA	
Fosamine ammonium (Krenite)	
Hexazinone (Velpar)	
Imazapyr (Arsenal)	
Imazameth (Plateau)	
MSMA	
Sulfometuron-methyl (Oust)	
Sulfosate (Touchdown)	
Tebuthiuron (Spike)	
2,4-D	

Due to variations that may occur in formulated products and specific use ingredients (e.g. water supplies), a compatibility test (see COMPATIBILITY TEST section) is recommended prior to actual tank mixing.

Manufactured By:
Albaugh, Inc.
Ankeny, Iowa 50021

