
42760-55





UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

FEB 2 4 2004

Morris Gaskins Albaugh, Inc. 1910 Exeter Road, Suite 1 Germantown, TN 38138

Dear Mr. Gaskins:

Subject: Add Use on Rights-of-Way Albaugh Range Star EPA Registration No. 42750-55 Your Submission Dated January 25, 2004

The amendment referred to above, submitted in connection with registration under section 3(c)(7)(A) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) or 4(a) when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

a. Modify the supplemental label instructions to include the following:

Read the label affixed to the container for Range Star before applying. Use of Range Star according to this supplemental labeling is subject to the use precautions and limitations imposed by the label affixed to the container for Range Star.

b. In the Bush and Vine Control section on the second page change the maximum application rate from 6 quarts to 5 ½ quarts. This is in order so it corresponds to the required maximum application rate of 4 lbs 2,4-D ae per acre.

3. Submit one (1) copy of your final printed labeling before you release the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

If you have any questions concerning this letter, please contact Mr. James Stone at 703-305-7391.

Sincerely yours,

121

Joanne I. Miller Product Manager (23) Herbicide Branch Registration Division (7505C)

Enclosure


•

.

## SUPPLEMENTAL LABELING

All applicable directions, restrictions, precautions and Warranty Limitations on the EPA-registered label are to be followed.

# RANGE STAR™



Fungicide and wood teacted com

14 A. C. 19 A.

1.11

EPA Reg. No. 42750-55

### KEEP OUT OF REACH OF CHILDREN

## DANGER/PELIGRO

registered under EPA Rug

Under the baryon

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

FOR CHEMICAL SPILL, LEAK, FIRE, OR EXPOSURE, CALL CHEMTREC (800) 424-9300

### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

#### THIS LABELING MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF APPLICATION.

### Rights-of-Way (roadways, utility, railroad, highway, pipeline)

#### RATES

When used as directed, Range Star will control or suppress many herbaceous broadleaf weeds (annual, biennial and perennial) as well as many unwanted woody plant and vine species. Regardless of the species to be controlled, spray volumes should be high enough to allow for good spray coverage. Make applications when weeds and brush are actively growing.

Refer to container label for complete list of weed species controlled.

The addition of surfactants can increase control. Biennials are best controlled in the rosette stage. Regrowth may occur on resistant species. Retreatments may be made as needed; however, do not exceed a total of 1.25 gallons (1.25 lbs. a.i. dicamba + 3.8 lbs a.i. 2,4-D) of Range Star per treated acre during a growing season.

**HERBACEOUS BROADLEAF WEED CONTROL**: Apply 1 to 3 quarts of Range Star in 20 to 100 gallons of water per treated acre (3/4 to 2.5 fluid ozs. per 1,000 sq. ft.). When using low volume application equipment, 3 to 20 gallons of water per acre is acceptable. 1 to 2 quarts per acre (3/4 to 1.5 fluid ozs. per 1,000 sq. ft.) of Range Star is recommended for annuals, 2 to 3 quarts per acre for biennials, and 3 quarts per acre for established perennials. Do not apply more than 5 ½ quarts of product per treated acre.

BRUSH AND VINE CONTROL – High Volume Foliar Spot Applications: Mix 4 to 5 ½ quarts of Range Star in enough water to make 100 gallons of spray mix. When using low-volume application equipment, 3 to 20 gallons of water per acre is acceptable. Spray volume applied will depend on the size and density of the brush to be treated, but do not apply more than 5 ½ quarts of product per treated acre. Direct the spray to treat all foliage, stems, and root collars to wet.

**BRUSH AND VINE CONTROL** – Broadcast applications with Ground Equipment: Apply 4 to 6 quarts of Range Star in 20 to 100 gallons of water per treated acre. When using low-volume application equipment, 3 to 20 gallons of water per acre is acceptable. Spray volume applied will depend on the size and density of the brush to be treated, but do not apply more than 5 ½ quarts of product per treated acre. Spray all foliage, stems, and root collars to wet.

**AERIAL APPLICATIONS:** Aerial applications may be made to control either herbaceous or woody plants. Apply 1 to 3 quarts of Range Star for herbaceous weeds or 4 to 5 ½ quarts for woody brush and vines in 5 to 40 gallons of water per acre. Coverage is important, so increase spray volume when treating dense stands of brush or weeds. Do not apply more than 5 ½ quarts of product per treated acre.

#### TANK MIX TREATMENTS

READ AND FOLLOW THE LABEL OF EACH TANK MIX PRODUCT USED FOR PRECAUTIONARY STATEMENTS, DIRECTIONS FOR USE, AND OTHER RESTRICTIONS. For broader spectrum control. Range Star may be tank mixed with one or more of the following herbicides for non-cropland use (e.g. railroad, highway, pipeline, etc.).

Amitrole	Fosamine ammonium	Pendamthalin
Asulam	Glyphosate	Picloram
Atratol	Glufosinate	Prodiamine
Bromacil	Hexazinone	Simazine
Clorflurecol	Imazapyr	Sulfometuron methyl
Chlorsulfuron	Imazameth	Sulfosate
Clopyralid	Maleic hydrazide	Tebuthiuron
Dalapon-	Mefluidide	Triclopyr
Dicamba	Metsulfuron methyl	2,4-D
Diquat	MSMA	2,4-DP
Diuron	Norflurazon	
Fenac	Paraquat	

Due to variations in formulated products and water supplies, a compatibility test is recommended prior to actual tank mixing.

All intended tank mix combinations should be used only in recommended areas on the same broadleaf weed species found on both labels. For application methods and other use specifications, use the most restricted limitations from labeling of both products.

**IMPORTANT!** Before using this product, read and carefully observe all applicable directions, restrictions, and precautionary statements on the EPA-registered container label and the Range Star™ Directions for Use booklet affixed to the container.

14

5.5.6

Range Star<sup>™</sup> is a trademark of Albaugh, Inc.

Albaugh, Inc. 121 NE 18<sup>th</sup> Street Ankeny, IA 50021