


PLEASE NOTE

This image contains more than one label approved for this product on this date.

SUPPLEMENTAL LABELING [Aquatic Use Label Only]

READ AND FOLLOW THE ENTIRE LABELS FOR GLYPHOSATE 53.8% AND ARSENAL™ 2 WSL BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Labels" as used in this supplemental labeling refers to the label booklet for Glyphosate 53.8%, the label instructions for Arsenal 2 WSL and this supplement.



Albaugh
GLYPHOSATE 53.8%

EMERGED AQUATIC WEED AND BRUSH HERBICIDE

EPA Reg. No. 42750-xxx

GLYPHOSATE 53.8% PLUS ARSENAL 2 WSL FOR NONCROP AREAS SUCH AS NONIRRIGATION DITCHBANKS, DRY DITCHES, DRY DRAINAGE DITCHES AND DRY CANALS.

Keep out of reach of children

CAUTION!

FOR CHEMICAL SPILL, LEAK, FIRE, OR EXPOSURE, CALL CHEMTREC (800) 424-9300

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with the labeling.

This label must be in the possession of the user at the time of the herbicide application.

When applied as directed, this tank mixture will control or partially control labeled woody brush, trees and herbaceous weeds in noncrop areas. In addition to the weeds labeled for Glyphosate 53.8%, this tank mixture will control arrowweed, salt cedar and yaupon.

HAND-HELD AND HIGH-VOLUME APPLICATIONS

Use 6 to 12 pints of Glyphosate 53.8% plus ½ to 4 pints Arsenal 2 WSL per 100 gallons of spray solution. Add 2 to 4 quarts of nonionic surfactant per 100 gallons of spray solution.

Apply to foliage of actively growing vegetation. Applications should be made on a spray-to-wet basis. Spray coverage should be uniform and complete. Do not spray to the point of runoff.

BROADCAST APPLICATIONS WITH GROUND EQUIPMENT

Use 3 to 7 ½ pints of Glyphosate 53.8% plus ½ to 4 pints Arsenal in sufficient water to apply in a total spray volume of 10 to 20 gallons per acre. Add 2 to 4 quarts of nonionic surfactant per 100 gallons of spray solution. Apply to foliage of actively growing vegetation.

Apply to woody brush and trees after full leaf expansion until initiation of fall color.

Avoid direct applications to any body of water. Do not apply on ditches used to transport irrigation water.

Read and carefully observe the label directions, cautionary statements and all information on the labels of both products used in this tank mixture before proceeding with this recommendation. Additional precautionary statements are made in these labels. Use according to the most restrictive label directions for each product in the mixture.

When used in combination as recommended by Albaugh, Inc., the liability of Albaugh, Inc., shall in no manner extend to any damage, loss or injury not directly caused by the inclusion of the Albaugh product in such combination use.

Read the "CONDITIONS OF SALE AND WARRANTY" in the label booklet for Glyphosate 53.8% before using this product. Those terms apply to this supplemental label and, if those terms are not acceptable, return the product unopened at once.

™Arsenal is a trademark of American Cyanamid Company.

Albaugh, Inc.
121 NE 18th Street
Ankeny, IA 50021


NEXT

LABEL

SUPPLEMENTAL LABELING [Aquatic Use Label Only]

READ AND FOLLOW THE ENTIRE LABEL FOR GLYPHOSATE 53.8% BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Label" as used in this supplemental labeling refers to the label booklet for Glyphosate 53.8% and this supplement.



Albaugh

GLYPHOSATE 53.8%

EMERGED AQUATIC WEED AND BRUSH HERBICIDE

EPA Reg. No. 42750-xxx

GLYPHOSATE 53.8% FOR CONTROL OF EUROPEAN BEACHGRASS (*Ammophila arenaria*) IN OREGON AND WASHINGTON

Keep out of reach of children

CAUTION!

FOR CHEMICAL SPILL, LEAK, FIRE, OR EXPOSURE, CALL CHEMTREC (800) 424-9300

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with the labeling.

This label must be in the possession of the user at the time of the herbicide application.

Best results are obtained when applications are made when European beachgrass is actively growing through the boot to the full heading stages of growth. Applications should be made prior to the loss of more than 50% green leaf color in the fall.

Applications made during any period of plant (drought) stress, or beyond the recommended active growth period in the fall, will likely result in reduced performance.

Repeat applications of Glyphosate 53.8% may be necessary to treat skips. Monitor treated acres prior to reseeding of desirable vegetation.

SPRAY TO WET APPLICATIONS

Apply an 8 percent solution of this product plus 0.5 to 1.5 percent nonionic surfactant on a spray-to-wet basis for control of European beachgrass.

Spray coverage should be uniform and complete but not to the point of runoff.

WIPER APPLICATIONS

For selective control of European beachgrass, apply a 33 1/3 percent solution of this product plus 1 to 2.5 percent nonionic surfactant during active growth. Avoid contact of herbicide solution with desirable vegetation. Wiping the plants in opposite directions may improve

performance. Maximizing the amount of individual leaf tissue contacted with the wiping equipment will result in optimal performance.

Read the "CONDITIONS OF SALE AND WARRANTY" in the label booklet for Glyphosate 53.8% before using this product. Those items apply to this supplemental label and, if those terms are not acceptable, return the product unopened at once.

Albaugh, Inc.
121 NE 18th Street
Ankeny, IA 50021


NEXT

LABEL

SUPPLEMENTAL LABELING [Aquatic Use Label Only]

READ AND FOLLOW THE ENTIRE LABEL FOR GLYPHOSATE 53.8% BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Label" as used in this supplemental labeling refers to the label booklet for Glyphosate 53.8% and this supplement.



**Albaugh
GLYPHOSATE 53.8%**

EMERGED AQUATIC WEED AND BRUSH HERBICIDE

EPA Reg. No. 42750-xxx

**WIPER APPLICATIONS FOR PARTIAL CONTROL OR SUPPRESSION OF
SELECTED DITCHBANK AND AQUATIC WEEDS IN NONCROP AREAS**

Keep out of reach of children

CAUTION!

FOR CHEMICAL SPILL, LEAK, FIRE, OR EXPOSURE, CALL CHEMTREC (800) 424-9300

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with the labeling. This label must be in the possession of the user at the time of the herbicide application.

GENERAL INFORMATION

Glyphosate 53.8% plus an approved surfactant, when applied by wiper application to actively growing plants is effective for partial control or suppression of selected ditchbank and aquatic weeds.

AQUATIC SITES USAGE

See the "GENERAL INFORMATION," "MIXING AND APPLICATION INSTRUCTIONS" and "AQUATIC SITES" sections of the label booklet for Glyphosate 53.8% for essential product performance information. See the "WEEDS CONTROLLED" section of the label booklet for Glyphosate 53.8% for optimum stage of treatment of weeds for best results.

EXTREME CARE MUST BE EXERCISED TO AVOID CONTACT OF THIS HERBICIDE WITH FOLIAGE OF DESIRABLE TURFGRASSES, TREES, SHRUBS OR OTHER DESIRABLE VEGETATION SINCE DAMAGE OR DESTRUCTION MAY RESULT.

APPLICATION RECOMMENDATIONS WITH WIPER EQUIPMENT

This product may be applied through a wiper applicator after dilution with water and thorough mixing to weeds listed on this label growing in or along aquatic sites.

Wiper applicators, including wick devices, apply the herbicide solution by rubbing the weed with an absorbent material containing the herbicide solution.

Contact of the herbicide solution with desirable vegetation may result in damage or destruction. Applicators used above desired vegetation should be adjusted so that the lowest wiper contact point is at least two (2) inches above this vegetation. Application made above desirable vegetation should be made when the weeds are a minimum of six (6) inches above this vegetation.

Best results may be attained when more of the weed is exposed to the herbicide solution. Weeds not contacted (wiped) with the herbicide solution will not be affected. This may occur in dense clumps, severe infestations, or when the height of the weed varies so that not all weeds are contacted.

In severe infestations, reduce equipment ground speed to ensure that adequate amounts of this herbicide solution are wiped onto the weeds. When wiping moderate weed infestations an adequate flow rate should be 3 to 4 quarts of herbicide solution per mile of canal (wiping 4 foot band). For best results, do not allow wiper applicator to contact water.

NOTE:

- Maintain wiper equipment in good operating condition.
- Adjust height of wiper applicator to ensure adequate contact with weeds.
- Keep wiping surfaces clean.
- Keep wiper material at proper degree of saturation with herbicide solution.
- DO NOT use wiper equipment when weeds are wet or under conditions where wave action or other water immersions will wash the solution off the weed.
- DO NOT operate equipment at ground speeds of greater than 5 MPH. As weed density increases, reduce equipment ground speed to ensure good coverage of weeds.
- Be aware that on sloping ground, the herbicide solution may migrate, causing dripping on the lower end and drying on the upper end of the wiper applicator.
- Variation in equipment design may affect weed control. With wiper applicators, the wiping material and its orientation must allow delivery of sufficient quantities of the recommended herbicide solution directly to the weeds.
- Mix only the amount of solution to be used during a one day period as reduced activity may result from use of leftover solutions.

MIXING INSTRUCTIONS

Mix 2 ½ gallons of Glyphosate 53.8% herbicide with 7 ½ gallons of water to prepare a 25 percent solution. Add 1 quart of an approved surfactant per 10 gallons of herbicide solution (2 ½ percent surfactant by total volume). Apply this solution to weeds listed below.

WEEDS PARTIALLY CONTROLLED OR SUPPRESSED

When applied as recommended under the conditions described for "Wiper Equipment," this product will partially control or suppress the following weeds:

Bromegrass (smooth)

Bromus inermis

Canarygrass (reed)

Phalaris arundinacea

Dock (curly)

Rumex crispus

Mullein (common)

Verbascum thapsus

Quackgrass

Agropyron repens

Thistle (Canada)

Cirsium arvense

Read the "CONDITIONS OF SALE AND WARRANTY" in the label booklet for Glyphosate 53.8% before using this product. Those terms apply to this supplemental label and, if those terms are not acceptable, return the product unopened at once.

Albaugh, Inc.
121 NE 18th Street
Ankeny, IA 50021


NEXT

LABEL

SUPPLEMENTAL LABELING [Aquatic Use Label Only]

READ THE ENTIRE LABEL FOR GLYPHOSATE 53.8% AND FOR GARLON™ 4 BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Label" as used in this supplemental labeling refers to the label booklet for Glyphosate 53.8% and this supplement.



Albaugh
GLYPHOSATE 53.8%

EMERGED AQUATIC WEED AND BRUSH HERBICIDE

EPA Reg. No. 42750-xxx

GLYPHOSATE 53.8% PLUS GARLON 4 TANK MIXTURE FOR BURNDOWN AND PARTIAL CONTROL OR SUPPRESSION OF WOODY BRUSH AND WEEDS IN INDUSTRIAL SITES

Keep out of reach of children

CAUTION!

FOR CHEMICAL SPILL, LEAK, FIRE, OR EXPOSURE, CALL CHEMTREC (800) 424-9300

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with the labeling.

This label must be in the possession of the user at the time of the herbicide application.

NONCROP USE

See the "GENERAL INFORMATION" and "MIXING AND APPLICATION INSTRUCTIONS" sections of this label for essential product performance information and the following NONCROP SECTIONS for specific recommended uses.

EXTREME CARE MUST BE EXERCISED TO AVOID CONTACT OF SPRAY WITH FOLIAGE OF DESIRABLE TURFGRASSES, TREES, SHRUBS, OR OTHER DESIRABLE VEGETATION SINCE SEVERE DAMAGE OR DESTRUCTION MAY RESULT.

Repeat treatments may be necessary to control weeds regenerating from underground parts or seeds of regrowth from areas not adequately contacted by the spray mixture.

Glyphosate 53.8% does not provide residual weed control. For subsequent weed control, follow a label-approved herbicide program.

Read and carefully observe the cautionary statements and all other information appearing on the labels of all herbicides used.

INDUSTRIAL SITES

When applied as directed for "Noncrop Uses" under the conditions described, this product, and an approved surfactant plus Garlon 4, provides burndown and partial control or suppression of woody brush and vegetation labeled for this product. This tank mixture is recommended for use on rights-of-way (utility, railroad, highway, pipeline), fencerows, roadsides, nonirrigation ditchbanks, wasteland and similar noncrop or industrial sites.

Hand-Held and High-Volume Applications:

Use 3 to 6 pints of Glyphosate 53.8% herbicide and 2 or more quarts of an approved surfactant, plus 1 to 2 quarts of Garlon 4 per 100 gallons of spray solution and apply to foliage of actively growing woody brush and weeds. Applications should be made on a spray to wet basis. Spray coverage should be uniform and complete. Do not spray to point of runoff.

Broadcast Applications with Ground Equipment:

Use 3 to 6 pints of Glyphosate 53.8% plus ½ to 2 quarts of Garlon 4 in sufficient water and make 20 to 100 gallons of total spray per acre. Use 2 to 4 quarts of an approved surfactant per 100 gallons of spray solution with this product.

Aerial Application (Helicopter Only):

Use 3 to 6 pints of Glyphosate 53.8% plus surfactant plus 1 to 2 quarts of Garlon 4 and apply in a total spray volume of 10 to 20 gallons per acre. Aerial sprays should be applied using suitable drift control. Use 2 to 4 quarts of an approved surfactant per 100 gallons of spray solution with this product.

Apply when plants are actively growing and after full leaf expansion of woody brush. Use the higher rates of these products where vegetation is heavy or dense, or where hard-to-control brush species are prevalent. Repeat applications may be necessary to maintain control and to suppress areas where canopying of vegetation prevents good spray coverage and penetrations.

Drift control additives may be used. When a drift control additive is used, read and carefully observe the cautionary statements and all other information appearing on the additive label.

Read and carefully observe the label claims, cautionary statements and all information on the labels of both products used in this tank mixture. Use according to the most restrictive label directions for each product in the mixture.

When used in combination as recommended by Albaugh, Inc., the liability of Albaugh, Inc. shall in no manner extend to any damage, loss or injury not directly caused by the inclusion of the Albaugh product in such combination use.

Read the "CONDITIONS OF SALE AND WARRANTY" in the label booklet for Glyphosate 53.8% before using this product. Those terms apply to this supplemental label and, if those terms are not acceptable, return the product unopened at once.

™Garlon is a trademark of Dow Chemical Company.

Albaugh, Inc.
121 NE 18th Street
Ankeny, IA 50021


NEXT

LABEL

SUPPLEMENTAL LABELING [Aquatic Use Label Only]

READ AND FOLLOW THE ENTIRE LABEL FOR GLYPHOSATE 53.8% BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Label" as used in this supplemental labeling refers to the label booklet for Glyphosate 53.8% and this supplement.



Albaugh
GLYPHOSATE 53.8%

EMERGED AQUATIC WEED AND BRUSH HERBICIDE

EPA Reg. No. 42750-xxx

BASAL AND SELECTIVE STEM APPLICATIONS OF GLYPHOSATE 53.8% PLUS QuikSorb™ PENETRANT FOR CONTROL OR PARTIAL CONTROL OF BRAZILIAN PEPPERTREE (*Schinus terebinthifolius*)

Keep out of reach of children

CAUTION!

FOR CHEMICAL SPILL, LEAK, FIRE, OR EXPOSURE, CALL CHEMTREC (800) 424-9300

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

This label must be in the possession of the user at the time of the herbicide application.

When applied as directed, this product will control or partially control Brazilian peppertree in areas such as dry drainage ditches and canals, wildlife habitat restoration and management areas, roadsides, railroads, fence rows, and similar non-crop areas.

The recommended application technique is directed spot treatment of Brazilian peppertree using hand-held equipment only. Apply this product using backpack, hand-held, handgun or similar equipment. Use flat fan, cone, or similar nozzles that will provide effective spray coverage of target vegetation. Do not apply to Brazilian peppertree growing in water. The use of aerial, boom-type or other broadcast spray equipment is not recommended. These applications are more effective on small brush less than 15 feet in height or 3-inch stem diameter.

BASAL AND SELECTIVE STEM APPLICATION

Apply a solution consisting of 25% v/v of this product and 75% v/v of QuikSorb penetrant. Completely cover the lower 18-24 inches of the brush stems or trunks. For larger stems over 3 inches in diameter, treat up to 48 inches or higher from the ground level. For better control of large trees, apply spray solution directly to upper foliage of plant canopy. Spray coverage should be uniform, covering at least 40 to 60% of the upper foliage and stems. Application is

best when made to young, actively growing stems, branches and foliage. Spray-to-wet but not to the point of run-off.

Read and carefully observe the label claims, cautionary statements, and all information on the labels of all products used in this tank mixture.

Read the "CONDITIONS OF SALE AND WARRANTY" in the label booklet for Glyphosate 53.8% before using this product. Those terms apply to this supplemental labeling and if those terms are not acceptable, return the product unopened at once.

Albaugh, Inc.
121 NE 18th Street
Ankeny, IA 50021


NEXT

LABEL

SUPPLEMENTAL LABELING [Aquatic Use Label Only]

READ AND FOLLOW THE ENTIRE LABEL FOR GLYPHOSATE 53.8% BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Label" as used in this supplemental labeling refers to the label booklet for Glyphosate 53.8% and this supplement.



Albaugh
GLYPHOSATE 53.8%

EMERGED AQUATIC WEED AND BRUSH HERBICIDE

EPA Reg. No. 42750-xxx

GLYPHOSATE 53.8% FOR CONTROL OF CORDGRASS (*Spartina spp.*)

Keep out of reach of children

CAUTION!

FOR CHEMICAL SPILL, LEAK, FIRE, OR EXPOSURE, CALL CHEMTREC (800) 424-9300

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with the labeling.

This label must be in the possession of the user at the time of the herbicide application.

BROADCAST APPLICATIONS (AIR)

Apply 4 to 7½ pints of this product in 5-20 gallons of spray solution per acre. Add 1 to 2 quarts of nonionic surfactant per 100 gallons of spray solution.

BROADCAST APPLICATIONS (GROUND)

Apply 4 to 7½ pints of this product in 10 to 60 gallons of spray solution per acre. For best results, ensure that complete coverage of cordgrass clumps is achieved. Add 1 to 2 quarts of a nonionic surfactant per 100 gallons of spray solution.

HAND-HELD AND HIGH VOLUME EQUIPMENT

Apply a 2 to 8 percent solution of this product. Ensure that complete coverage of cordgrass clumps is achieved. Do not spray to the point of run-off. Add 1 to 2 quarts of a nonionic surfactant per 100 gallons of spray solution.

WIPER APPLICATIONS

For wick or wiper applications, mix 1 gallon of this product with 2 gallons of clean water to make a 33 percent solution. Addition of a nonionic surfactant at a rate of 10 percent by volume of the total herbicide solution is recommended.

In heavy stands, a double application in opposite directions may improve results.

APPLICATION CONDITIONS

NOTE: Schedule applications in order to allow 6 hours before treated plants are covered by tidewater. Rainfall or immersion within 6 hours after application may reduce effectiveness.

The presence of debris and silt on the cordgrass plants will reduce performance of this product. It may be necessary to wash targeted plants prior to application to improve uptake of this product into the plant. Where cordgrass has been cut or mowed prior to application with Glyphosate 53.8%, ensure adequate regrowth of cordgrass occurs to allow for interception or absorption of the herbicide solution.

Read the "CONDITIONS OF SALE AND WARRANTY" in the label booklet for Glyphosate 53.8% before using this product. Those terms apply to this supplemental label and, if those terms are not acceptable, return the product unopened at once.

Albaugh, Inc.
121 NE 18th Street
Ankeny, IA 50021

NEXT

LABEL

42750-59


05/10/2001

1/1

SUPPLEMENTAL LABELING [Aquatic Use Label Only]

READ AND FOLLOW THE ENTIRE LABEL FOR GLYPHOSATE 53.8% BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Label" as used in this supplemental labeling refers to the label booklet for Glyphosate 53.8% and this supplement.



Albaugh GLYPHOSATE 53.8%

EMERGED AQUATIC WEED AND BRUSH HERBICIDE

EPA Reg. No. 42750-xxx

TANK MIXTURES OF GLYPHOSATE 53.8% AND 2,4-D AMINE FOR AQUATIC AND OTHER LABELED NON-CROP SITES

Keep out of reach of children

CAUTION!

FOR CHEMICAL SPILL, LEAK, FIRE, OR EXPOSURE, CALL CHEMTREC (800) 424-9300

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with the labeling.

This label must be in the possession of the user at the time of the herbicide application.

When applied as a tank mixture, this product will control the annual weeds listed in the label booklet for this product. The tank mixture will control or partially control the listed perennial weeds, woody brush and trees.

Use 1 1/2 to 2 1/2 pints of this product plus 2 to 4 pints of 2,4-D amine (4 lb ai per gallon, labeled for aquatic sites) for control of annual weeds.

Use 3 to 7 1/2 pints of this product plus 2 to 4 quarts of 2,4-D amine (4 lb ai per gallon, labeled for aquatic sites) for control or partial control of perennial weeds, woody brush and trees. The tank mixture may be used on alligatorweed, smartweed, waterprimrose, waxmyrtle and other labeled weeds.

When using this product, mix 2 or more quarts of a nonionic surfactant per 100 gallons of spray solution. Always read and follow the surfactant manufacturer's label recommendations.

Always predetermine the compatibility of the tank mixtures of this herbicide and 2,4-d amine by mixing small proportional quantities in advance.

Mix in the following sequence: Fill sprayer tank one-half full with water, add Glyphosate 53.8%, then 2,4-D amine and finally surfactant. Fill sprayer tank to final volume with water.