



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:
42750-67

Date of Issuance:
JUL 23 2002

Term of Issuance:

Conditional

Name of Pesticide Product:

Gly Star Concentrate

NOTICE OF PESTICIDE:
 X Registration
 Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Mr. Michael Kellogg
Albaugh, Inc.
11324 17th Ave. Ct. N.W.
Gig Harbor, WA 98332

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. Add the phrase "EPA Registration No. 42750-67".

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Submit three (3) copies of your final printed labeling before you release the product for shipment.

Enclosed for your records is a copy of your label stamped "Accepted".

Signature of Approving Official:

Date:

7-23-02

[Highlighted text is for instructional purposes only and will not be included on the final labeling]

Albaugh Gly Star™ Concentrate

| | |
|---------------------------------------|---------------|
| ACTIVE INGREDIENTS: | |
| Glyphosate, isopropylamine salt | 25.0% |
| OTHER INGREDIENTS: | 75.0% |
| TOTAL | 100.0% |

KEEP OUT OF REACH OF CHILDREN

CAUTION

| FIRST AID | |
|---|---|
| If in eyes | <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice. |
| HOT LINE NUMBER | |
| Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information. | |

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

People and pets may enter treated areas after spray has dried.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow spray to drift from the application site and contact people, structures people occupy at any time and the associated property, parks and recreation areas, nontarget crops, aquatic and wetland areas, woodlands, pastures, rangelands, or animals. Apply only when wind speed is not more than 10 mph. For sprays, apply largest size droplets possible.


CONTROLS ALL WEEDS AND GRASSES INCLUDING: Barnyardgrass, Bermudagrass, Thistle, Chickweed, Common Ragweed, Dandelion, Fescues, Johnsongrass, Clover, Yellow Nutgrass and other grasses, weeds, sedges and brush.

EPA Reg. No. 74127-xxx

EPA Est. No.

Manufactured for:
Albaugh, Inc.
121 NE 18th Street
Ankeny, IA 50021

NET CONTENTS
_____ Ounces or Gallons



| | |
|---|---|
| PRODUCT INFORMATION [This section is optional and may not be included on all final labels] | |
| KILLS WEEDS | All types of weeds & grasses [illustration may be included here] |
| WHERE TO USE | <ul style="list-style-type: none"> - On patios, walkways & driveways - In flowerbeds & vegetable gardens - Around shrubs & trees - Along fences & foundations - Other areas in your yard - Edging around lawns - In large areas: <ul style="list-style-type: none"> o For lawn replacement/renovation o For garden plot preparation |
| AMOUNT TO USE | For best results, use 6 fl oz (12 Tbs) per gallon of water for established or tough weeds |

MIXING INSTRUCTIONS

Tank Sprayer (plastic, aluminum, fiberglass, plastic-lined steel or stainless steel)

- For easy to kill weeds such as seedlings, add 3 fl oz (6 Tbs) to 1 gallon of water.
- For tough, established weeds and for best results, add 6 fl oz (12 Tbs) to 1 gallon of water.
- Spot treat or spray evenly over 300 sq. ft.

1 Tablespoon (Tbs) = 3 teaspoons (tsp) 1 fl oz = 2 Tbs

Do not apply with a galvanized or unlined steel (except stainless steel) sprayer or through any irrigation system.

To clean sprayer after use, rinse sprayer and all sprayer parts with water 3 times. Spray rinse water on bare soil or gravel. After cleaning, sprayer may be used for other products.

HOW TO APPLY

- Spray the weeds or grasses you want to kill until thoroughly wet.
- When spot treating weeds around desirable plants, shield plants from drift with a sheet of cardboard or plastic. If desirable plants are accidentally sprayed, rinse off immediately with water.

IMPORTANT: Do not spray plants or grasses you like – they may die too. Not recommended for spot weed control in lawns because Gly Star™ Concentrate kills lawn grasses.

WHEN TO APPLY

- Apply when weeds and grasses are actively growing.
- For best results, apply during warm, sunny weather (above 60°F)
- Spray when air is calm to prevent drift to desirable plants.
- Rain or watering 2 hours after application will not wash away effectiveness.
- Apply when weeds are small and before seeds form.
- All ornamental flowers, trees and shrubs may be planted 1 day after application.

ADDITIONAL TIPS

To Kill Vines

- If vines are growing up poles, fences, or tree trunks with mature bark, cut vines to a height of 3 to 4 feet and spray vines thoroughly.

- If vines are climbing shrubs, or tree trunks with green bark, cut vines at base and treat as directed for stumps or spray regrowth. If spraying regrowth, shield shrubs and green bark from spray drift with a sheet of cardboard or plastic.

To Kill Stumps

- Cut living stump close to ground.
- Drive 4 to 5 holes into freshly cut stump.
- Immediately pour undiluted product into holes.

For Lawn Replacement

Use Gly Star™ Concentrate to kill a lawn and weeds before planting new lawn.

- Skip one mowing before spraying.
- Use 6 fl oz (12 Tbs) per gallon of water for each 300 sq ft.
- If soil is dry, water before application and 2 to 3 days after application.
- If green patches remain after 7 days, reapply.
- Wait 7 days for weeds and lawn to die. Repeat if necessary.
- Rake or till to prepare area for planting seed or sod.

Kudzu

For best results, apply in mid to late summer when vines are mature and actively growing.

Wild Blackberry

Spray anytime plants are active growing. Dead canes should be cut down and removed. Reapplication is often required to kill deep roots.

Poison Ivy & Poison Oak

Contact with these plants anytime of the year can cause an allergic reaction. Spray anytime plants are actively growing, but at least 4 weeks before the first killing frost in the fall. Reapply, if new growth appears. Handle dead plants with rubber gloves. Dispose of plants and rubber gloves in tightly sealed garbage bags.

For Flowerbed & Garden Preparation

Use Gly Star™ Concentrate to kill weeds, grasses and brush before planting flowers, fruits, vegetables or herbs.

- If soil is dry, water before application and 2 to 3 days after application.
- Apply evenly over treatment area.
- Wait the number of days indicated below before planting.

WHEN TO REPLANT

- All ornamental flowers, trees and shrubs and the following berries, fruits, vegetables and herbs may be planted 1 day after application:
 Artichoke (Jerusalem), beans (all), beet greens, blackberry, blueberry, boysenberry, broccoli, Brussels sprouts, cabbage (all), carrot, cauliflower, celery, chard (Swiss), chicory, collards, cranberry, currant, dewberry, elderberry, endive, gooseberry, horseradish, huckleberry, kale, kohlrabi, leek, lentils, lettuce, loganberry, mustard greens, okra, olallieberry, onion, parsley, parsnips, potato, radish, rape greens, raspberry (black and red), rhubarb, rutabaga, spinach, sweet potato, turnip and yams.
- The following fruits, vegetables and herbs may be planted 3 days after application:
 Corn, cucumber, eggplant, garlic, gourds, melons (all), peas (all), peppers (all), pumpkin, squash (summer and winter), tomatillo, tomato (by seed) and watercress.
- Lawn grasses may be replanted 7 days after application.
- Tomatoes from transplant and unlisted fruits, vegetables and herbs may be planted 30 days after application.

*f. o. t.
w*

WHEN TO HARVEST

If used to control weeds around fruits or nuts, allow the following number of days before harvesting:

- Citrus (citron, grapefruit, lemon, lime, mandarin, orange, tangelo, tangerine) – 1 day.
- Nuts (almond, beechnut, cashew, chestnut, hazelnut, pecan, pistachio and walnut) – 3 days.

- Apple, avocado, banana (plantains), berries (except cranberries), dates, figs, grapes, kiwi fruit, loquat, passion fruit, pear, persimmon, pomegranate and quince – 14 days.
- Apricot, cherries, nectarine, olives, peach, plum and prunes – 17 days.

HOW IT WORKS

Gly Star™ Concentrate enters plants through foliage and moves systematically to the roots, killing weeds by stopping the production of a substance found only in plants. Any product not absorbed by plants breaks down into natural materials without moving in or on the soil to untreated plants. Weeds usually yellow and wilt within 2 to 4 days with complete kill in 1 to 2 weeks.

KILLS ALL TYPES OF WEEDS & GRASSES

Weeds (including): Artichoke thistle, Beggarweed, black medic, blue mustard, blue toadflax, brassbuttons, broadleaf plantain, burclover, buttercup, Canada thistle, cattail, chickweed, cocklebur, common groundsel, common mullein, common plantain, common ragweed, creeping Beggarweed, creeping-charlie, curly dock, dandelion, dog fennel, evening primrose, false dandelion, fiddleneck, field bindweed (wild morningglory), field pennycress, filaree, Florida pusley, garden spurge, henbit, horsetail, horseradish, horseweed/marestail, iceplant, knapweed, knotweed, lambsquarters, lantana, little bittercress, London rocket, mallow, mayweed, milkweed, mouseear chickweed, narrowleaf (buckhorn) plantain, nightshade (silverleaf), oldenlandia, oxalis, Pennsylvania smartweed, pennywort, poison hemlock, prickly lettuce, primrose, prostrate spurge, puncturevine, ragweed, red clover, redroot pigweed, shepherdspurge, smooth catsear, smooth pigweed, sowthistle, spotted spurge, tansy ragwort, tansymustard, teaweed, trumpet creeper, tumble mustard, Virginia creeper, white clover, whitetop, wild barley, wild mustard, wild oats, wild sweet potato, yellow Starthistle, and other broadleaf weeds.

Grasses (including): Annual bluegrass, annual ryegrass, bahiagrass, barnyardgrass, bentgrass, Bermudagrass, bromegrass, Cogongrass, crabgrass, creeping bentgrass, dallisgrass, fall panicum, fescue, field sandbur, foxtail, Goosegrass, guineagrass, Johnsongrass, Kentucky bluegrass, kikuyugrass, lovegrass, maidencane, nimblewill, nutsedge, orchardgrass, pampas grass, perennial ryegrass, purple nutsedge, quackgrass, sandspur, smooth bromegrass, sprangletop, St. Augustinegrass, tall fescue, Texas panicum, Timothy, torpedograss, vaseygrass, witchgrass, yellow nutgrass, zoysia and other grassy weeds.

Brush (Tough Weeds), Unwanted Trees, Shrubs & Vines (including): Alder, ash, (quacking) aspen, blackberry, bluegum eucalyptus, broom (French, Scotch), buckwheat, Ceanothus, chamise, cherry, coyote brush, dewberry, elderberry, elm, eucalyptus, giant reed, hawthorn, hazel, honeysuckle, kudzu, locust, madrone, maple, oak, persimmon, poison oak, poison ivy, poplar, raspberry, sage, sagebrush, salmonberry, saltcedar, sassafras, sumac, sweetgum, tan oak, thimbleberry, tree tobacco, wild rose (multiflora), willow and other tough weeds.

HOW TO REFILL GLY™ STAR READY-TO-USE GRASS AND WEED KILLER CONTAINER

24 fl oz Gly Star™ Ready-to-Use Grass and Weed Killer:

To empty container add 2 fl. oz. of Gly Star™ Concentrate then fill with water very slowly to avoid foaming.

32 fl oz Gly Star™ Ready-to-Use Grass and Weed Killer:

To empty container add 2.5 fl. oz. of Gly Star™ Concentrate then fill with water very slowly to avoid foaming.

½ gallon Gly Star™ Ready-to-Use Grass and Weed Killer:

To this empty container add 5 fl. oz. of Gly Star™ Concentrate then fill with water very slowly to avoid foaming.

Gallon Gly Star™ Ready-to-Use Grass and Weed Killer:

To this empty container add 10 fl. oz. of Gly Star™ Concentrate then fill with water very slowly to avoid foaming.

6/6

STORAGE AND DISPOSAL

STORAGE:

Store in original container in a safe place.

DISPOSAL:

If empty: Do not reuse container. Place in trash or offer for recycling if available.

If partly filled: Your local government may forbid pesticides in their landfills. Therefore, call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE

Buyer assumes all responsibility for safety and use not in accordance with directions.

Gly Star™ is a trademark of Albaugh, Inc.