



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

October 10, 2023

Blake Cowen
Product Registration Manager, NA
Albaugh, LLC
1525 NE 36th Street
Ankeny, IA 50021

Subject: Notification per PRN 98-10 – updated poison control center phone number statement, revised booklet statement, chemtrec statement, and addition of optional marketing graphics
Product Name: Gly Star™ Grass and Weed Killer Concentrate
EPA Registration Number: 42750-67
Application Date: 3/17/2023
Case Number: 00464457

Dear Blake Cowen:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped “NOTIFICATION” and placed in our records.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If you have any questions, please contact Jenna Wiegand at 202-566-0437 or at Wiegand.Jenna@epa.gov.

Sincerely,

A handwritten signature in blue ink that reads "Emily Schmid".

Emily Schmid, Product Manager 25
Herbicide Branch
Registration Division (7505P)
Office of Pesticide Programs

NOTIFICATION

42750-67

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

10/10/2023

[Sub-label A – For use with conventional sprayers]

Albaugh
Gly Star™ Grass and Weed Killer Concentrate
Contains 25% Glyphosate IPA as the Active Ingredient

ACTIVE INGREDIENTS:
Glyphosate, isopropylamine salt25.0%
OTHER INGREDIENTS:.....75.0%
TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID	
IF IN EYES	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For non-emergency exposure information on this product, call 1-888-347-6732 (7 days/week, 24-hr). For medical emergencies, dial 911. You may also contact 1-800-424-9300 for emergency medical treatment information.	

[\[See \[inside\] booklet for \[additional\] \[complete\] \[First Aid.\] \[Precautionary Statements.\] \[Directions For Use.\] \[Storage and Disposal.\] \[and\] \[Conditions of Sale and Warranty\].\]](#) [See Back Panel Booklet for First Aid and Precautionary Statements](#)

[For 24-hour chemical spill, leak, fire, exposure or accident response information, call CHEMTREC toll free at 1-800-424-9300.](#)

Formatted: Normal

Makes Over 10 Gallons of Mix for Easy to Kill Weeds and Over 5 Gallons of Mix for Tough or Established Weeds

MANUFACTURED BY:
Albaugh, Inc.
1525 NE 36th Street

Ankeny, IA 50021

EPA Reg. No. 42750-67
[AD1114412031723](#)

EPA Est. No. 42750-MO-001

NET CONTENTS: _____ Ounces or Gallons

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

People and pets may enter treated areas after spray has dried.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow spray to drift from the application site and contact people, structures people occupy at any time and the associated property, parks and recreation areas, nontarget crops, aquatic and wetland areas, woodlands, pastures, rangelands, or animals. Apply only when wind speed is not more than 10 mph. For sprays, apply largest size droplets possible.

CONTROLS ALL WEEDS AND GRASSES INCLUDING:

Barnyardgrass, Bermudagrass, Thistle, Chickweed, Common Ragweed, Dandelion, Fescues, Johnsongrass, Clover, Yellow Nutgrass and other grasses, weeds, sedges and brush.

MIXING INSTRUCTIONS

Tank Sprayer (plastic, aluminum, fiberglass, plastic-lined steel or stainless steel)

- For easy to kill weeds such as seedlings, add 3 fl oz (6 Tbs) to 1 gallon of water.
- For tough, established weeds and for best results, add 6 fl oz (12 Tbs) to 1 gallon of water.
- Spot treat or spray evenly over 300 sq. ft.

1 Tablespoon (Tbs) = 3 teaspoons (tsp) 1 fl oz = 2 Tbs

Do not apply with a galvanized or unlined steel (except stainless steel) sprayer or through any irrigation system.

To clean sprayer after use, rinse sprayer and all sprayer parts with water 3 times. Spray rinse water on bare soil or gravel. After cleaning, sprayer may be used for other products.

HOW TO APPLY

- Spray the weeds or grasses you want to kill until thoroughly wet.
- When spot treating weeds around desirable plants, shield plants from drift with a sheet of cardboard or plastic. If desirable plants are accidentally sprayed, rinse off immediately with water.

IMPORTANT: Do not spray plants or grasses you like – they may die too. Not recommended for spot weed control in lawns because Gly Star™ Grass and Weed Killer Concentrate kills lawn grasses.

WHEN TO APPLY

- Apply when weeds and grasses are actively growing.
- For best results, apply during warm, sunny weather (above 60°F)

- Spray when air is calm to prevent drift to desirable plants.
- Rain or watering 2 hours after application will not wash away effectiveness.
- Apply when weeds are small and before seeds form.
- All ornamental flowers, trees and shrubs may be planted 1 day after application.

ADDITIONAL TIPS

To Kill Vines

- If vines are growing up poles, fences, or tree trunks with mature bark, cut vines to a height of 3 to 4 feet and spray vines thoroughly.
- If vines are climbing shrubs, or tree trunks with green bark, cut vines at base and treat as directed for stumps or spray regrowth. If spraying regrowth, shield shrubs and green bark from spray drift with a sheet of cardboard or plastic.

To Kill Stumps

- Cut living stump close to ground.
- Drive 4 to 5 holes into freshly cut stump.
- Immediately pour undiluted product into holes.

For Lawn Replacement

Use Gly Star™ Grass and Weed Killer Concentrate to kill a lawn and weeds before planting new lawn.

- Skip one mowing before spraying.
- Use 6 fl oz (12 Tbs) per gallon of water for each 300 sq ft.
- If soil is dry, water before application and 2 to 3 days after application.
- If green patches remain after 7 days, reapply.
- Wait 7 days for weeds and lawn to die. Repeat if necessary.
- Rake or till to prepare area for planting seed or sod.

Kudzu

For best results, apply in mid to late summer when vines are mature and actively growing.

Wild Blackberry

Spray anytime plants are actively growing. Dead canes should be cut down and removed. Reapplication is often required to kill deep roots.

Poison Ivy & Poison Oak

Contact with these plants anytime of the year can cause an allergic reaction. Spray anytime plants are actively growing, but at least 4 weeks before the first killing frost in the fall. Reapply, if new growth appears. Handle dead plants with rubber gloves. Dispose of plants and rubber gloves in tightly sealed garbage bags.

For Flowerbed & Garden Preparation

Use Gly Star™ Grass and Weed Killer Concentrate to kill weeds, grasses and brush before planting flowers, fruits, vegetables or herbs.

- If soil is dry, water before application and 2 to 3 days after application.
- Apply evenly over treatment area.
- Wait the number of days indicated below before planting.

WHEN TO REPLANT

- All ornamental flowers, trees and shrubs and the following berries, fruits, vegetables and herbs may be planted 1 day after application:
Artichoke (Jerusalem), beans (all), beet greens, blackberry, blueberry, boysenberry, broccoli, Brussels sprouts, cabbage (all), carrot, cauliflower, celery, chard (Swiss), chicory, collards, cranberry, currant, dewberry, elderberry, endive, gooseberry, horseradish, huckleberry, kale, kohlrabi, leek, lentils, lettuce, loganberry, mustard greens, okra, olallieberry, onion, parsley, parsnips, potato, radish, rape greens, raspberry (black and red), rhubarb, rutabaga, spinach, sweet potato, turnip and yams.
- The following fruits, vegetables and herbs may be planted 3 days after application:
Corn, cucumber, eggplant, garlic, gourds, melons (all), peas (all), peppers (all), pumpkin, squash (summer and winter), tomatillo, tomato (by seed) and watercress.
- Lawn grasses may be replanted 7 days after application.
- Tomatoes from transplant and unlisted fruits, vegetables and herbs may be planted 30 days after application.

WHEN TO HARVEST

If used to control weeds around fruits or nuts, allow the following number of days before harvesting:

- Citrus (citron, grapefruit, lemon, lime, mandarin, orange, tangelo, tangerine) – 1 day.
- Nuts (almond, beechnut, cashew, chestnut, hazelnut, pecan, pistachio and walnut) – 3 days.
- Apple, avocado, banana (plantains), berries (except cranberries), dates, figs, grapes, kiwi fruit, loquat, passion fruit, pear, persimmon, pomegranate and quince – 14 days.
- Apricot, cherries, nectarine, olives, peach, plum and prunes – 17 days.

HOW IT WORKS

Gly Star™ Grass and Weed Killer Concentrate enters plants through foliage and moves systematically to the roots, killing weeds by stopping the production of a substance found only in plants. Any product not absorbed by plants breaks down into natural materials without moving in or on the soil to untreated plants. Weeds usually yellow and wilt within 2 to 4 days with complete kill in 1 to 2 weeks.

KILLS ALL TYPES OF WEEDS & GRASSES

Weeds (including):

Artichoke thistle, Beggarweed, black medic, blue mustard, blue toadflax, brassbuttons, broadleaf plantain, burclover, buttercup, Canada thistle, cattail, chickweed, cocklebur, common groundsel, common mullein, common plantain, common ragweed, creeping Beggarweed, creeping-charlie, curly dock, dandelion, dog fennel, evening primrose, false dandelion, fiddleneck, field bindweed (wild morningglory), field pennycress, filaree, Florida pusley, garden spurge, henbit, horsenettle, horseradish, horseweed/marestail, iceplant, knapweed, knotweed, lambsquarters, lantana, little bittercress, London rocket, mallow, mayweed, milkweed, mouseear chickweed, narrowleaf (buckhorn) plantain, nightshade (silverleaf), oldenlandia, oxalis, Pennsylvania smartweed, pennywort, poison hemlock, prickly lettuce, primrose, prostrate spurge, puncturevine, ragweed, red clover, redroot pigweed, shepherdspurse, smooth catsear, smooth pigweed, sowthistle, spotted spurge, tansy ragwort, tansymustard, teaweed, trumpetcreeper, tumble mustard, Virginia creeper, white clover, whitetop, wild barley, wild mustard, wild oats, wild sweet potato, yellow Starthistle, and other broadleaf weeds.

Grasses (including):

Annual bluegrass, annual ryegrass, bahiagrass, barnyardgrass, bentgrass, Bermudagrass, bromegrass, Cogongrass, crabgrass, creeping bentgrass, dallisgrass, fall panicum, fescue, field sandbur, foxtail, Goosegrass, guineagrass, Johnsongrass, Kentucky bluegrass, kikuyugrass, lovegrass, maidencane, nimblewill, nutsedge, orchardgrass, pampas grass, perennial ryegrass, purple nutsedge, quackgrass, sandspur, smooth bromegrass, sprangletop, St. Augustinegrass, tall fescue, Texas panicum, Timothy, torpedograss, vaseygrass, witchgrass, yellow nutgrass, zoysia and other grassy weeds.

Brush (Tough Weeds), Unwanted Trees, Shrubs & Vines (including):
 Alder, ash, (quacking) aspen, blackberry, bluegum eucalyptus, broom (French, Scotch), buckwheat, Ceanothus, chamise, cherry, coyote brush, dewberry, elderberry, elm, eucalyptus, giant reed, hawthorn, hazel, honeysuckle, kudzu, locust, madrone, maple, oak, persimmon, poison oak, poison ivy, poplar, raspberry, sage, sagebrush, salmonberry, saltcedar, sassafras, sumac, sweetgum, tan oak, thimbleberry, tree tobacco, wild rose (multiflora), willow and other tough weeds.

PRODUCT INFORMATION	
KILLS WEEDS	All types of weeds & grasses
WHERE TO USE	<ul style="list-style-type: none"> - On patios, walkways & driveways - In flowerbeds & vegetable gardens - Around shrubs & trees - Along fences & foundations - Other areas in your yard - Edging around lawns - In large areas: <ul style="list-style-type: none"> o For lawn replacement/renovation o For garden plot preparation
AMOUNT TO USE	For best results, use 6 fl oz (12 Tbs) per gallon of water for established or tough weeds

STORAGE AND DISPOSAL

Do not contaminate water, foodstuffs, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container in a safe place.

PESTICIDE DISPOSAL: Waste resulting from use of this product may be disposed of on site or at an approved waste facility.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available.

NOTICE - To the extent consistent with applicable law, Buyer assumes all responsibility for safety and use not in accordance with directions.

Gly Star™ is a trademark of Albaugh, Inc.

[OPTIONAL MARKETING GRAPHICS]



[LABEL HISTORY]
[(Not included in final printed labeling)]

File Name	Version Mark	Comment
<u>042750-00067.20230317.DRAFT</u>	<u>03172023</u>	<u>Label Notification (Marketing Changes, Hotline, Booklet Statement, and Chemtrec statement)</u>

[Sub-label B – For use with Central Garden Battery Operated [Powered] Sprayer]

Gly Star™ Grass and Weed Killer Concentrate
 Contains 25% Glyphosate IPA as the Active Ingredient

ACTIVE INGREDIENTS:	
Glyphosate, isopropylamine salt	25.0%
OTHER INGREDIENTS:	75.0%
	TOTAL 100.0%

[Marketing Claims]

Non-Selective: Kills weeds & grasses
Kills (all types of) weeds and grasses and brush
Use as a spot treatment along sidewalks, fences, driveways, (other areas in your yard) and patios
For Use on Borders, Around Patios, Driveways (other areas in your yard) and Sidewalks
Kills tough weeds
Kills Weeds & (and) Grasses (down to the root)
Kills the root
Eliminates roots and weeds
Kills over (XXX) types of weeds
Single application controls (kills) most weeds
Fast Acting
Starts to work immediately
(People) (Children) and pets may enter areas after spray has dried
Weed Eliminator
Weed Killer
Spray weeds until thoroughly wet
For Outdoor Use around the Home
Satisfaction guaranteed or your money back
For use (with) (in) (sprayer delivery name)
Visible Results in Hours

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID	
IF IN EYES	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. <u>Have the product container or label with you when calling a poison control center or doctor or going for treatment. For non-emergency exposure information on this product, call 1-888-347-6732 (7 days/week, 24-hr). For medical emergencies, dial 911. You may also contact 1-800-424-9300 for emergency medical treatment information.</u>	

[See [inside] booklet for [additional] [complete] [First Aid.] [Precautionary Statements.] [Directions For Use.] [Storage and Disposal.] [and] [Conditions of Sale and Warranty].] See Back Panel Booklet for First Aid and Precautionary Statements

For 24-hour chemical spill, leak, fire, exposure or accident response information, call CHEMTREC toll free at 1-800-424-9300.

Formatted: Normal

EPA Reg. No. 42750-67
NET CONTENTS: _____ Ounces

MANUFACTURED FOR:
Albaugh, Inc.
1525 NE 36th Street
Ankeny, IA 50021Albaugh, Inc.
Ankeny, IA 50021

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

People and pets may enter treated areas after spray has dried.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow spray to drift from the application site and contact people, structures people occupy at any time and the associated property, parks and recreation areas, nontarget crops, aquatic and wetland areas, woodlands, pastures, rangelands, or animals. Apply only when wind speed is not more than 10 mph. For sprays, apply largest size droplets possible.

GETTING STARTED	
KILLS WEEDS	All types of weeds & grasses
WHERE TO USE	On patios, walkways & driveways, In flowerbeds & vegetable gardens, Around shrubs & trees, Along fences & foundations. Other areas in your yard, Edging around lawns. In large areas: For lawn replacement/renovation, For garden plot preparation
FOR BEST RESULTS	<ul style="list-style-type: none">• Spray the weeds or grasses you want to kill until thoroughly wet.• When spot treating weeds around desirable plants, shield plants from drift with a sheet of cardboard or plastic. If desirable plants are accidentally sprayed, rinse off immediately with water.• Apply when weeds and grasses are actively growing.• For best results, apply during warm, sunny weather (above 60°F)• Spray when air is calm to prevent drift to desirable plants.• Rain or watering 2 hours after application will not wash away effectiveness.• Apply when weeds are small and before seeds form.• All ornamental flowers, trees and shrubs may be planted 1 day after application• Lawn grasses may be replanted 7 days after application
IMPORTANT	Do not spray plants or grasses you like – they may die too. Not recommended for spot weed control in lawns because Gly Star™ Grass and Weed Killer Concentrate kills lawn grasses.

CONTROLS ALL WEEDS AND GRASSES INCLUDING:

Barnyardgrass, Bermudagrass, Thistle, Chickweed, Common Ragweed, Dandelion, Fescues, Johnsongrass, Clover, Yellow Nutgrass and other grasses, weeds, sedges and brush.

SPRAYER: USE DIRECTIONS

[Battery Operated /Powered] Sprayer

The [Spray Delivery System Name] is a patented innovative home lawn, landscape, and perimeter tank spray system. Spot treat [[bugs] [and][or] [weeds]] with this easy to use system.

1. Unscrew the tank cap and fill the tank with water up to the one gallon indicator. [The tank holds one gallon of water.]
2. Remove the [sprayer][wand][applicator] from the tank holster and unfold the [sprayer][wand][applicator].
3. Select the [cartridge][bottle][insecticide][herbicide] labeled for intended use. READ THE ENTIRE PRODUCT LABEL PRIOR TO USE.
4. Remove the cap from the [cartridge][bottle][insecticide][herbicide]. [Each [cartridge][bottle] contains 4 oz. of [product][liquid]. Each 4 oz. [cartridge][bottle] of concentrate makes one gallon of [liquid] [ready to use]spray.]
5. Insert the [cartridge][bottle][insecticide][herbicide] into the top of the sprayer and twist until tight.
6. Press the trigger to spot spray [bugs][weeds] as listed on the product label.
7. When finished spot treating remove the [cartridge][bottle][insecticide][herbicide]. Replace the cap on the [cartridge][bottle][insecticide][herbicide]. Follow label Storage and Disposal instructions for product [insecticide][herbicide][cartridge][bottle].
8. After spot spraying rinse the [sprayer][wand][applicator] according to the RINSE: USE DIRECTIONS.

RINSE: USE DIRECTIONS

1. Remove the [cartridge][bottle][insecticide][herbicide]. Ensure that there is water in the one gallon tank.
2. Press and hold the [trigger][sprayer] for 10 seconds to flush the [sprayer][wand][applicator] with clean water from the tank.

CHANGE [CARTRIDGE][BOTTLE]: USE DIRECTIONS

1. Remove the [cartridge][bottle][insecticide][herbicide] currently loaded in the [Spray Delivery System Name] .
2. Follow label Storage and Disposal instructions for product [insecticide][herbicide][cartridge][bottle].
3. Press and hold the [trigger][sprayer] for 10 seconds to flush the [sprayer][wand][applicator] with clean water from the tank.
3. Select a new [cartridge][bottle][insecticide][herbicide] labeled for intended use. READ THE ENTIRE PRODUCT LABEL PRIOR TO USE.
4. Insert the [cartridge][bottle][insecticide][herbicide] into the top of the sprayer and twist until tight.
5. Press the trigger to spot spray [bugs][weeds] as listed on the product label.
6. When finished spot treating remove the [cartridge][bottle][insecticide][herbicide]. Replace the cap on the [cartridge][bottle][insecticide][herbicide]. Follow label Storage and Disposal instructions for product [insecticide][herbicide][cartridge][bottle].
7. After spot spraying, rinse the [sprayer][wand][applicator] according to the RINSE: USE DIRECTIONS. Store the [Spray Delivery System Name] OR RINSE and change [cartridge][bottle].

NOTE: IF OUTPUT SPRAY IS DIMINISHED OR SPUTTERING, DO THE FOLLOWING:

1. Check that there is water remaining in the one gallon tank. If not, refill the tank with water.
2. Check that there is liquid remaining in the [cartridge][bottle]. If not, change to a new [cartridge][bottle].

[Two [cartridges][bottles] can be stored on the back of the [Spray Delivery System Name]] .

[{Optional:}CHANGING BATTERIES:]

If sprayer does not operate or spray performance declines significantly, change the four AA alkaline batteries in the sprayer handle as follows:

1. Remove the [cartridge][bottle].
2. Slide the battery cover open in the underside of sprayer handle.
3. Allow battery cover to swing open.
4. Remove old batteries.
5. Replace with four AA alkaline batteries. Make sure the positive and negative ends match the direction indicated on the inside of the battery door.
6. Close battery door and slide the door until latch is closed.

ADDITIONAL TIPS

To Kill Vines

- If vines are growing up poles, fences, or tree trunks with mature bark, cut vines to a height of 3 to 4 feet and spray vines thoroughly.
- If vines are climbing shrubs, or tree trunks with green bark, cut vines at base and treat as directed for stumps or spray regrowth. If spraying regrowth, shield shrubs and green bark from spray drift with a sheet of cardboard or plastic.

Kudzu

For best results, apply in mid to late summer when vines are mature and actively growing.

Wild Blackberry

Spray anytime plants are actively growing. Dead canes should be cut down and removed. Reapplication is often required to kill deep roots.

Poison Ivy & Poison Oak

Contact with these plants anytime of the year can cause an allergic reaction. Spray anytime plants are actively growing, but at least 4 weeks before the first killing frost in the fall. Reapply, if new growth appears. Handle dead plants with rubber gloves. Dispose of plants and rubber gloves in tightly sealed garbage bags.

For Flowerbed & Garden Preparation

Use Gly Star™ Grass and Weed Killer Concentrate to kill weeds, grasses and brush before planting flowers, fruits, vegetables or herbs.

- If soil is dry, water before application and 2 to 3 days after application.
- Apply evenly over treatment area.
- Wait the number of days indicated below before planting.

WHEN TO REPLANT

- All ornamental flowers, trees and shrubs and the following berries, fruits, vegetables and herbs may be planted 1 day after application:
Artichoke (Jerusalem), beans (all), beet greens, blackberry, blueberry, boysenberry, broccoli, Brussels sprouts, cabbage (all), carrot, cauliflower, celery, chard (Swiss), chicory, collards, cranberry, currant, dewberry, elderberry, endive, gooseberry, horseradish, huckleberry, kale, kohlrabi, leek, lentils, lettuce, loganberry, mustard greens, okra, olallieberry, onion, parsley, parsnips, potato, radish, rape greens, raspberry (black and red), rhubarb, rutabaga, spinach, sweet potato, turnip and yams.
- The following fruits, vegetables and herbs may be planted 3 days after application:
Corn, cucumber, eggplant, garlic, gourds, melons (all), peas (all), peppers (all), pumpkin, squash (summer and winter), tomatillo, tomato (by seed) and watercress.
- Lawn grasses may be replanted 7 days after application.
- Tomatoes from transplant and unlisted fruits, vegetables and herbs may be planted 30 days after application.

WHEN TO HARVEST

If used to control weeds around fruits or nuts, allow the following number of days before harvesting:

- Citrus (citron, grapefruit, lemon, lime, mandarin, orange, tangelo, tangerine) – 1 day.
- Nuts (almond, beechnut, cashew, chestnut, hazelnut, pecan, pistachio and walnut) – 3 days.
- Apple, avocado, banana (plantains), berries (except cranberries), dates, figs, grapes, kiwi fruit, loquat, passion fruit, pear, persimmon, pomegranate and quince – 14 days.
- Apricot, cherries, nectarine, olives, peach, plum and prunes – 17 days.

HOW IT WORKS

Gly Star™ Grass and Weed Killer Concentrate enters plants through foliage and moves systematically to the roots, killing weeds by stopping the production of a substance found only in plants. Any product not absorbed by plants breaks down into natural materials without moving in or on the soil to untreated plants. Weeds usually yellow and wilt within 4 days with complete kill in 1 to 2 weeks.

KILLS ALL TYPES OF WEEDS & GRASSES

Weeds (including):

Artichoke thistle, Beggarweed, black medic, blue mustard, blue toadflax, brassbuttons, broadleaf plantain, burclover, buttercup, Canada thistle, cattail, chickweed, cocklebur, common groundsel, common mullein, common plantain, common ragweed, creeping Beggarweed, creeping-charlie, curly dock, dandelion, dog fennel, evening primrose, false dandelion, fiddleneck, field bindweed (wild morningglory), field pennycress, filaree, Florida pusley, garden spurge, henbit, horse nettle, horseradish, horseweed/marestail, iceplant, knapweed, knotweed, lambsquarters, lantana, little bittercress, London rocket, mallow, mayweed, milkweed, mouseear chickweed, narrowleaf (buckhorn) plantain, nightshade (silverleaf), oldenlandia, oxalis, Pennsylvania smartweed, pennywort, poison hemlock, prickly lettuce, primrose, prostrate spurge, puncturevine, ragweed, red clover, redroot pigweed, shepherdspurse, smooth catsear, smooth pigweed, sowthistle, spotted spurge, tansy ragwort, tansymustard, teaweed, trumpet creeper, tumble mustard, Virginia creeper, white clover, whitetop, wild barley, wild mustard, wild oats, wild sweet potato, yellow Starthistle, and other broadleaf weeds.

Grasses (including):

Annual bluegrass, annual ryegrass, bahiagrass, barnyardgrass, bentgrass, Bermudagrass, bromegrass, Cogongrass, crabgrass, creeping bentgrass, dallisgrass, fall panicum, fescue, field sandbur, foxtail, Goosegrass, guineagrass, Johnsongrass, Kentucky bluegrass, kikuyugrass, lovegrass, maidencane, nimblewill, nutsedge, orchardgrass, pampas grass, perennial ryegrass, purple nutsedge, quackgrass, sandspur, smooth bromegrass, sprangletop, St. Augustinegrass, tall fescue, Texas panicum, Timothy, torpedograss, vaseygrass, witchgrass, yellow nutgrass, zoysia and other grassy weeds.

Brush (Tough Weeds), Unwanted Trees, Shrubs & Vines (including):

Alder, ash, (quacking) aspen, blackberry, bluegum eucalyptus, broom (French, Scotch), buckwheat, Ceanothus, chamise, cherry, coyote brush, dewberry, elderberry, elm, eucalyptus, giant reed, hawthorn, hazel, honeysuckle, kudzu, locust, madrone, maple, oak, persimmon, poison oak, poison ivy, poplar, raspberry, sage, sagebrush, salmonberry, saltcedar, sassafras, sumac, sweetgum, tan oak, thimbleberry, tree tobacco, wild rose (multiflora), willow and other tough weeds.

STORAGE AND DISPOSAL

Do not contaminate water, foodstuffs, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container in a safe place.

PESTICIDE DISPOSAL: Waste resulting from use of this product may be disposed of on site or at an approved waste facility.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available.

NOTICE - To the extent consistent with applicable law, Buyer assumes all responsibility for safety and use not in accordance with directions.

Gly Star™ is a trademark of Albaugh, Inc.

[OPTIONAL MARKETING GRAPHICS]



031723

Formatted: Right

[LABEL HISTORY]
[(Not included in final printed labeling)]

File Name	Version Mark	Comment
<u>042750-00067.20230317.DRAFT</u>	<u>03172023</u>	<u>Label Notification (Marketing Changes, Hotline, Booklet Statement, and Chemtrec statement)</u>

Formatted: Normal