

42750-72

06/26/2008

1/4



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
PREVENTION, PESTICIDES  
AND TOXIC SUBSTANCES

26 JUN 2008

Morris Gaskins  
Albaugh, Inc.  
PO Box 2127  
Valdosta, GA 31604-2127

Dear Mr. Gaskins:

Subject: Add New Use  
Clethodim 2E  
EPA Registration No. 42750-72  
Your Submission Dated June 2, 2008

The amendment referred to above, submitted in connection with registration under section 3(c)(7)(A) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) or 4(a) when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

a. On the Supplemental Labeling delete "WARNING - AVISO". The correct Signal Word for this product is CAUTION.

b. Delete "Oxyflurofen 2EC". Correct the Brand Name to read "Clethodim 2E".

c. In the table in the Special Use column correct the statement to read:

Do not apply more than 3 fl. oz./A per season.


3. Submit one (1) copy of your final printed labeling before you release the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

2/4

A stamped copy of the label is enclosed for your records.

If you have any questions concerning this letter, please contact Mr. James Stone at 703-305-7391.

Sincerely yours,



Joanne I. Miller  
Product Manager (23)  
Herbicide Branch  
Registration Division (7505P)

Enclosure

3/4

SUPPLEMENTAL PRODUCT BULLETIN

CLETHODIM 2E  
EPA Reg. No. 42750-72

KEEP OUT OF REACH OF CHILDREN

WARNING - AVISO

**FOR USE ON FIELD CORN**

DIRECTIONS FOR USE

**ACCEPTED**  
**with COMMENTS**  
**In EPA Letter Dated:**  
**26 JUN 2008**  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

42750-72

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

All applicable directions, restrictions, precautions and Conditions of Sale and Warranty are to be followed. This labeling must be in the user's possession during application. Read the label affixed to the container for OXYFLUORFEN 2EC before applying.

CROP SPECIFIC USE DIRECTIONS, RESTRICTIONS AND LIMITATIONS FOR CLETHODIM 2E						
Crops <sup>(1)</sup>	Minimum Time From Application to Harvest (PHI)	Annual Grass Use Rate Per Acre <sup>(2)</sup>	Perennial Grass Use Rate Per Acre <sup>(2)</sup>	Adjuvant Recommendation <sup>(3)</sup>	Ammonium Sulfate Recommendation <sup>(4)</sup>	Special Use Instructions and Restrictions
Field Corn <sup>(5)</sup>	90 days	3 fl oz	-	NIS at 0.25% v/v plus AMS  Do not use COC or MSO with Clethodim 2E in this use pattern.	2.5 to 4 lbs/A	Do not make more than 1 application per season.  Do not apply more than 12 oz/A per season.  To control existing stand, replant no sooner than 6 days after application.

1. Clethodim 2E is not recommended for use on vegetable crops being grown for seed production unless specific use directions are provided.
2. See annual and perennial grass control tables on the container label for specific use rate recommendations.
3. Non-ionic surfactant (NIS) in this case refers to an adjuvant containing at least 80% non-ionic surfactant. Crop oil concentrate in this case refers to both crop oil concentrate and crop oil concentrate blends.
4. Use spray grade ammonium sulfate. The use of ammonium sulfate does not take the place of the required adjuvant.
5. For burndown of existing stand of Roundup Ready® field corn or volunteer Roundup Ready field corn prior to replanting field corn. See RECOMMENDATIONS FOR USE IN ROUNDUP READY FIELD CORN (BURNDOWN) table.

4/4

RECOMMENDATIONS FOR USE IN ROUNDUP READY FIELD CORN (BURNDOWN)		
APPLICATIONS RATES		
GRASS SPECIES	WEED SIZE (inches)	Rate when applied alone or with glyphosate
Field Corn	Up to 12	3 fl oz/A
For control of existing stand of Roundup Ready field corn or volunteer Roundup Ready field corn prior to replanting field corn.		
Care must be taken to avoid in-field boom (spray) overlaps or excessive crop injury may occur.		
Replant no sooner than 6 days after application.		
Adjuvant recommendations: NIS at 0.25% v/v plus AMS at 2.5 to 4 lbs/A.		
Do not use a COC or MSO with Clethodim 2E in this use pattern.		

Manufactured By:  
Albaugh Inc.  
Ankeny, Iowa 50021