

42750-75

11/20/2013

113



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL, SAFETY  
AND POLLUTION PREVENTION

Carolyn Miter  
Albaugh Inc.  
PO Box 2127  
Valdosta, GA 31604-2127

NOV 20 2013

Subject: Supplemental Label for Seed Dressing use on Barley, Wheat and Rice  
3 LB. COPPER FLOWABLE FUNGICIDE  
EPA Registration No. 42750-75  
Decision No. 483233  
Submission Date: 9/3/13

Dear Mr. Gaskins:


The supplemental labeling referred to above, submitted under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, to include use directions as a seed dressing on barley, wheat and rice, is acceptable, provided you:

- 1) Fill in the expiration date on the supplemental label "xx/xx/xxxx" with the date three years from the date of this letter
- 2) Incorporate these changes into the master label of the respective products within 18 months of this letter.

A stamped copy is enclosed for your records. Please submit one (1) final printed copy for the above mentioned labels before releasing the product for shipment. If you have any questions, please contact Dominic Schuler at (703) 347-0260 or via email at [schuler.dominic@epa.gov](mailto:schuler.dominic@epa.gov).

Sincerely,

(for)  
Tony Kish  
Product Manager 22  
Fungicide Branch  
Registration Division (7504P)



Supplemental

**3 lb. Copper Flowable Fungicide**  
EPA Reg. No. 42750-75

This Supplemental Label expires on XX/XX/XXXX and must not be used or distributed after that date.

**BARLEY, WHEAT & RICE SEED DRESSING USE**

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

<b>SEED DRESSING (Except California)</b>			
<b>Do not use treated seed for food, feed or oil purposes.</b>			
<b>Crop</b>	<b>Disease</b>	<b>Application Rate</b>	<b>Use Instructions</b>
Barley, Wheat	<i>Pseudomonas syringae</i> , <i>Tilletia caries</i> , <i>Xanthomonas translucens</i>	2 fl. ounces per 100 pounds of seed	When using a seed treating machine, dilute with sufficient water to assure uniform coverage. Consult State Agricultural Experiment Station regarding specific recommendations.
Rice	<i>Achlya sp.</i> , <i>Pythium sp.</i>	2 - 4 fl. ounces per 100 pounds of seed	When using a seed treating machine, dilute with sufficient water to assure uniform coverage. Consult State Agricultural Experiment Station regarding specific recommendations.

**Note:** All applicable directions, restrictions, and precautions on the Albaugh 3 lb. Copper Flowable Fungicide package label are to be followed.

This labeling contains supplemental instructions and restrictions for use of this product which may not appear on the package label. Read and follow all precautionary statements and all other information appearing on the product label.

This labeling must be in the possession of the user at the time of pesticide application.

DO NOT use treated seed for food, feed, or oil purposes. Use care when handling treated seed.

DO NOT use machinery (augers, etc.) used for handling treated seed to move seed for feed, food or oil processing.

DO NOT re-use bags used for treated seed to handle food or feed products.

Seeds treated with this product that are then packaged or bagged for future use must be suitably colored with an EPA approved dye, such as one of the dyes listed in 40 CFR Section 180.910 or Section 180.920 to prevent their subsequent inadvertent use as a food for man or feed for animals. Treated seed must contain the following labeling on the outside of the seed package or bag.

This package or bag contains seed that has been treated with copper hydroxide and copper oxychloride.

DO NOT use for food, feed, or oil purposes. Store away from feeds and foodstuffs. Persons opening this bag or package or loading/pouring the treated seed must wear a long-sleeved shirt, long pants, shoes and socks, chemical resistant gloves made of any waterproof material, and eye protection such as goggles or face shield.

Excess seed may be used for ethanol production only if (1) by-products are not used for livestock feed and (2) no measureable residues of pesticide remain in ethanol by-products that are used in agronomic practice.

**IMPORTANT NOTICE**

**Read the Limitation of Warranty and Liability on the product label before buying or using this product. If the terms are not acceptable, return the unopened package at once to the Seller for full refund of purchase price paid. Otherwise, use by Buyer or any other User constitutes acceptance of the terms of the Limitation of Warranty and Liability on the product label.**

**Manufactured By:**  
Albaugh, Inc.  
Ankeny, IA 50021