



U.S. ENVIRONMENTAL PROTECTION AGENCY
 Office of Pesticide Programs
 Registration Division (H7505C)
 401 "M" St., S.W.
 Washington, D.C. 20460

EPA Reg.
 Number:
 42750-152

Date of Issuance:
 OCT 4 2006

Term of Issuance: Conditional

Name of Pesticide Product:
 Imidacloprid 2.5G Ornamental
 Insecticide

NOTICE OF PESTICIDE:

Registration
 Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Mr. Morris Gaskins
 Albaugh, Inc.
 304 Janet Street, Suite H
 Valdosta, GA 31602

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A). Once a pesticide is registered, however, it is not regarded as permanently acceptable. Registration does not eliminate the need for continual reassessment of pesticides. If the Agency determines that, at any time, additional data are required to maintain in effect an existing registration, the Agency will require submission of such data under FIFRA section (3)(c)(2)(B).

1. Revise the EPA Registration Number to read, EPA Reg. No. "42750-152".

Signature of Approving Official:

Dani Daniel
 Insecticide-Rodenticide Branch
 Registration Division (7505P)

Date:

OCT 4 2006

2/9

Page Two
42750-151

2. Submit to the Agency the required one year storage stability (830.6317) and Corrosion Characteristic study (830.6320) for the proposed product. It is recommended that observations are made at 0, 3, 6, 9, and 12 month intervals.

3. Make the following changes to the warranty statement:

Conditions: in the first line of the condition change the word "**should**" to "**must**"

Disclaimer of Warranties: At the beginning of the sentence add: "**To the extent consistent with applicable law...**"

Limitations of Liability: At the beginning of the sentence add: "**To the extent consistent with applicable law...**"

4. Submit two copies of your final printed labeling before you release the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitute acceptance of these conditions.

A stamped copy of the label is enclosed for your records. If you have any questions regarding this notice, please contact me at (703) 305-5409.

Enclosure:

3/4

IMIDACLOPRID 2.5G ORNAMENTAL
Insecticide

For systemic insect control in ornamental plants

ACTIVE INGREDIENT:

Imidacloprid, 1-[(6-Chloro-3-pyridinyl)methyl]-N-nitro-2-imidazolidinimine 2.5%

OTHER INGREDIENTS: 97.5%

TOTAL: 100.0%

STOP Read the label before use.

KEEP OUT OF REACH OF CHILDREN.

CAUTION

FIRST AID	
IF IN EYES	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF SWALLOWED	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.
In case of emergency call CHEMTREC toll free 1-800-424-9300. Have a product container or label with you when calling a poison control center or doctor, or going for treatment.	
Note To Physician: No specific antidote is available. Treat the patient symptomatically.	

EPA Reg. No. 42750-xxx

EPA Est. No. xxxxxx-xx-xxx

NET CONTENTS:

Manufactured For:
ALBAUGH, INC.
ANKENY, IA 50021

**ACCEPTED
with COMMENTS
In EPA Letter Dated:**

OCT 4 2006

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.
42750-152

4/6

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Harmful if swallowed or absorbed through skin. Causes eye irritation. Avoid contact with skin, eyes, or clothing.

ENVIRONMENTAL HAZARDS

This product is highly toxic to aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

Do not contaminate water when disposing of equipment washwaters.

This chemical demonstrates the properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

QUICK FACTS

- Easy To Use Granules
- Stops and Prevents Insect Damage
- No phytotoxicity on a wide range of ornamentals
- Low Odor

Ready-to-Use Granules containing 2.5% imidacloprid for the control of sucking insects infesting shrubs and small trees (less than 8 ft tall). No mixing necessary, ready to use. Apply at 4 – 8 week intervals directly beneath plant base within drip line.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

ORNAMENTAL PESTS

IMIDACLOPRID 2.5G Ornamental insecticide is for use on ornamental shrubs and small trees in outdoor landscapes and interior plantscapes. IMIDACLOPRID 2.5G is a systemic product absorbed by the plant root system and translocated upward to plant's foliage. Watering within 24 hours after application enhances product translocation within the plant.

Effective control of target pests is optimized when application is made before pest pressure becomes severe.

PESTS CONTROLLED

Aldegids	Leaf beetles (including Elm leaf and Viburnum
Aphids	leaf beetles)
Black vine weevil (larvae in soil)	Leafhoppers
Japanese beetle (adults)	Psyllids
Lace bugs	Whiteflies

5/6

IMIDACLOPRID 2.5G will suppress ant populations by controlling aphids and other sucking pests that in turn limits honeydew production used as a food source by ants. Other products with can be used in conjunction with IMIDACLOPRID 2.5G to further reduce ant pressure.

USE SITES

Shrubs and small trees in outdoor landscapes and interior plantscapes

APPLICATION RATE AND TECHNIQUE

Application rate determined by height of shrub or tree being treated.

- Less than 4 foot tall - Apply 1/4 to 1/2 cup
- 4 to 8 foot tall - Apply 1/2 to 1 cup
- Greater than 8 feet tall – Application not recommended with a granule product. Use an imidacloprid liquid product labeled for soil drench type applications to ornamentals.

1 level cup is approximately 6 ounces IMIDACLOPRID 2.5G.

Pull back mulch and weed barrier before application and distribute evenly under plant foliage within the drip line

APPLICATION TIMING

Initiate application when pests noticed infesting plants. Re-apply if re-infestation occurs. Best results obtained when application is made before pest populations become severe. Product is more effective when watered into the root zone within 24 hours by irrigation or rainfall.

APPLICATION RESTRICTIONS

- Do not apply to frozen or water-logged areas that prevent migration of product into the root zone of plant.
- Do not apply near fish pools, ponds, streams or lakes.
- Do not use in vegetable gardens.
- Treated areas may be replanted with a food crop for which an imidacloprid tolerance exists. For other crops, a 12-month plant back interval should be observed.
- Do not use in commercial greenhouses or nurseries, or on commercial fruit and nut trees.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, or feed. Store in original containers and out of the reach of children, preferably in a locked storage area. Handle and open container in a manner as to prevent spillage.

6/10

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Improper disposal of excess pesticide is a violation of Federal law.

CONTAINER DISPOSAL: Do not use container in connection with food, feed, or drinking water. Completely empty container into application equipment. Then dispose of empty container in a sanitary landfill, or by incineration, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

PRODUCT SPILLS: If the container is leaking or material is spilled for any reason or cause, carefully sweep material into a pile. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Dispose of as directed for pesticides above, or apply uncontaminated product according to Directions For Use. Keep unauthorized people away.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of liability before using this product.

If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, because of manner of use and other factors beyond Albaugh's control it is impossible for Albaugh to eliminate all risks associated with the use of this product. As a result, crop injury or ineffectiveness is always possible. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: ALBAUGH MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL.

No agent of Albaugh is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. Albaugh disclaims any liability whatsoever for special, incidental or consequential damages, resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT ALBAUGH'S ELECTION, THE REPLACEMENT OF PRODUCT.