

#### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND

Mr. Morris Gaskins Registration Manager Albaugh, Inc. P.O. Box 2127 Valdosta, GA 31604-2127

MAR 13 2008

RE: Notification of Add the Outdoor Use Only and New York state geographic use

restrictions

EPA Reg. No.: 42750-154

Date of Submission: February 12, 2008

Dear Mr. Gaskins:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated February 12, 2008, for the product Imidacloprid 0.2G. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

Please read instructions on n	everse before completing form.	Form Ag	· ·	770-0060. Approval expires 2-28-95
<b>\$EPA</b>	United States Environmental Protecti Washington, DC 20		Registrat Amendm  Other	
	Applicati	ion for Pesticide - Sec	ction I	
1. Company/Product Number 42750-154		2. EPA Product Ma V. Eagle	nager	3. Proposed Classification  ✓ None Restricted
4. Company/Product (Name) Imidacloprid 0.2G		<b>PM#</b> 1		
5. Name and Address of App Albaugh Inc. P.O. Box 2127 Valdosta, GA 31604-		(b)(i), my product to:		ce with FIFRA Section 3(c)(3) cal in composition and labeling
		Section - II		
Notification - Explain I  Explanation: Use addition Label notification to add Outd  This notification is consistent labeling or the confidential sta EPA. I further understand tha	below.  al page(s) if necessary. (For section of the Control of th	Final printer Agency let "Me Too" Other - Ex  on I and Section II.) eographic use restrictions (noted of 10 and EPA regulations at 40 CFF understand that it is a violation of with the terms of PR Notice 98-10	Application.  plain below.  on front page of label wi  R 152.46, and no furthe 18 U.S.C. Sec. 1001 to and 40 CFR 152.46, th	MAR 1 3 2008  th bold/underline text)  r changes have been made to the willfully make any false statement to
		Section - III		
1. Material This Product Will	Be Packaged In:	<u> </u>		
Child-Resistant Packaging Yes No Certification must be submitted	Unit Packaging  Yes  No  If "Yes"  Unit Packaging wgt.  No. per conteiner	Water Soluble Packaging  Yes  ✓ No  If "Yes"  Package wgt  No. per  Contains		ontainer Metal Plastic Glass Paper Other (Specify)
3. Location of Net Contents I	Information 4. Size(s) Re	etail Container 30 lb	5. Location of Labe	Directions
6. Manner in Which Label is		ograph Other	er	
		Section - IV	-	
1. Contact Point (Complete)	items directly below for identificati	ion of individual to be contacted	, if necessary, to prod	cess this application.)
Name Morris Gaskins		Title Registrations Manager	1	elephone No. (Include Area Code) 229-244-3288
I certify that the stater	Certific		ue, accurate and comp	6. Date Application

Lacknowledge that any knowlingly false or misleading statement may be punishable by fine or imprisonment or

3. Title

5. Date

Registrations Manager

EPA Form 8570-1 (Rev. 3-94) Previous editions are obsolete.

both under applicable law.

2. Signature

4. Typed Name

Morris Gaskins

White - EPA File Copy (original)

February 12, 2007

Yellow - Applicant Copy

(Stampec)

## IMIDACLOPRID 0.2G Lawn and Garden Insecticide

NOTIFICATION

Season Long grub control
Use anytime...spring through late summer
For residential use on lawns and landscaped areas.
Kills white grubs and mole crickets early, before they damage your lawn.
Apply before insects hatch to prevent turf damage.
One application controls grubs all season long.
One application stops grubs all season long.

MAR 1 3 2008

ACTIVE INGREDIENT

ACTIVE INGREDIENT.					
Imidacloprid, 1-[(6-Chloro-3-pyridinyl)methyl]-N-nitro-2-imidazolidinimine					
OTHER INGREDIENTS:	99.8%				
TOTAL:	100.0%				

STOP - Read the label before use.

#### FOR OUTDOOR RESIDENTIAL USE ONLY

Not for sale, sale into, distribution and or use in Nassaau, Suffolk, Kings and Queens Counties of New York State.

#### KEEP OUT OF REACH OF CHILDREN

#### CAUTION

#### FIRST AID

IF SWALLOWED:	<ul> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>		
IF ON SKIN OR CLOTHING:	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15 to 20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>		
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.  Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.  Call a poison control center or doctor for treatment advice.		
IF INHALED:	<ul> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>		
	gency call CHEMTREC toll free at 1-800-424-9300. Have a product container or label alling a poison control center or doctor, or going for treatment.		
Note To Physicia	n: No specific antidote is available. Treat the patient symptomatically.		
CD 4 D 41 42	TDA T-4 No		

EPA Reg. No. 42750-154

EPA Est. No. xxxxxx{xx-xxx

**NET CONTENTS:** 

Manufactured For: ALBAUGH, INC. ANKENY, IA 50021

1

#### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Causes eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

#### **ENVIRONMENTAL HAZARDS**

This product is highly toxic to aquatic invertebrates. Do not apply directly to water. Do not contaminate water when cleaning equipment or disposing of equipment washwater.

#### WHAT IMIDACLOPRID 0.2 G LAWN AND GARDEN INSECTICIDE DOES

White grubs can cause extensive damage to turf by feeding on grass roots. Affected turf turns yellow, then brown, and is easily pulled up in pieces with your hands. Mole crickets can seriously damage lawns by their tunneling activity. Some species also feed on the grass roots, as well. IMIDACLOPRID 0.2 G prevents turf damage by kilting grubs and mole crickets when they are newly hatched and before they can cause turf damage.

IMIDACLOPRID 0.2 G works best when applied before grubs and mole crickets hatch. The active ingredient will remain in the root zone of the turf until the eggs of grubs or mole crickets hatch. These newly hatched insects are highly susceptible to IMIDACLOPRID, and are killed before they become large enough to cause turf damage. IMIDACLOPRID 0.2 G also kills grubs in landscaped ornamental areas containing flowers, ground covers, shrubs and trees.

If you have questions regarding the best time to make applications in your area, you can consult your local County University Extension Office. Be sure that you describe the product you are using when seeking such advice.

#### HOW TO APPLY IMIDACLOPRID 0.2 G LAWN AND GARDEN INSECTICIDE

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For residential use on lawns and landscaped areas.

#### READ ALL DIRECTIONS FOR USE AND CONDITIONS OF SALE BEFORE USING

#### APPLICATION TO LAWNS:

#### Pests Controlled:

White grubs (including the larvae of Japanese beetle, Oriental beetle, Chafers, Asiatic garden beetle, May or June beetles, and black turfgrass ataenius) and mole crickets.

#### How to Apply:

Using either a drop-type or rotary-type spreader, apply IMIDACLOPRID 0.2 G uniformly over the area being treated. Avoid the use of spreaders which may apply the product in narrow, concentrated or uneven bands. Calibrate your spreader according to the spreader manufacturer's directions to ensure the proper amount of IMIDACLOPRID 0.2 G is applied. Check frequently to be sure spreader is working property and spreading granules evenly.

After Applying:

IMIDACLOPRID 0.2 G will work best if the lawn Is watered thoroughly or if rainfall occurs within 24 hours after application to move the active ingredient through the thatch and down into the soil. Avoid mowing fawn until watering or rainfall has occurred so that the uniformity of the granules is not disturbed.

When to Apply:

IMIDACLOPRID 0.2 G works best when applied before grubs and mole crickets hatch. For best results, apply as follows:

White grubs: Apply once, anytime from April through mid-August.

Mole crickets: In Florida, apply once from early April through early May. Elsewhere, apply once from mid-May through mid-June.

Do not Apply IMIDACLOPRID 0.2 G when turf areas are waterlogged. The product may not work effectively under these conditions.

How Much to Apply:

For control of white grubs, IMIDACLOPRID 0.2 G should be applied at the rate of 2.87 pounds per 1,000 square feet. For mole cricket control, apply 3.8 pounds per 1000 square feet. The table below can be used as a guide for applying the proper rate of IMIDACLOPRID 0.2 G. However, the application rate can vary depending on the speed of application and the condition of the spreader. For best results, use a normal, steady pace when applying to obtain an accurate, even application.

#### SPREADER SETTING TABLE

	Set	Setting*		
Spreader Model	To Deliver 2.87 lbs per 1,000 sq ft	To Deliver 3.8 lbs per 1,000 sq ft		
Vigoro Drop Vigoro Rotary Sta-Green Drop Sta-Green Rotary Bandini Ev-N-Spread Rotary Ortho Drop Ortho Rotary Precision Drop Precision Rotary Quaker Rotary Quaker Rotary Republic EZ Drop Republic EZ Grow Republic EZ Rotary Scotts Drop Scotts Accugreen		Spreader Settings to be determined		
Scotts Easygreen Scotts Evengreen Scotts Speedy Green True Temper Rotary				

Settings are approximate. The condition of your spreader, the speed at which you walk and uneven terrain may affect the rate of application. Calibrate your spreader according to manufacturer's directions.

Tip:  $1,000 \text{ sq ft} = 20 \text{ ft} \times 50 \text{ ft}$ 

Do not use a spreader that applies granules in narrow, concentrated, or uneven bands. Be sure the spreader works properly and spreads granules evenly.

### APPLICATION TO LANDSCAPE PLANTINGS (Trees, Shrubs, Evergreens, Flowers, Ground covers)

#### Pests Controlled:

White grubs (including larvae of Japanese beetle, Oriental beetle, chafers, Asiatic garden beetle, May and June beetle, and black turfgrass ataenius).

#### How to Apply:

Apply as a broadcast treatment to soil, mulch or other substrate. Prior to application, remove black plastic from area to be treated to allow water to penetrate into the soil. Permeable weed barriers need not be removed prior to application.

#### After Applying:

IMIDACLOPRID 0.2 G will work best if material is worked into the soil around plants or if a thorough watering of rainfall occurs within 24 hours after application to move the product down through mulch and into the soil.

#### When to Apply:

The best control of grubs will be obtained if IMIDACLOPRID 0.2 G is applied before grubs begin to hatch. For best results, application should occur from April through mid-August.

DO NOT apply to waterlogged areas. IMIDACLOPRID may not work effectively under these conditions.

#### How Much to Apply:

IMIDACLOPRID 0.2 G should be applied at the rate of 2.87 pounds per 1,000 square feet. This 15 pound bag will treat 5,000 square feet of landscaped area. The table above can be used as a guide for applying the proper rate of IMIDACLOPRID 0.2 G. However, the application rate can vary depending on the speed of application and the condition of the spreader.

NOTE: DO NOT apply IMIDACLOPRID 0.2 G to vegetable gardens.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal

Storage Conditions: Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.

#### Disposal

If empty: Do not reuse container. Place in trash or offer for recycling if available.

If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

#### IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of liability before using this product.

If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, because of manner of use and other factors beyond Albaugh's control it is impossible for Albaugh to eliminate all risks associated with the use of this product. As a result, turf injury or ineffectiveness is always possible. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, ALBAUGH MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Albaugh is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. Albaugh disclaims any liability whatsoever for special, Incidental or consequential damages, resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT ALBAUGH'S ELECTION, THE REPLACEMENT OF PRODUCT.

### **CORPORATE OFFICE**

1525 NE 36th Street Ankeny, IA 50021 515.964.9444 - Office 800.247.8013 - Toll Free 515.964.7813 - Facsimile

# ALBAUGH, INC.

Valdosta Office 8/8
P.O. Box 2127
304 Janet Street, Suite H
Valdosta, GA 31604
229.244.3288 - Office
229.244.5841 - Facsimile

Fed-X

February 12, 2008

Document Processing Desk (AMEND)
Ms. Venus Eagle (PM 1)
Registration Division
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
2777 South Crystal Dr.
Arlington, VA 22202

RE:

Imidicloprid 0.2G

EPA Reg. No. 42750-154

Dear Ms. Eagle,

The enclosed submission for the above referenced registration is a label notification under PR Notice 98-10 to add the following statements to the label:

- FOR OUTDOOR RESIDENTIAL USE ONLY
- Not for sale, sale into, distribution and or use in Nassaau, Suffolk, Kings and Queens Counties of New York State.

The added text is noted in bold/underline text.

Please call if you have any questions.

Regards,

Morris Gaskins

Registrations Manager

Albaugh, Inc.

229-244-3288

