

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

SEP 0 9 2010

Mr. Morris Gaskins Albaugh, Inc. P.O. box 2127 304 Janet Street, Suite H Valdosta, GA

Subject: Revised Container Disposal Statement

Dear Mr. Gaskins

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 & 98-10 dated August 20, 2009 for:

EPA Registration 42750-154

Imidacloprid 0.2G

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

If you have any questions, call me at 703 305-5409 or electronically at daniel.dani@epa.gov.

Sincerely,

Dani Daniel Registration Division (7504P) Insecticide/Rodenticide Branch

Please read instructions on reverse before completing form. Form Approved. OMB No. 2070-0080. Approval expires **OPP Identifier Number** Registration United States Environmental Protection Agency **Amendment** Washington, DC 20460 Other Application for Pesticide - Section I 1. Company/Product Number 2. EPA Product Manager 3. Proposed Classification 42750-154 V. Eagle None Restricted 4. Company/Product (Name) PM# Imdacloprid 0.2G 5. Name and Address of Applicant (Include ZIP Code) 6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling Albaugh Inc. P.O. Box 2127 EPA Reg. No. Valdosta, GA 31604-2127 Check if this is a new address Product Name Section - II Final printed labels in repsonse to Amendment - Explain below. Agency letter dated 1/15/09 Resubmission in response to Agency letter dated ____ "Me Too" Application. Other - Explain below. Notification - Explain below. Explanation: Use additional page(s) if necessary. (For section I and Section II.) Label notification to revise Container Disposal instructions under PR Notice 2007-4 as amended April, 2008. This notification is consistent with the provisions of PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under section 12 and 14 of FIFRA. Section - III 1. Material This Product Will Be Packaged In: 2. Type of Container Child-Resistant Packaging **Unit Packaging** Water Soluble Packaging Metal Yes Yes Yes Plastic No Glass Paper If "Yes" No. per if "Yes" No. per Certification must Unit Packaging wgt. container Package wgt container Other (Specify) be submitted 3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions 10 lb, 25 lb, 50 lb Container 6. Manner in Which Label is Affixed to Product Lithograph Other Peper glued Stenciled Section - IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this applications) Telephone No. (Include Area Code) Title Name 229-244-3288 Morris Gaskins Registrations Manager 6. Date Application Certification Received I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete: I acknowledge that any knowlingly false or misleading statement may be punishable by fine or imprisonment of (Stamped) both under applicable law. 2. Signature Registrations Manager ζ, εις 5. Date 4. Typed Name 8/20/2010 Morris Gaskins

CORPORATE OFFICE

1525 NE 36th Street

Ankeny, IA 50021

515.964.9444 - Office

800.247.8013 - Toll Free

515.964.7813 - Facsimile

ALBAUGH, INC.

Valdosta Office CP.O. Box 2127 304 Janet Street, Suite H Valdosta, GA 31604 229.244.3288 - Office 229.244.5841 - Facsimile

Fed-X

August 20, 2010

Document Processing Desk (NOTIFY)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

RE:

PR Notice 2007-4

Dear Sirs,

The enclosed submission for the below referenced registration is a label notification in response to the Agency's PR Notice 2007-4 for Container Disposal revision.

PRODUCT	EPA REG. NO.	
Imidacloprid 0.2G	42750-154	

Two

Three copies of the draft label with changes noted with strikeout/bold text are enclosed.

Please call if you have any questions.

Regards,

Morris Gaskins

Registrations Manager

Albaugh, Inc.

0000



NOTIFICATION

SEP 0 9 2010 Lawn and Garden Insecticide

IMIDACLOPRID 0.2G

[Optional marketing statements] Season Long grub control Use anytime...spring through late summer For residential use on lawns and landscaped areas. Kills white grubs and mole crickets early, before they damage your lawn. Apply before insects hatch to prevent turf damage. One application controls grubs all season long. One application stops grubs all season long.

ACTIVE INGREDIENT:	· c		
Imidacloprid, 1-[(6-Chloro-3-pyridinyl)methyl]-N-nitro-2-imidazolidinimine		°0:2	29/
OTHER INGREDIENTS:		99.8	3%

STOP - Read the label before use.

FOR OUTDOOR RESIDENTIAL USE ONLY

Not for sale, sale into, distribution and or use in Nassaau, Suffolk, Kings and Queens Counties of New York State.

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID

IF SWALLOWED:	 Call a poison control center or doctor Have person sip a glass of water if a Do not induce vomiting unless told t Do not give anything by mouth to ar 	able to swallow. To do so by a poison control center or doctor.		
IF ON SKIN OR CLOTHING:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.			
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.			
IF INHALED:	 Move person to fresh air. If person is not breathing, call 911 c Call a poison control center or docto 	or an ambulance, then give artificial respiration. or for further treatment advice.		
	gency call CHEMTREC toll free at 1-800 calling a poison control center or doctor, c	-424-9300. Have a product container or label or going for treatment.		
Note To Physicia	n: No specific antidote is available. Treat	the patient symptomatically.		
EPA Reg. No. 427	750-154	EPA Est. No. xxxxxx-xx-xxx		

NET CONTENTS:

7

Manufactured For: ALBAUGH, INC. ANKENY, IA 50021

50fg

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Causes eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

This product is highly toxic to aquatic invertebrates. Do not apply directly to water. Do not contaminate water when cleaning equipment or disposing of equipment washwater.

WHAT IMIDACLOPRID 0.2 G LAWN AND GARDEN INSECTICIDE DOES

White grubs can cause extensive damage to turf by feeding on grass roots. Affected turf turns yellow, then brown, and is easily pulled up in pieces with your hands. Mole crickets can seriously damage lawns by their tunneling activity. Some species also feed on the grass roots, as well. IMIDACLOPRID 0.2 G prevents turf damage by kilting grubs and mole crickets when they are newly hatched and before they can cause turf damage.

IMIDACLOPRID 0.2 G works best when applied before grubs and mole crickets hatch. The active ingredient will remain in the root zone of the turf until the eggs of grubs or mole crickets hatch. These newly hatched insects are highly susceptible to IMIDACLOPRID, and are killed before they become large enough to cause turf damage. IMIDACLOPRID 0.2 G also kills grubs in landscaped ornamental areas containing flowers, ground covers, shrubs and trees.

If you have questions regarding the best time to make applications in your area, you can consult your local County University Extension Office. Be sure that you describe the product you are using when seeking such advice.

HOW TO APPLY IMIDACLOPRID 0.2 G LAWN AND GARDEN INSECTICIDE

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For residential use on lawns and landscaped areas.

READ ALL DIRECTIONS FOR USE AND CONDITIONS OF SALE BEFORE USING

APPLICATION TO LAWNS:

Pests Controlled:

White grubs (including the larvae of Japanese beetle, Oriental beetle, Chafers, Asiatic garden beetle, May or June beetles, and black turfgrass ataenius), European Cranefly (larvae) and mole crickets.

How to Apply:

Using either a drop-type or rotary-type spreader, apply IMIDACLOPRID 0.2 G uniformly over the area being treated. Avoid the use of spreaders which may apply the product in narrow, concentrated or uneven bands. Calibrate your spreader according to the spreader manufacturer's directions to ensure the proper amount of IMIDACLOPRID 0.2 G is applied. Check frequently to be sure spreader is working property and spreading granules evenly.

After Applying:

IMIDACLOPRID 0.2 G will work best if the lawn Is watered thoroughly or if rainfall occurs within 24 hours after application to move the active ingredient through the thatch and down into the soil. Avoid mowing fawn until watering or rainfall has occurred so that the uniformity of the granules is not disturbed.

When to Apply:

IMIDACLOPRID 0.2 G works best when applied before grubs and mole crickets hatch. For best results, apply as follows:

White grubs: Apply once, anytime from April through mid-August.

Mole crickets: In Florida, apply once from early April through early May. Elsewhere, apply once from mid-May through mid-June.

Do not Apply IMIDACLOPRID 0.2 G when turf areas are waterlogged. The product may not work effectively under these conditions.

How Much to Apply:

For control of white grubs, IMIDACLOPRID 0.2 G should be applied at the rate of 2.87 pounds per 1,000 square feet. For mole cricket control, apply 3.8 pounds per 1000 square feet. The table below can be used as a guide for applying the proper rate of IMIDACLOPRID 0.2 G. However, the application rate can vary depending on the speed of application and the condition of the spreader. For best results, use a normal, steady pace when applying to obtain an accurate, even application.

SPREADER SETTING TABLE

	Setting*		
Spreader Model	To Deliver 2.87 lbs per 1,000 sq ft	To Deliver 3.8 lbs per 1,000 sq ft	
Vigoro Drop Vigoro Rotary Sta-Green Drop Sta-Green Rotary Bandini Ev-N-Spread Rotary Ortho Drop Ortho Rotary Precision Drop Precision Rotary Quaker Rotary Quaker Rotary Republic EZ Drop Republic EZ Grow Republic EZ Rotary Scotts Drop Scotts Accugreen Scotts Easygreen		3.8 lbs per 1,000 sq ft Spreader Settings to be determined	
Scotts Evengreen Scotts Speedy Green True Temper Rotary			

Settings are approximate. The condition of your spreader, the speed at which you walk and uneven terrain may affect the rate of application. Calibrate your spreader according to manufacturer's directions.

Tip: $1,000 \text{ sq ft} = 20 \text{ ft } \times 50 \text{ ft}$

Do not use a spreader that applies granules in narrow, concentrated, or uneven bands. Be sure the spreader works properly and spreads granules evenly.

APPLICATION TO LANDSCAPE PLANTINGS (Trees, Shrubs, Evergreens, Flowers, Ground covers)

Pests Controlled:

White grubs (including larvae of Japanese beetle, Oriental beetle, chafers, Asiatic garden beetle, European Cranefly, May and June beetle, and black turfgrass ataenius).

How to Apply:

Apply as a broadcast treatment to soil, mulch or other substrate. Prior to application, remove black plastic from area to be treated to allow water to penetrate into the soil. Permeable weed barriers need not be removed prior to application.

After Applying:

IMIDACLOPRID 0.2 G will work best if material is worked into the soil around plants or if a thorough watering of rainfall occurs within 24 hours after application to move the product down through mulch and into the soil.

When to Apply:

The best control of grubs will be obtained if IMIDACLOPRID 0.2 G is applied before grubs begin to hatch. For best results, application should occur from April through mid-August.

DO NOT apply to waterlogged areas. IMIDACLOPRID may not work effectively under these conditions.

How Much to Apply:

IMIDACLOPRID 0.2 G should be applied at the rate of 2.87 pounds per 1,000 square feet. This 15 pound bag will treat 5,000 square feet of landscaped area. The table above can be used as a guide for applying the proper rate of IMIDACLOPRID 0.2 G. However, the application rate can vary depending on the speed of application and the condition of the spreader.

NOTE: DO NOT apply IMIDACLOPRID 0.2 G to vegetable gardens.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal

Storage Conditions: Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.

Disposal

If empty: Do not reuse container. Place in trash or offer for recycling if available. If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. Paper and plastic bags: Completely empty bag into application equipment. Then dispose of in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

808

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of liability before using this product.

If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, because of manner of use and other factors beyond Albaugh's control it is impossible for Albaugh to eliminate all risks associated with the use of this product. As a result, turf injury or ineffectiveness is always possible. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, ALBAUGH MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Albaugh is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. Albaugh disclaims any liability whatsoever for special, Incidental or consequential damages, resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT ALBAUGH'S ELECTION, THE REPLACEMENT OF PRODUCT.