
 <p style="text-align: center;">U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505C) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460</p> <p style="text-align: center;"><b>NOTICE OF PESTICIDE:</b> <input checked="" type="checkbox"/> Registration <input type="checkbox"/> Reregistration</p> <p>(under FIFRA, as amended)</p>	<p>EPA Reg. Number: 42750-155</p>	<p>Date of Issuance: JAN 4 2007</p>
	<p>Term of Issuance: Conditional</p>	
	<p>Name of Pesticide Product: IMIDACLOPRID 1.47% FL</p>	
<p>Name and Address of Registrant (include ZIP Code): Mr. Morris Gaskins Albaugh, Inc. P.O. Box 2127 Valdosta, GA 31604</p>		
<p>Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</p>		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.</p>		
<p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p>		
<p>This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:</p>		
<ol style="list-style-type: none"> <li>1. Submit and/or cite all data required for registration/reregistration of your product when the Agency requires all registrants of similar products to submit such data.</li> <li>2. Within eighteen months from the date of this letter, submit the product chemistry data pertaining to the product's storage stability (830.6317) and corrosion characteristics (830.6320) under warehouse conditions. It is recommended that observations are made at 0, 3, 6, 9, and 12 month intervals.</li> <li>3. Make the following label changes before you release the product for shipment: <ol style="list-style-type: none"> <li>a. Revise the EPA Registration Number to read, "EPA Reg. No. 42750-155".</li> </ol> </li> </ol>		
<p>Signature of Approving Official:  Venus Eagle, Biologist Insecticide-Rodenticide Branch, Registration Division (7505C)</p>	<p>Date: JAN 4 2007</p>	

- b. On page 1, the claim "100% Guaranteed" is not acceptable as a stand alone statement and must be removed if it isn't substantiated to describe how it is guaranteed (e.g., or your money back).
- c. You are encouraged to revise the "NOTE" under the first aid statements to include a company phone number to specific medical personnel who can provide medical advice or you may provide the National Pesticide Information Center (NPIC) which is 1-800-858-7378.
- d. It is encouraged that the Storage and Disposal Statements be enclosed within a box as a means of increasing their prominence and clearly distinguishing these statements from the other directions for use. Additionally, it is preferred that the storage and disposal instructions appear at the end of the Direction for Use section. This placement eliminates the break between the heading "Directions for Use" and the body of the use directions.
- e. On page 2, under "Quick Facts", the last 6 bullets require attention to read properly. Revise as follows:
- Delete the bracket at the end of the word "Cup".
  - Insert the word "Kills" before "Adelgids, aphids, bronze.....".
  - Insert the phrase "Coverage for" before "Trees...." and before "Shrubs...". Be sure to specify correct X and Y values in your final printed label.
  - Insert the word "Use" before "once a year or when....."
  - Insert the word "use" after "Trees:....".
  - Insert the word "use" after "Shrubs...".
- f. On page 4, after the Directions for Use Table, revise the "Note" by deleting the back slash and replacing it with the ending parenthesis.
4. Submit one copy of the revised final printed label for the record before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Venus Eagle  
Insecticide-Rodenticide Branch  
Registration Division (7505P)

Enclosure

ACCEPTED  
with COMMENTS  
in EPA Letter Dated: Jan. 4, 2007

IMIDACLOPRID 1.47% FL  
Insecticide Concentrate

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
As amended, for the pesticide  
Registered under EPA Reg. No.

42750-155

- Prevents damage from listed pests
- Insects stop eating when they feed on the plant
- Protects trees and shrubs from damaging insects with one easy treatment
- Helps keep trees and shrubs strong. Protects new growth
- Controls insects that damage trees and shrubs
- Year-long insect protection for trees and shrubs
- Treats up to X average size trees or Y shrubs
- Systemic insecticide is absorbed through the roots, carried up into the plant and won't wash off
- Prevents insects from damaging trees and shrubs
- Will not harm trees and shrubs
- For use on all ornamental trees, listed fruit & nut trees, and shrubs
- Kills insects & prevents new infestations
- One application protects up to 12 months
- Provides 12-Month Insect Protection
- Rainproof Protection
- Easy to use - Mix in water and pour around Tree/Shrub
- 100% Satisfaction Guaranteed

FOR OUTDOOR RESIDENTIAL USE ONLY

Not for sale, sale into, distribution and or use in Nassau, Suffolk, Kings, and Queens counties of New York.

ACTIVE INGREDIENT:

Imidacloprid, 1-[(6-Chloro-3-pyridinyl)methyl]-N-nitro-2-imidazolidinimine ..... 1.47%

OTHER INGREDIENTS: ..... 98.53%

TOTAL: ..... 100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Booklet for Additional Ingredients and Precautionary Statements

FIRST AID	
IN CASE OF ACCIDENTAL...	IMMEDIATELY...
Swallowing	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor.
Contact with eyes	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
NOTE: When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel.	

EPA Reg. No. 42750-xxx

EPA Est. No. xxxxxx-xx-xxx

NET CONTENTS: 8 fl. oz. or 16 fl. oz. or 32 fl. oz. or 1 Gal

Manufactured For:  
Albaugh, Inc.  
Ankeny, IA 50021

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

Children and pets may re-enter the treated area after it has dried.

ENVIRONMENTAL HAZARDS

- This pesticide is toxic to aquatic invertebrates. Do not apply directly to lakes, streams, rivers or ponds.
- Do not dump rinse water into sewers or other bodies of water.
- Apply this product only as specified on this label.

IMPORTANT- DIRECTIONS FOR STORAGE AND DISPOSAL

Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.

IF EMPTY:

- Do not reuse container.
- Place empty container in trash or offer for recycling if available.

IF PARTLY FILLED:

- Call your local solid waste agency for disposal instructions.
- Never place unused product down any indoor or outdoor drain.


IMIDACLOPRID 1.47% FL Insecticide Concentrate provides 12-month systemic protection against damaging insects including Leafminers, Beetles and Borers.

Having beautiful trees and shrubs has never been easier.

QUICK FACTS

Provides Year Long Insect Protection

- Not Harmful to Trees and Shrubs
- Easy to Use ... Pour in Water and Pour Around Plant
- Not Affected by Rain or Moisture
- Convenient Measuring Cup
- Adegids, aphids, bronze birch borers, leafminers, scale and other listed pests
- Trees: X inches of distance around tree(s) Shrubs: Y (2ft tall)
- Outdoor trees and shrubs, including listed fruit and nut trees
- Once a year or when insects are present
- Trees: 1 ounce per inch of distance around trunk
- Shrubs: 3 ounces per foot of height



DIRECTIONS FOR USE										
<p>It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. For best results, read and follow all label directions.</p>										
<p><b>BEFORE YOU USE</b></p> <p>Read and follow directions when using.</p>	<ul style="list-style-type: none"> <li>Do not apply near lakes, streams, rivers, or ponds.</li> <li>Do not apply to soils which are water-logged or saturated.</li> <li>Bucket or measuring utensils should not be used for any food or drinking water purposes after use with this product.</li> </ul>									
<p><b>HOW TO USE</b></p>	<p>Determine the amount to use by measuring the distance around the tree trunk or height of the shrub. Pour the required amount into a bucket of water and empty the bucket around the base of the tree/shrub.</p>									
<p><b>FOR USE ON</b></p>	<p>Outdoor trees and shrubs including listed fruit and nut trees:</p> <table border="0" style="width: 100%;"> <tr> <td>Apple</td> <td>Loquat</td> <td>Oriental Pear</td> </tr> <tr> <td>Crabapple</td> <td>Mayhaw</td> <td>Pear</td> </tr> <tr> <td>Pecan</td> <td>Quince</td> <td></td> </tr> </table>	Apple	Loquat	Oriental Pear	Crabapple	Mayhaw	Pear	Pecan	Quince	
Apple	Loquat	Oriental Pear								
Crabapple	Mayhaw	Pear								
Pecan	Quince									
<p><b>CONTROLS</b></p>	<p>Adelgids                      Leaf Beetles (including Elm Leaf Beetles and Viburnum Leaf Beetles)                      Vine Weevil Larvae (including Black Vine Weevil)                      Leafhoppers (including Glassy-winged Sharpshooter)                      Roundheaded Borers (including Asian Longhorned Beetle and Eucalyptus Longhorned Borer)                      Flatheaded (including Bronze Birch Alder, and Emerald Ash Borers)                      Leafminers (including Birch Leafminers)                      Mealybugs                      Pine Tip Moth Larvae                      Japanese Beetles, Adult                      Psyllids                      Lacebugs                      Royal Palm Bugs                      Sawfly Larvae                      Scales (Includes Armored Scale [Suppression] and Soft Scale)                      Thrips                      Whiteflies</p>									
<p><b>HOW MUCH TO APPLY.</b></p>	<p>Trees: 1 oz per inch of distance around trunk                      Shrubs: 3 oz per foot of height.</p> <p><b>TREE WITH ONE TRUNK:</b></p> <p>Measure distance (in inches) around tree trunk at chest height. A flexible tape measure is the recommended method [tool]. This is the number of ounces of IMIDACLOPRID 1.47% FL to apply.</p> <p><b>TREES WITH 2 OR MORE TRUNKS:</b></p> <p>Measure the distance (in inches) around each tree trunk and add together. Multiply this total by 0.75 to get the required number of ounces of IMIDACLOPRID 1.47% FL to apply.</p> <p>Example: A tree has 4 trunks. They measure 20, 10, 5 and 5 [inches] or a total of 40 [inches], 40 X 0.75 = 30 ounces.</p>									

DIRECTIONS FOR USE	
	<p><b>SHRUBS:</b></p> <p>Measure the height of the shrub to the nearest foot. Round any inches down to the nearest foot if less than 6" and up to the nearest foot if greater than 6". Multiply the number of feet by 3 - this is the number of ounces of IMIDACLOPRID 1.47% FL to apply.</p> <p>Do not make more than one application per year.</p>
HOW TO APPLY	<ul style="list-style-type: none"> <li>• Fill a bucket or watering can with 1 gallon of water. [For trees with circumference greater than 50', use 2 gallons of water.]</li> <li>• Shake the bottle of IMIDACLOPRID 1.47% FL well.</li> <li>• Remove the measuring cup. [Each marking inside is one ounce.]</li> <li>• Carefully measure required amount of product into bucket.</li> <li>• Slowly pour the solution evenly around the tree. For best results, pour as close to the TRUNK/main stem of the tree/shrub as possible.</li> <li>• Fill the bucket with clean water and pour it around the trunk as well.</li> </ul>
FOR BEST RESULTS	<p>Use this product as part of an overall tree and shrub health care program before problems start [preferably in the fall]. However, IMIDACLOPRID 1.47% FL can be applied anytime except when the ground is waterlogged or frozen. These conditions inhibit the movement of the product down into the root zone.</p> <p>During prolonged dry periods [spells], water the tree/shrub well the night before making an application.</p> <p>For severe infestations, treat with a foliar insecticide labeled for use on ornamentals then use IMIDACLOPRID 1.47% FL as part of a routine care program.</p>
HOW IMIDACLOPRID 1.47% FL WORKS	<p>The insecticide dissolved in water moves down through the soil, where it is absorbed by the roots. Once absorbed, it moves up through the tree or shrub providing year-long insect protection. IMIDACLOPRID 1.47% FL even moves into new growth after application, thus protecting it, too. To get complete protection, the insecticide must distribute completely through the tree/shrub. Depending on the size and health of the plant, this may take one week to three months (for very large trees). Rain or water cannot wash off this internal protection.</p>

(NOTE: Application to trees heavily infested may not prevent their eventual loss due to existing pest damage and tree stress/

NOTICE: Research and testing have determined that the "Directions for Use" are appropriate for the proper use of IMIDACLOPRID 1.47% FL under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

