



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

JAN 1 4 2014

Ms. Carolyn Miter Albaugh, Inc. P.O. Box 2127 Valdosta, GA 31604

Subject: Revised Label to Add Prohibition Statement Specific to the State of Oregon

Dear Ms. Miter

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated December 3, 2013 for:

EPA Registration 42750-155

Imidacloprid 1.47% FL

The Registration Division (RD) has conducted a review of this request of applicability under PRN 98-10 and finds that the label changes(s) requested falls within the scope of PRN 98-10. The label has been date-stamped "Notification" and will be placed in our records.

If you have any questions, call me at 703 305-5409 or electronically at daniel.dani@epa.gov.

Dani Daniel

Sincerely.

Registration Division (7504P) Insecticide/Rodenticide Branch

		´. αι∧ ∵	.ri	TIN	4	,		•		2/
United States AN 1 4 September 2000 Environmental Protection Ager Washington, DC 20460				2014	Form Ap	proved	Registra Amenda Other	ition		vel expires 2-28-9 ntifier Number
		Application	on for F	estici	de - Sec	tion	ı	"	<u>\</u>	
1. Company/Product Number 42750-155				2. EPA V. Eag	Product Man le	nager		3. Pr	oposed Cl	assification
4. Company/Product (Name) Imidacloprid 1.47% FL				PM# 1				1]	· Nostricted
5. Name and Address of App Albaugh, Inc. P.O. Box 2127 Valdosta, GA 31604		de)		(b)(i), n to:		is sim	ilar or ident			ection 3(c)(3) n and labeling
Check if this	is a new address				ct Name					
			Sec	ion - I	<u> </u>					
Amendment - Explain below. Resubmission in response to Agency letter dated Notification - Explain below.				Final printed labels in repsonse to Agency letter dated "Me Too" Application. Other - Explain below.						
Explanation: Use addition	al page(s) if necessar	v. (For sectio	n Iand Sed	tion II.)						
Submission of notification und		•			ecific to the st	tate of	Oregon.			
This notification is consistent labeling or the confidential state EPA. I further understand that FIFRA and I may be subject to	atement of formula of that if this notification is n	iis product. Tu ot consistent w	nderstand t ith the term	hat it is a is of PR N	violation of 1 lotice 98-10 a	8 U.S.0	C. Sec. 1001	to willfully	make any f	alse statement to
			Sect	ion - II		·		····		
1. Material This Product Will	Be Packaged In:									
Child-Resistant Packaging Yes ✓ No * Certification must	Unit Packaging Yes No If "Yes" Unit Packaging wgt.	No. per container			No. per	r	2. Type of	Container Metal Plastic Glass Paper Other (S		
be submitted					1					
3. Location of Net Contents I	nformation , ,	4. Size(s) Re	tail Contair 1 gal, 2			5. Loc	Attached	el Direction I to conta		
6. Manner in Which Label is	Affixed to Product	Lithog Paper Stend	raph glued iled		Othe	r				
	 			on - I	/					
1. Contact Point (Complete	items directly below f	or identification	n of indivi	dual to be	contacted,	if nece	essary, to pr	ocess this	applicatio	ns) cccee
Name Carolyn Miter			Title Registra	tions Sne	ecialist			Telephon 229-244-		ude Area Code)
I certify that the stater I acknowledge that any both under applicable I	y knowlinglly false or		ation all attach	ments the	ereto are true			nplete. c	6. Date A	رة رد Application red tamped)
2. Signature Carolyn Mete	- 1		3. Title Registrat	ons Spec	ialist			()	(υ (((((((((((((((((((
4. Typed Name			5. Date							((. (((((((((((((((((

Carolyn Miter

December 3, 2013

ALBAUGH, INC.

GEORGIA OFFICE
P.O. Box 2127
Valdosta, GA 31604-2127
229.244.3288 (Phone)
229.244.5841 (FAX)

Fed-Ex

December 3, 2013

Document Processing Desk (NOTIFY)
Ms. Venus Eagle (Team 1)
Registration Division
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard (South Bldg)
2777 South Crystal Dr.
Arlington, VA 22202

Re:

Imidacloprid 1.47% FL

EPA Reg. No. 42750-155

Dear Ms. Eagle,

We are submitting this notification for the above referenced product under PR 98-10 to add a use prohibition statement specific to the state of Oregon.

hard coptes are enclosed, along with EPA Form 8570-1. The notification statement is on our form.

Should you have any questions, please do not hesitate to call me or e-mail. Thank you and have a great day.

Sincerely,

Carolyn Miter

Registrations Specialist

Albaugh, Inc.

P. O. Box 2127

Valdosta, GA 31604

229-244-3288

carolynm@albaughinc.com



IMIDACLOPRID 1.47% FL Insecticide Concentrate

[Optional marketing statements]

- Prevents damage from listed pests
- Insects stop eating when they feed on the plant
- Protects trees and shrubs from damaging insects with one easy treatment
- Helps keep trees and shrubs strong. Protects new growth
- Controls insects that damage trees and shrubs
- Year-long insect protection for trees and shrubs
- One gallon treats up to 7 average size (6" diameter) trees or 21 shrubs (2 foot tall)
- Systemic insecticide is absorbed through the roots, carried up into the plant and won't wash off
- Prevents insects from damaging trees and shrubs
- Will not harm trees and shrubs
- For use on all ornamental trees, listed fruit & nut trees, and shrubs
- Kills insects & prevents new infestations
- One application protects up to 12 months
- Provides 12-Month Insect Protection
- Rainproof Protection
- Easy to use Mix in water and pour around Tree/Shrub

FOR OUTDOOR RESIDENTIAL USE ONLY

Not for sale, sale into, distribution and or use in Nassau, Suffolk, Kings, and Queens counties of New York.

ACTIVE INGREDIENT:

Imidacloprid, 1-[(6-Chloro-3-pyridinyl)methyl]-N-nitro-2-imidazolidinimine			
OTHER INGREDIENTS:	98.53%		
TOTAL:	100.00%		

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Booklet for Additional Ingredients and Precautionary Statements

	FIRST AID
IN CASE OF ACCIDENTAL	IMMEDIATELY
Swallowing	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor.
Contact with eyes	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
	call CHEMTREC toll free at 1-800-424-9300. When calling poison ເວລາຕິດໄ el accessible. If seeking treatment at an emergency room or doctor!s office,

EPA Reg. No. 42750-155 AD120413

NET CONTENTS: 8 fl. oz. or 16 fl. oz. or 32 fl. oz. or 1 Gal

bring this product label to show medical personnel.

Manufactured For: Albaugh, Inc. Ankeny, IA 50021 EPA Est. No. xxxxxx-xx-xxx

5/8

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANSAND DOMESTIC ANIMALS

CAUTION

Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

Children and pets may re-enter the treated area after it has dried.

ENVIRONMENTAL HAZARDS

- This pesticide is toxic to aquatic invertebrates. Do not apply directly to lakes, streams, rivers or ponds.
- Do not dump rinse water into sewers or other bodies of water.
- Apply this product only as specified on this label.

IMIDACLOPRID 1.47% FL Insecticide Concentrate provides 12-month systemic protection against damaging insects including Leafminers, Beetles and Borers.

Having beautiful trees and shrubs has never been easier.

QUICK FACTS

Provides Year Long Insect Protection

- Easy to Use ... Pour in Water and Pour Around Plant
- Not Affected by Rain or Moisture
- Convenient Measuring Cup
- Kills adelgids, aphids, bronze birch borers, leafminers, scale and other listed pests
- Coverage for Trees: 32" inches of distance around tree(s) Shrubs: 5" (2 ft tall)
- Outdoor trees and shrubs, including listed fruit and nut trees
- Use once a year or when insects are present
- Trees Use: 1 ounce per inch of distance around trunk
- Shrubs Use: 3 ounces per foot of height

	DIRECTIONS FOR USE				
	deral Law to use this product in a manner inconsistent with its labeling. For best ow all label directions.				
Do not apply this pro State of Oregon.	oduct by any application method, to linden, basswood or other <i>Tilia</i> species in the				
BEFORE YOU USE Read and follow directions when using.	 Do not apply near lakes, streams, rivers, or ponds. Do not apply to soils which are water-logged or saturated. Bucket or measuring utensils should not be used for any food or drinking water purposes after use with this product. 				
HOW TO USE	Determine the amount to use by measuring the distance around the tree trunk or height of the shrub. Pour the required amount into a bucket of water and empty the bucket around the base of the tree/shrub.				
FOR USE ON	Outdoor trees and shrubs including listed fruit and nut trees:				
	Apple Loquat Oriental Pear Crabapple Mayhaw Pear Pecan Quince				
CONTROLS	Adelgids Aphids Billbug* Crane fly larvae* Leaf Beetles (including Elm Leaf Beetles and Viburnum Leaf Beetles) Vine Weevil Larvae (Including Black Vine Weevil) Leafhoppers (including Glassy-winged Sharpshooter) Roundheaded Borers (Including Asian Longhorned Beetle and Eucalyptus Longhorned Borer) Flatheaded (Including Bronze Birch Alder, and Emerald Ash Borers) Leafminers (Including Birch Leafminers) Mealybugs Pine Tip Moth Larvae Japanese Beetles, Adult Psyllids Lacebugs Royal Palm Bugs Sawfly Larvae Scales (Includes Armored Scale [Suppression] and Soft Scale) Thrips Whiteflies *(except California)				
HOW MUCH TO APPLY	Trees: 1 oz per inch of distance around trunk Shrubs: 3 oz per foot of height.				
	TREE WITH ONE TRUNK: Measure distance (in inches) around tree trunk at chest height. A flexible tape measure is the recommended method [tool]. This is the number of ounces of IMIDACLOPRID 1.47% FL to apply.				

	DIRECTIONS FOR USE
	TREES WITH 2 OR MORE TRUNKS:
	Measure the distance (in inches) around each tree trunk and add together. Multiply this total by 0.75 to get the required number of ounces of IMIDACLOPRID 1.47% FL to apply. Example: A tree has 4 trunks. They measure 20, 10, 5 and 5 [inches] or a total of
	40 [inches], 40 X 0.75 = 30 ounces.
	Measure the height of the shrub to the nearest foot. Round any inches down to the nearest foot if less than 6" and up to the nearest foot if greater than 6". Multiply the number of feet by 3 - this is the number of ounces of IMIDACLOPRID 1.47% FL to apply.
	Do not make more than one application per year.
HOW TO APPLY	Fill a bucket or watering can with 1 gallon of water. [For trees with circumference greater than 50', use 2 gallons of water.]
·	Shake the bottle of IMIDACLOPRID 1.47% FL well.
	Remove the measuring cup. [Each marking inside is one ounce.]
	Carefully measure required amount of product into bucket.
	Slowly pour the solution evenly around the tree. For best results, pour as close to the TRUNK/main stem of the tree/shrub as possible.
	Fill the bucket with clean water and pour it around the trunk as well.
FOR BEST RESULTS	Use this product as part of an overall tree and shrub health care program before problems start [preferably in the fall]. However, IMIDACLOPRID 1.47% FL can be applied anytime except when the ground is waterlogged or frozen. These conditions inhibit the movement of the product down into the root zone.
	During prolonged dry periods [spells], water the tree/shrub well the night before making an application.
	For severe infestations, treat with a foliar insecticide labeled for use on ornamentals then use IMIDACLOPRID 1.47% FL as part of a routine care program.
HOW IMIDACLOPRID 1.47% FL WORKS	The insecticide dissolved in water moves down through the soil, where it is absorbed by the roots. Once absorbed, it moves up through the tree or shrub providing year-long insect protection. IMIDACLOPRID 1.47% FL even moves into new growth after application, thus protecting it, too. To get complete protection, the insecticide must distribute completely through the tree/shrub. Depending on the size and health of the plant, this may take one week to three months (for very large trees). Rain or water cannot wash off this internal protection.

(NOTE: Application to trees heavily infested may not prevent their eventual loss due to existing pest damage and tree stress)

8/8

IMPORTANT- DIRECTIONS FOR STORAGE AND DISPOSAL

Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.

IF EMPTY:

- Do not reuse container.
- Place empty container in trash or offer for recycling if available.

IF PARTLY FILLED:

- Call your local solid waste agency for disposal instructions.
- Never place unused product down any indoor or outdoor drain.

NOTICE: Research and testing have determined that the "Directions for Use" are appropriate for the proper use of IMIDACLOPRID 1.47% FL under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.