

RO/CO WATER SERVICE, INC.

4912 BUCHANAN STREET
BLADENSBURG, MD. 20710
PHONE: (301) 779-7744

ACCEPTED
42762-1
APR 29 1980
RO/CO 2060 IS USED TO CONTROL ALGAE, BACTERIA AND FUNGI IN RECIRCULATING
COMMERCIAL AND INDUSTRIAL WATER COOLING TOWERS.

RO/CO 2060

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTRATION
LD UNDER NO.

ACTIVE INGREDIENT	POLY(oxyethylene (diethylene glycol ether) terminated) ethylene dichloride	20.0%
INERT INGREDIENT		80.0%
TOTAL		100.0%

This product contains 1.74 lbs. of active ingredient per gallon and weighs 8.69 lbs. per gallon.

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

Prior to using RO/CO 2060, systems must be cleaned to remove algae growth, microbiological slime and other deposits. An initial slug addition of 9 to 7.3 fluid ounces of RO/CO 2060 per 1,000 gallons of water to provide a concentration of 24 to 60 parts per million of RO/CO 2060, based on total weight of water in the system, is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 0.73 to 8.3 fluid ounces of RO/CO 2060 per 1,000 gallons of water (6 to 60 parts per million of RO/CO 2060) should be employed every 2 to 5 days, or as needed.

The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem.

Slug additions should be made in the sump of water cooling towers. RO/CO 2060 is used to control bacteria in industrial air-washing systems that maintain effective mist eliminating components. Prior to using, systems should be cleaned to remove bacterial slime and other deposits. An initial slug dose of 11.1 to 18.3 fluid ounces of RO/CO 2060 per 1,000 gallons of water is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 7.5 to 18.3 fluid ounces of RO/CO 2060 per 1,000 gallons of water should be employed each 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and severity of the bacterial problem. Slug additions may be made to the sump or to the water collection trays of the airwash system.

STORAGE AND DISPOSAL

Keep container closed when not in use. Do not contaminate water, food, or feed by storage, disposal, or cleaning of equipment. Do not reuse empty container. Triple rinse (or equivalent) and dispose of container in an incinerator,

or in an approved landfill, or bury in a safe place. Rinstate that cannot be used or reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Open dumping is prohibited.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes or clothing.

FIRST AID: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, ponds or public water. For guidance, contact the Regional Office of the Environmental Protection Agency.

MANUFACTURED BY

RO/CO WATER SERVICE, INC.

P.O. BOX 128

BLADENSBURG, MARYLAND 20710

EPA Reg. No. 42762-1

Net Contents:

Lbs.

EPA Est. No.

BEST DOCUMENT AVAILABLE

19

RO/CO WATER SERVICE, INC.

4912 BUCHANAN STREET
BLADENSBURG, MD. 20710
PHONE: (301) 779-7744

2

ACCEPTED
42762-1
APR 29 1980
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
LD UNDER NO.

RO/CO 2060

RO/CO 2060 IS USED TO CONTROL ALGAE, BACTERIA AND FUNGI IN RECIRCULATING
COMMERCIAL AND INDUSTRIAL WATER COOLING TOWERS.

ACTIVE INGREDIENT	POLY[oxyethylene (dimethyliminol) ethylene-(dimethyliminol) ethylene dichloride]	20.0%
INERT INGREDIENT		30.0%
TOTAL		100.0%

This product contains 1.74 lbs. of active ingredient per gallon and weighs 8.69 lbs. per gallon.

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

Prior to using RO/CO 2060, systems must be cleaned to remove algae growth, microbiological slime and other deposits. An initial slug addition of 2.9 to 7.3 fluid ounces of RO/CO 2060 per 1,000 gallons of water to provide a concentration of 24 to 60 parts per million of RO/CO 2060, based on total weight of water in the system, is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 0.73 to 8.3 fluid ounces of RO/CO 2060 per 1,000 gallons of water (6 to 60 parts per million of RO/CO 2060) should be employed every 2 to 5 days, or as needed.

The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem.

Slug additions should be made in the sump of water cooling towers. RO/CO 2060 is used to control bacteria in industrial air-washing systems that maintain effective mist eliminating components. Prior to using, systems should be cleaned to remove bacterial slime and other deposits. An initial slug dose of 11.1 to 18.3 fluid ounces of RO/CO 2060 per 1,000 gallons of water is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 7.5 to 18.3 fluid ounces of RO/CO 2060 per 1,000 gallons of water should be employed each 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and severity of the bacterial problem. Slug additions may be made to the sump or to the water collection trays of the airwash system.

STORAGE AND DISPOSAL

Keep container closed when not in use. Do not contaminate water, food, or feed by storage, disposal, or cleaning of equipment. Do not reuse empty container. Triple rinse (or equivalent) and dispose of container in an incinerator,

or in an approved landfill, or bury in a safe place. Rinsate that cannot be used or reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Open dumping is prohibited.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes or clothing.

FIRST AID: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, ponds or public water. For guidance, contact the Regional Office of the Environmental Protection Agency.

MANUFACTURED BY

RO/CO WATER SERVICE, INC.

P.O. BOX 128

BLADENSBURG, MARYLAND 20710

EPA Reg. No. 42762-1

Net Contents:

Lbs.

EPA Est. No.

BEST DOCUMENT AVAILABLE

19