

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

February 21, 1996

Ronald B. Child
Vice-President
Compliance & Regulatory Affairs
California Products Corporation
169 Waverly Street
P.O. Box 390569
Cambridge, MA 02139-0007

SUBJECT: Request for EPA Stamped Label
Storm Stain Lumbercare Clear Wood Preservative
EPA Reg. No. 42768-8
Your Letter Dated January 26, 1996

Dear Mr. Child:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the conditions noted below. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(3). Submit two (2) copies of the final printed labeling prior to releasing the products for shipment. Your release for shipment of the subject product constitutes acceptance of the conditions below. An EPA stamped accepted label is enclosed for your records.

Modify the **ENVIRONMENTAL HAZARDS** section to read:

"This product is toxic to fish. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label."

If you have any questions, please call me at (703) 305-7740.

Sincerely,

Handwritten signature of Theresa A. Stowe in cursive.

Theresa A. Stowe
Acting Team Leader
Product Manager 22
Fungicide-Herbicide Branch
Registration Division (7505C)

Enclosure

243
ACCEPTED
with COMMENTS
In EPA Letter Dated

FEB 21 1996

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

42768-8

EPA Registration No. 42768-8
EPA Establishment No. 42768 MA-1

Active Ingredient:	
3-Iodo-2-Propynyl Butyl Carbamate	0.8%
Inert Ingredients:	99.2%
Total	100.0%

CONTAINS PETROLEUM DISTILLATES

Lumbercare Clear Wood Preservative

BEST AVAILABLE COPY

STORM STAIN® LUMBERCARE CLEAR WOOD PRESERVATIVE

STORM STAIN LUMBERCARE Clear Wood Preservative is a chemical treatment for bare or previously stained exterior woods that have been weathered. It is an effective fungicide and water repellent that protects against wood rot, mildew, warping and swelling. **STORM STAIN LUMBERCARE** will not chip, peel or blister.

WHERE TO USE

Apply on above ground untreated wood surfaces such as lumber, fences, trellises, millwork, shingles, siding, door frames, sash, decks and outdoor furniture.

Do not apply over wood that is painted or varnished.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Surface must be clean and free of dirt, oil, grease and mildew. If dirt has caused discolored areas, scrub off with detergent and water. If mildew is present, consult dealer for removing mildew to restore natural tone of wood.

APPLICATION

MIX WELL. DO NOT THIN. Apply liberally by brush, roller or spray by dipping wood. The more **STORM STAIN LUMBERCARE** the wood absorbs, the deeper and more lasting the protection will be. For extra protection apply a second coat. Do not apply in hot direct sunlight or in temperatures below 40°F. **Before applying paint on surface treated with STORM STAIN LUMBERCARE it must be allowed to weather for 6 to 9 months.**

COVERAGE

100-300 square feet per gallon depending on porosity of wood and method of application.

CLEAN-UP

Clean equipment with mineral spirits.

NOTE

For wood surfaces where color is desired, use Storm Stain Stain & Wood Preservative which is available in both semi-transparent and solid color types.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: CONTAINS PETROLEUM DISTILLATE AND ZINC NAPHTHENATE.

Use only with adequate ventilation.

Avoid prolonged breathing of vapor or spray mist. Causes sub-

stantial but temporary eye injury. Do not get in eyes or on clothing. Wear goggles. Harmful if swallowed. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before re-use.

STATEMENT OF PRACTICAL TREATMENT: IF IN EYES: Flush with plenty of water. Get medical attention. **IF SWALLOWED:** Drink a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. **IF ON SKIN:** Wash with plenty of soap and water. Get medical attention.

ENVIRONMENTAL HAZARDS: Do not apply directly to water. This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS:

COMBUSTIBLE. Do not use, pour or spill near heat or open flame. In case of fire, use water spray, foam, carbon dioxide or dry chemical.

STORAGE AND DISPOSAL:

PROHIBITIONS—Do not contaminate water, food or feed by storage or disposal. Do not store near heat or open flame.

PRODUCT DISPOSAL—Product or rinsate that cannot be used according to label instructions must be disposed of in accordance with Federal, State or local procedures under the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL—Do not reuse empty container. Destroy container by perforating or crushing. Wrap container and put in trash collection.

Made in U.S.A.

Printed in U.S.A.

California Products Corporation

Est. 1926

Cambridge, MA 02139

California Paints, Ox-Line Paints, Storm Stain,
and Wilbur & Williams High Performance Coatings

BEST AVAILABLE COPY



6 11131 02961 9