

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

DEC 1 1 2007

Mr. Dave Andrus
Diatect International
875 S Industrial Parkway
Heber, Utah 84032

Subject:

Response to Agency Letter Dated June 19, 2006

Revised Label

EPA Reg. No. 42850-1 DIATECT® D-20 Insecticide

Your Submission Dated October 30, 2007

Dear Mr. Andrus:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy of the label is enclosed for your records.

If you have any questions regarding this action, please contact Olga Odiott of my team at (703) 308-9369.

Sincerely,

George T. LaRocca Product Manager (13)

Insecticide Branch

Registration Division (7505P)



"Equivalent to 0.8% (burylcarbity() (6-propylpipe ether and 0.2% related compounds KEEP OUT OF REACH OF CHILDREN

CAUTION

See backside panel for additional precautions

Net Wt: One (1) lb.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Use in adequate ventilation and avoid breathing dust. Use a dust mask for prolonged periods of use. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and other aquatic organisms. Do not apply directly to water. Do not contaminate when disposing of equipment washwaters or rinsate.

STORAGE AND DISPOSAL

Panot contaminate water, food or feed by storage or disposal.

oty: Do not reuse this container. Place in trash or offer for recycling if available

artly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

FIRST AID

IF on SKIN or - Take off contaminated clothing.

CLOTHING: - Rinse skin immediately with plenty of water for 15-20 minutes.

- Call a poison control center or doctor for further treatment advice.

IF in EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.

- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing

- Call a poison control center or doctor for treatment advice.

. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

WARRANTY STATEMENT

Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and conditions of application equipment will vary, seller makes no claims other than those stated on this label.

Treat areas where insects hide and may come in contact with the powder

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RESULTS INDOOR Insect Killer is intended for application by hand or with power duster, or other suitable means, to hiding and running areas, and places where pests are found. To apply RESULTS into cracks and crevices use a bulbous duster or other suitable equipment. Use in adequate ventilation and avoid breathing dust. Use a dust mask for prolonged periods of use. Apply lightly and uniformly in treatment area. The amount to be applied will vary with the site, but should usually be 8 to 16 oz. per 1,000 sq. ft.

Roaches and Silverfish: Dust lightly, paying special attention to cracks and hidden surfaces, around pipes, sinks and moldings.

Ants, Crickets and Box Elder Bugs: Dust lightly areas around windows, doors and other places where these pests may enter premises.

Bedbugs: Treat liberally baseboards, moldings, cracks, bedstead and both sides of mattress.

House Files: Lightly coat window frames and sills so flies lighting will contact dust.

Food and Feed Handling Establishments: Application limited to crack and crevice treatments only. Places other than private residences in which food is held, processed, prepared or served.

Food and Feed Areas include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparation, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas when food is exposed and facility is in operation are also considered a food area. Crack and Crevice Treatment: Apply in small amounts directly into cracks and crevices using equipment capable of directing insecticide in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases where cockroaches, ants, silverfish, and crickets hide.

Remove or cover exposed food and drinking water before application. Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces, or wash them before reuse.

Spot Treatment: No individual spot will exceed two (2) sq. ft. Limit spot treatments to wall or floor surfaces where pests have been seen or where pests are suspected of hiding.

Spot treatment may also be made to areas where any of the above pests hide or inhabit such as baseboards, storage areas, closets, around water pipes, doors and windows, behind and under refrigerators, cabinets, sinks, stoves and other equipment. Care should be taken to avoid depositing the product onto exposed food contact surfaces or introducing the material into the air.

Non-Food Areas: Include garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

EPA Reg. No. 42850-1 EPA Est. 42850-UT-1 Batch No.

ACCEPTED

DEC 11 2007

Under the Fadaral inssecticide, Fungicide, and Rodenticide Act. as amended, for the posticide Registered under EPA Reg. No. 44 2000 -/



Heber, UT 84032 1-800-227-6616 www.deadbugsnaturally.com

