



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

MAR 1 5 2011

Mr. Steven C. Jones Natural Results Corp. P.O. Box 111298 Naples, FL 34108

Subject: Label Notification(s) for Pesticide Registration 2007-4 & PR Notice 98-10 & 2007-1

Dear Mr. Jones:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated for January 20, 2010:

EPA Registration Number: 42850-5 Diatect V Insect Control

The Registration Division (RD) has conducted a review of this request for applicability Under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on non-refillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact Melody Banks on 703 305-5413.

Sincerely,

Richard Gebken Product Manager

Insecticide Branch

Registration Division (7504P)

9	E	PA
	-	<i></i>

United States

	Registration
	Amendment
<u> </u>	Other

OPP Identifier Number

\$EPA	Environmental Protection Agency Washington, DC 20460		Amend X Other	ment		
	Applica	ation for Pe	esticide - Sec	tion I		
1. Company/Product Numb 42850-5		2	2. EPA Product Man	nager		
4. Company/Product (Name Diatect Insecticide V	»)	* .	PM# 13			
5. Name and Address of Ap Natural Results Corp. P.O. Box 111298 Naples, FL 34108	pplicant <i>(Include ZIP Code)</i>	t	6. Expedited Reveiw. In accordance with FIFRA Section 3(c) (b)(i), my product is similar or identical in composition and labeli to: EPA Reg. No.		nposition and labeling	
Check if thi	is is a new address		Product Name			
		Section	on - II			
<u> </u>	Amendment - Explain below. Resubmission in response to Agency letter deted		Final printed labels in repsonse to Agency letter dated "Me Too" Application. NOTIFICATION			
X Notification - Explain	n below.		Other - Exp	olain below.	MAR	1 5 2011
Notification of: 1. Minor label changes per 2. Updated storage and dis	er PR Notice 98-10, and isposal statement per PR Notice 200	07-1 and 2007-4			-	
1. Material This Product Wi	III Be Packaged In:	-	/11 -,-			
Child-Resistant Packaging Yes No * Certification must be submitted	Unit Packaging Yes No If "Yes" No. per Unit Packaging wgt. containe	No.	No. per		Metal Plastic Glass Paper Other (Sp	ecify)
3. Location of Net Contents	s Information 4. Size(s) Container	Reteil Container	,	5. Location of Lal	bel Direction	S
6. Manner in Which Lebel is	s Affixed to Product	hograph per glued enciled	Othe	ř		
		Sectio	n - IV			
1. Contact Point (Complete	e items directly below for identifica	ation of individu	el to be contacted,	if necessary, to pr	rocess this a	pplication.)
Name Cynthia Ann Smith		Title Regulatory Consultant			Telephone No. (Include Area Code) 703-339-1117 cindy@connsmith.com	
	ements I have made on this form a my knowlinglly false or misleading				mplete.	6. Data Application Received : ; (Stamped)
2. Signature	Man-	3. Titte CEO				ς α α α α α α α α α α α α α α α α α α α
4. Typed Name		5. Date Janaury 2	20 2010		د ډرر	€.
Steven C. Jones		041,441,	20, 2010		1	cccci

NATURAL RESULTS CORP.

P. O. Box 111298 • Naples, FL 34108 Toll Free: (1-855) 325-2504

January 20, 2011 HAND DELIVERED

Document-Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501
Attn: Mr. Mark Suarez, PM 13

Dear Mr. Suarez:

RE: Diatect Insecticide V (EPA Reg. No. 42850-5)

Notification of Minor Label Changes

The current label for EPA Reg. No. 42850-5 was stamped ACCEPTED with comments on September 20, 2005. The purpose of this submission is to update the label to the extent that it can be updated by notification. Natural Results Corp. understands that additional label changes are needed to comply with the label provisions of the pyrethrins and piperonyl butoxide data call-ins. A label is concurrently submitted to Maia Taninclaux (EPA, PRD) that includes all of the changes of this notification plus the further changes that can be made only by label amendment. The intent is to use the enclosed updated label to support the 2011 state registration applications. Understanding that the label amendment that includes all the changes per the DCI will take some time, the state registrations will be amended when the stamped ACCEPTED amended label is received.

The enclosed proposed label changes by notification include:

- Minor label changes permitted per PR 98-10;
- Notice Updated disposal statement per PR Notice 2007-1;
- Updated container disposal statement per PR Notice 2007-4 regarding the container/containment rule;
- Updated EPA Establishment No.; and
- Updated company name and address per EPA letter dated October 26, 2010.

The following are enclosed:

- Application for Amended Registration (by notification);
- Proposed label revised by notification;
 - · One copy noting the changes:
 - One copy with the changes implemented; and
 - One CD with a copy of the label with the changes implemented in pdf format.

This notification is consistent with the provisions of PR Notices 98-10, 2007-1, and 2001-4 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Please feel free to contact Cynthia Ann Smith of Conn & Smith, Inc. by telephone at 703-339-1117 or by e-mail at cindy@connsmith.com if there are any questions regarding this submission.

Sincerely,

Steven C. Jones, CEO

Enclosures

cc with enclosures:

M. Tatinclaux, EPA, PRD

C. A. Smith, Conn & Smith, Inc.

M. S. Bondurant, Bondurants Consulting LLC

[Front Panel]

Diatect V Insect Control

ACTIVE INGREDIENTS:	
Silicon Dioxide*	82.45%
Pyrethrins	0.50%
OTHER INGREDIENTS	17.05%
TOTAL 10	00.00%
* from Diatomaceous Earth	

KEEP OUT OF REACH OF CHILDREN CAUTION

See other panels for additional precautionary statements

NOTIFICATION MAR 1 5 2011

EPA Reg. No. 42850-5

EPA Est. 42850-UT-1 EPA Est. No. 42850-UT-2

Diatect International, Inc.
875 S. Industrial Parkway
Heber City, UT 84032
800-227-6616
www.diatect.com

NATURAL RESULTS CORP.
P.O. Box 111298
Naples, FL 34108

Net Wt: Twenty (20) lbs.

[Back Panel]

PRECAUTIONARY STATEMENTS Hazards to Humans & Domestic Animals

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothes.

Personal Protective Equipment

Applicators and other handlers must wear coveralls or long-sleeved shirt and pants, waterproof gloves, shoes and socks, and dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C) or a NIOSH approved respirator with any N, R, P or HE filter. Follow manufacturer's instructions for cleaning and maintaining Personal Protective Equipment (PPE). If no instructions for washables are given, use detergent and hot water. Keep and wash PPE separately from other laundry.

	First Aid
lf on Skin or Clothing -	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.
If In Eyes -	Hold eye open and rinse slowly and gently with warm water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
Have the prod	uct container or label with you when calling a poison control center or doctor or trent.

Environmental Hazards

This product is toxic to fish and other aquatic organisms. Do not apply directly to any body of water. Do not apply when conditions favor drift from the treatment area. Do not contaminate water by disposal of equipment wash rinses. This product is toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product if bees are visiting the treatment area. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in any way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult with the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry intervals. The requirements only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours or until spray has dried. PPE required for early entry to treated areas is permitted under the Worker Protection Standard, and that involves contact with anything that has been treated, such as plants, soil, or water is: coveralls, water-proof gloves and shoes plus socks.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are not within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries or greenhouses. Keep unprotected persons, children and pets out of the treated area until sprays have dried.

<u>GENERAL INFORMATION</u>: Carefully follow the directions for each type of use. This material may be used for edible crops growing outdoors or in greenhouses, up to and including the day of harvest. **Use Rates for the Fruits, Nuts, Vegetables, Field Crops, Ornamentals and Miscellaneous Crops:** Use 1 to 6 pounds of product per acre depending upon the insect population. The material can be used either:

As a Dust: The best results are obtained when the plants are wet or dew still remains on the leaf surface. It is suggested that the plants be misted prior to application to obtain the maximum benefits and use the least amount of product for control.

As a wettable powder: Apply in sufficient water to obtain the maximum coverage. Dilution of the material should be at the rate of one half pound in one half gallon of water or at a maximum of one pound to 25 gallons of water. It is best to keep the material agitated during application. Apply the material uniformly to both the upper and lower leaf surfaces.

GRASSES, LAWNS, & TURF (INCLUDING GOLF COURSES)

To control Armyworms, Caterpillars, Chinch Bugs, Cutworms.

Use Rate: Use 16 oz. (1 lb.) per 1000 square feet of area. Apply either as a Dust or as a Wettable Powder.

Ants, Chinch Bugs, Caterpillars, Cut Worms, Armyworms: <u>Hose-End Sprayer</u>: Use 16 oz. (1 lb.) per 1000 square feet of area. Use a hose-end sprayer for lawns. Add a small amount of water to the jar and add the amount needed for the pre-measured area, stir to make a slurry, then add the remaining water to the top of the jar. Empty entire contents of the jar on the pre-measured area. <u>As a Dust</u>: The best results are obtained when applied with a hand or power duster or other suitable means of application to the infested area. Apply lightly and uniformly to the treatment area. <u>Hand Sprayer</u>: Use 0.6 oz. (4 tablespoons) to one gallon of water. It is best to keep the material agitated during application. Apply the contents to pre-measured area.

Storage and Disposal statement moved and put in its own box. Warranty statement moved and put in its own box. Net contents statement moved. Batch number moved. Typos corrected. Label version control code added. Permitted by PR Notice 98-10. Disposal statement updated per PR Notice 2007-1 and PR Notice 2007-4.

ANIMAL QUARTERS

Including but not limited to Barns, Dairies, Milkrooms, Pet Kennels, Poultry Houses, Runs and Stables: For control of Gnats, Flies, Lice, Mites, Darkling Beetles. <u>Use Rate:</u> Use at the rate of 2 oz. per 100 square feet of surface area. Apply with a hand or power duster or sprayer or other suitable means to the hiding places where these pests are found. Do not use this product directly on pets.

ON HARVESTED TOMATOES AND FRUIT (Including Grapes)

To Control Fruit Flies and Vinegar Flies: Apply with a hand or power sprayer or other suitable means on tomatoes and fruit in baskets, on trucks or on plants, and row stock stacked in the yard. Apply liberally at the rate of 8 oz. per 100 square feet of area.

AS A GRAIN PROTECTANT

To protect against grain storage insects, dilute 16 oz. (1 lb.) in 5 gallons of water and apply directly to the grain at a rate of 4 to 5 gallons per 1000 bushels as the grain is carried along a belt or as it enters the auger or elevator. Monthly inspections should be made. If the top two or three inches are found to be reinfested, retreat at the rate of 1 to 2 gallons of dilution per 1000 bushels of stored product. **As a dust:** Use rate is 1 to 3 pounds per 1000 bushels as needed for coverage and insect population. Dust can be injected into drying system for large storage control.

IN MUSHROOM PRODUCTION AND PROCESSING

To control Mushroom Flies and Fungus Gnats. Apply dilution at a rate of 5 ounces per 1000 cubic feet of space. Direct spray 8 to 10 feet away from beds and slightly upwards over beds. Keep circulating fans running but turn off refrigerators during application. In processing plants, use at the rate of 5 ounces per 2000 cubic feet of space.

VEGETABLE CROPS

For control of insects such as: Aphids, 12-Spotted Cucumber Beetles, Armyworms, Beet Webworms, Blister Beetle, Cabbage Looper, Cabbageworms, Caterpillars, Celery Leaftiers, Colorado Potato Beetle, Corn Earworm, Cucumber Beetles, Diamondback Moth Larva, European Corn Borer, Flea Beetles, Garden Fleahoppers, Harlequin Bugs, Imported Cabbage Worms, Japanese Beetles, Leafhoppers, Leaf Miners, Leaftiers, Loopers, Lygus Bugs, Mexican Bean Beetle, Mites, Oblique-Banded Leafrollers, Plant Bugs, Stink Bugs, Squash Vine Borers, Thrips, Vegetable Weevils, Webworms and White Flies.

Growing Crops (Outdoors and in Greenhouses):

Root and Tuber Vegetables, including but not limited to, Arracacha, Arrowroot, Purple Arrowroot, Japanese Artichoke, Jerusalem Artichoke, Beets, Sugar Beets, Edible Burdock, Carrots, Cassava (Bitter & Sweet), Celeriac (Celery Root), Chervil (Turnip Root), Chicory, Chotia, Dasheen, Ginger, Ginseng, Horseradish, Laren, Parsley (turnip rooted), Parsnip, Potato, Radish, Japanese Radish, Rutabaga, Salsify, Black Salsify, Sweet Potato, Tanier, Tarrow Root, Tumeric, Turnip, Yam, Yam Bean.

<u>Leaves of Root and Tuber Vegetable</u>, including but not limited to, Beet, Sugar Beet, Edible Burdock, Carrot, Cassava (Bitter & Sweet), Celery, Chervil, Chicory, Dasheen, Parsnip, Radish, Japanese Radish, Rutabaga, Black Salsify, Sweet Potato, Tanier, Turnip and Yam (True).

Bulb Vegetables, including but not limited to, Garlic, Leek, Onion (Bulb & Green) and Shallot.

<u>Leafy Vegetables</u>, including but not limited to, Amaranth, Leafy Amaranth, Chinese Spinach, Tompala, Arugula, Celery, Celluce, Chervil, Cilantro, Corn Salad, Chrysanthemum (edible leaves), Chrysanthemum garland, Cress (garden), Upland Cress (yellow rocket, winter cress), Dandelion, Dock, Endive, Fennel, Lettuce (Head & Leafy), Orach, Parsley, Purslane (garden & winter), Rhubarb, Spinach, Fine Spinach (Metabar, Ceylon), Spinach (New Zealand), Swiss Chard.

Storage and Disposal statement moved and put in its own box. Warranty statement moved and put in its own box. Net contents statement moved. Batch number moved. Typos corrected. Label version control code added. Permitted by PR Notice 98-10. Disposal statement updated per PR Notice 2007-1 and PR Notice 2007-4.

Brassica (Cole) Leafy Vegetable, including but not limited to, Broccoli, Chinese Broccoli, Broccoli Raab, Brussels Sprouts, Cabbage, Chinese Cabbage (Bok Choy & Napa), Chinese Mustard Cabbage (Gai Choy), Cauliflower, Collards, Kale, Kohlrabi, Mustard Greens and Rape Greens.

Legume Vegetable (Succulent or Dry), including but not limited to, Adzuki Beans, Field Beans, French Beans, Kidney Beans, Lima-Beans, Moth-Beans, Mung-Beans, Navy Beans, Pinto-Beans, Runner Beans, Snap Beans, Tepary Beans, Urd Beans, Wax Beans, Asparagus Beans, Black-eyed Peas, Catjang, Chinese Longbeans, Cowpeas, Chowder Peas, Southern Peas, Yard-Longbeans, Broad Beans (Fava Beans), Chick Peas (Garbanzo Beans), Guar, Jackbeans (Sword Beans), Lablab Beans (Hyacinth Beans), Lentils, Peas (garden, field, sugar), Pigeon Peas and Soybeans.

<u>Foliage of Legume Vegetables</u>, including but not limited to, plant parts of any legume vegetable included in the Legume Vegetables group that will be used as animal feed including any variety of Beans, Field Peas and Soybeans.

<u>Fruiting Vegetables</u> including but not limited to, Eggplant, Ground Cherry, Okra, Pepinos, Peppers (Bell, Chili, Cooking and Sweet Peppers and Pimentos), Tomatillo, and Tomatoes.

<u>Cucurbits Vegetable</u>, including but not limited to, Balsam Pear (Bitter Melon), Chinese Waxgourd, Citron Melon, Cucumber, gherkin, Edible Gourds, Melons (including hybrids, Cantaloupe, Casaba, Crenshaw, Honeydew, Honey Balls, Mango, Muskmelon and Persian Melons), Pumpkin, Squash (summer & winter) and Watermelon (including hybrids).

ORNAMENTALS

For the control of insects such as Aphids, Armyworms, Caterpillars, Chinch Bugs, Flea Beetles, Fleahoppers, Flies, Fruit Flies, Japanese Beetles, Leafhoppers, Leafminers, Leaf Rollers, Loopers, Lygus Bugs, Mealy Bugs, Mites, Plant Bugs, Thrips and White Flies.

<u>Ornamentals</u>, such as African Violets, Aster, Azalea, Begonia, Calceolaria, Calendula, Calia, Camelia, Carnation, Cineraria, Chrysanthemum, Cypress, Daffodil, Dahlia, Dogwood, Elm, Eucalyptus, Fern, Ficus, Geranium, Gladiolus, Gypsophila, Holly, Juniper, Lily, Marigold, Oak, Palm, Peony, Petunia, Philodendron, Pine, Roses, Snapdragons, Sweetpeas, Tulips, Viburnum, Wandering Jew, Yew and Zinnia.

HERBS, SPICES AND SPECIALTY CROPS

For the control of such insects as Aphids, Loopers, Mites, Plant Bugs, Thrips and White Flies.

<u>Herbs and Spices</u>, including but not limited to, Anise, Balm, Basil, Burnel, Borage, Chamomile, Caraway, Catnip, Chives, Clary, Coriander, Costmary, Cumin, Curry Leaf, Dill, Fennel (Italian & Sweet), Fenugreek, Horehound, Hyssop, Marigold, Marjoram (Sweet & Wild), Mint, Nasturtium, Oregano, Pennyroyal, Rosemary, Rue, Sage, Savory (Winter & Summer), Sweet Bay (Bay Leaf), Tansy, Tarragon, Thyme, Wintergreen, Woodruff and Wormwood.

Specialty Crops, such as Artichoke, Chayote, Asparagus, Coffee, Cotton, Hops, Jojoba, Ornamental Turf Grass, Sesame, Sunflower (leaves & seed) and Tea.

FIELD AND GRAIN CROPS

For the control of insects such as Aphids, Armyworms, Chinch Bugs, Boll Weevil, Bollworm, Budworm, Caterpillars, Corn Earworms, Fleabeetles, Fleahoppers, Flies, Horn Worms, Loopers, Lygus Bugs, Midges, Mites, Pear Cucurlia, Pink Bollworms, Thrips and White Flies.

<u>Cereal Grains</u>, including but not limited to, Barley, Buckwheat, Corn, Millet (proso & pearl), Oats, Popcorn, Rice, Rye, Sorghum (Milo), Teosinte, Triticale, Wheat and Wild Rice.

<u>Grass Forage, Fodder and Hay</u>, including but not limited to, Bermuda Grass, Blue Grass, Bromegrass, Fescue and any type grass, Gramineae Family (green or cured), Barley, Buckwheat, Corn, Millet (proso & pearl), Oats, Popcorn, Rice, Rye, Sorghum (Milo), Teosinte, Triticale, Wheat and Wild Rice, that will be fed to or grazed by livestock, all pasture and range grasses and grasses grown for hay or silage.

Non-Grass-Animal-Feeds, including but not limited to, Alfalfa, Velvet-Bean, Clover, Kudzu, Lespedeza, Lupine, Saintoin, Trefoil, Vetch, Crown Vetch and Milk Vetch.

FRUIT, NUT, VINE CROPS AND ORIENTAL VEGETABLES

For the control of such insects as Aphids, Armyworms, Blueberry Maggots, Cabbage Loopers, Caterpillars, Cherry Fruit Flies, Cutworms, Fireworms, Fruit Flies, Fuller Rose Beetle, Gooseberry Fruit Worms, Imported Currant Worms, Japanese Beetles, Leafhoppers, Mites, Peach Borers, Pecan Weevil, Red-Necked Borers, Raspberry Fruit Worms, Rose Chafers, Stink Bugs, Strawberry Leaf Rollers, Thrips, Weevils and White Flies.

<u>Citrus Fruits</u>, including but not limited to, Calamondin, Citrus Citron, Citrus Hybrids, Grapefruit, Kumquats, Lemons, Limes, Mandarin (Tangerine), Orange (sweet & sour), Pummelo and Satsuma Mandarin.

Pome Fruits, including but not limited to, Apple, Crabapple, Loquat, Pear, Oriental Pear and Quince.

<u>Stone Fruits</u>, including but not limited to, Apricot, Cherry (sweet & sour), Nectarines, Peaches, Plums, Prunes, Chickasaw Plum, Damson Plum and Japanese Plum.

<u>Small Fruits and Berries</u>, including but not limited to, Blackberry, Blueberry, Boysenberry, Cranberry, Currants, Dewberry, Elderberry, Gooseberry, Grape, Huckleberry, Loganberry, Ollie Berry, Raspberry (Black & Red), Strawberry and Youngberry.

<u>Subtropical Fruits</u>, including but not limited to, Avocado, Banana, Carob, Barbados Cherry, Cherimoya, Dates, Feijoa, Figs (Adriatic, Calimyrna, Kadota, Black Mission, California Brown Turkey and Brunswick), Guava, Kiwifruit, Lychee, Mango, Papaya, Passion Fruit, Persimmon, Pineapple and Pomegranate.

<u>Tree Nuts</u>, including but not limited to, Almond, Beech Nut, Brazil Nut, Butter Nut, Cashews, Chestnut, Chinquapin, Filbert (Hazelnut), Hickory Nut, Japanese Horsechestnut, Macadamia Nut (Bushnut), Pecan, Pistachio and Walnut (Black & English).

<u>Oriental Vegetables</u>, including but not limited to, Japanese Artichoke, Chinese Broccoli (Gai Lon), Chinese Cabbage (Bok Choy & Napa), Chinese Mustard Cabbage (Gai Choy), Cilantro, Dasheen, Ginger, Ginseng, Chinese Longbeans, Mung Beans, Citron Melon, Balsam Pear (Bitter Melon), Japanese Radish (Daikon), Chinese Spinach and Chinese Waxgourd.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: Store in original container in a cool, dry place out of sunlight. Protect from moisture.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Nonrefillable container. Do not refill this container.

If empty: Do not reuse this container. Place in trash or offer for recycling if available. If party filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY STATEMENT

Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and conditions of application equipment will vary, Seller makes no claims other than those stated on this label.

Batch	No		
[Label	version	control	code]