ates Environmental ce of Pesticide Progr Washington, DC for Pesticid Section I	e: Registration	2060. Approval expires 6-30-90 OPP Identifier Number 119392 4. Proposed Classification General Restric- ted
for Pesticide Progr Washington, DC for Pesticid	ams (TS-767) 20460 e: Registration X Amendment 3. Product Manager	4. Proposed Classification Restriction
for Pesticid	e: Registration X Amendment	4. Proposed Classification
Section	3. Product Manager	Restric-
		Restric-
·		
	-	
· · · · · · · · · · · · · · · · · · ·		
	·	· · · · · · · · · · · · · · · · · · ·
n II - Amendme	nt Information	Date of Letter
abel	Other (explain below)	Date of Letter
Agency letter		I
93-10 and 94	1-4.	
inted 1	alel	
		• • •
Section I	1	
		2. Type of Container
		Metal
0		Plastic
No per container	•	Glass Paper
No. per container		Other (Specify)
ontainer	· · · · · · · · · · · · · · · · · · ·	
	Other (Specify)	- ·
	V .	
		······································
	-	
•		6 6 6 6 6 6
•		٩ .
	Telephone No. (Include Area Code)	6. Data Application Faceive
· · · ·	(360) 384-5898	(Stamped)
•		
ication	· · ·	1 1 1 1 1 1 1 1 1 1
m and all attachme	ents thereto are true, accurate, and nent may be punishable by fine or	(
m and all attachme	nent may be punishable by fine or	
m and all attachme r misleading staten	ents thereto are true, accurate, and nent may be punishable by fine or	
m and all attachme r misleading staten	nent may be punishable by fine or	
m and all attachme r misleading staten	nent may be punishable by fine or	
m and all attachme r misleading staten	anent may be punishable by fine or	
	abel 93–10 and 94 wated 10 Section 1 10 No. per container Container 6. Manner in Which Lithograph Paper glued Stenciled Section 1	93-10 and 94-4.

Precautionary Statements Hazardous to Humans and Domestic Animals

2/2

DANGER

Keep out of reach of children. Corrosive. Causes eye damage and skin Irritation. Do not get In eyes, on skin, or on clothing. Wash thoroughly with scap and water after handling. Harmful if swallowed. Do not breathe spray mist. Avoid contamination of food.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuarles, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

STORAGE AND DISPOSAL

- --- Do not contaminate water, food, or feed by storage disposal.
- Do not store on side.
- Avoid creasing or impacting of side walls.

PESTICIDE DISPOSAL

Pestickle wastes are acutely hazardous. Improper disposal of excess pesticide, spray or mixture of rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

Metal Container: Triple rinse (or equivalent), then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other procedures approved by state and local authorities,

Do not reuse empty container (bottle, can, bucket). Wrap container and put in trash.

This product is not to be used as a terminal sterilant/high level disinjectant on any surface, or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts/intact/mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to

sterilization or high level disinfection.

IODINE 3.5%

Low Foam Acid Sanitizer Cleaner for Institutional, Food, Meat, Dairy and Other Farm Use

Active Ingredients

Polyethoxypolypropoxypolyethoxyethanol-iodine 25.0% complex (Providing 3.5% titratable iodine)

Inert Ingredients

75.0% 100.0%

KEEP OUT OF REACH OF CHILDREN

<u>DANGER</u>

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

> SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA Registration No

EPA Establishment No.

Net Contents

42867-3 42867 WA-01

#29

nçin iyo.

Manufactured By: WESTERN CHEMICAL, INC. 1269 Lattimore Rd. Ferndale, WA 98248

For Sale For Use And Storage By Maintenance Personnel Only

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Apply fodine 3.5% to a precleaned surface with a cioth, mop, mechanical spray device or by dipping. When applied with a mechanical spray device, surface must be sprayed until thoroughly wetted. Treated surface must remain wet for 2 minutes. Fresh solution should be prepared dally or when use solution becomes visibly dirty. When circulating sanitizer solution through CIP system, allow at least 5 minutes contact.

Sanitizing --- Meat, dairy and food processing equipment and utensils: Remove heavy soils by flushing, scraping, or mopping.

Food and Beverage Sanitization Procedures

Beverage Plants: Thoroughly rinse bottling and pre-mix dispensers with water. Orain thoroughly and fill equipment with 25 ppm solution (refer to use solution chart). Just before resurning operation, flush the 25 ppm solution from equipment with potable water. When changing over between soft drink flavors, rinse system well with water, flush with 25 ppm solution. Drain and allow to air dry.

Bottles and Cans: Proportion into the final rinse, or rinses, of the container washer in concentrations of 8-12 ppm titratable lodine (see solution chart).

Storage Tanks: After cleaning, use a 25 ppm solution for sanitizing beer fermentation and holding tanks. Use solution can be applied by spraying or can be used in conjunction with automated clean-in-place systems. No water rinse is required after sanibzing.

Equipment In Poultry, Meat, Rabbit, Egg Processing Plants, Frozen and Fresh Pack Processing Plants: To clean equipment, scrub surfaces with a mop, brush, sponge or cloth using 50 ppm solution. Rinse with potable water. For sanitizing previously cleaned surfaces, apply 25 ppm solution by spraying, flushing, or with a clean sponge. Thoroughly wet surface and allow to thoroughly drain. No final water rinse is required.

Milk, Citrus and Ice Cream Processing Plants: todine 3.5% when applied routinely as a sanitizing spray (12% ppm to 25 ppm titratable iodine) on walls, conveyors, equipment and filtors, will reduce or eliminate odors in the processing area. Use on filling equipment to reduce or eliminate bacteria associated with condensation on equipment and pipes. Regular use as a sanitizer at 25 ppm helps prevent milk stone formation on equipment.

Follow the state and local health authority recommendations in your area.

USE SOLUTION CHART*

	Western	
	Formulation	
Titratable lodine	<u>iodine 3,5%</u>	Water
50 ppm solution	1 oz.	6½ gals.
25 ppm solution	1 oz.	13 gals.
12% ppm solution	1 oz.	26 gais,
10 ppm solution	1 oz.	32 gais.
8 ppm solution	1 oz.	40 gals.
*Refer to use solution mended in the direction	chart when preparing	dilutions recom-