12211-5	W	31	
---------	---	----	--

## Slimicide 339 its labeling. ACCEPTED NOV 0 6 1986 te, and Ro Ionticide Act. as amended, for the pesticide registered under ( EPA Reg. No. ACTIVE INGREDIENT: 33.3% Potassium dimethyldithiocarbamate ..... INERT INGREDIENTS 66.7% This product contains 3.2 lb, of active ingredient per gallon and weighs 9.61 lb, per gallon. **KEEP OUT OF REACH OF CHILDREN** DANGER PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER: Corrosive. Causes eye and skin damage. Harmful if swallowed. Do not get in ayes, on skin, or on clothing. Avoid contamination of food. Wear goggles or face shield and rubber gloves when handling, Wash thoroughly after handling, STATEMENT OF PRACTICAL TREATMENT: In case of skin contact, wash with plenty of soap and water. Remove contaminated clothing and wash before reuse. If product gets place. in the eyes, flush immediately with copious amounts of clean water for at least 15 minutes. Get medical attention immediately. If product is swallowed, promptly drink 1 or 2 glasses of water. Contact a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. Note to physician: Probable mucosal damage may contraindicate gastric lavage. ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish, Do not apply in marine and/or estuarine oil fields. Do not discharge effluent containing this active ingredient into lakes, streams, ponds, estuaries; oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regionr - flice of the EPA.

## DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Slimicide 339 is used in cooling water systems and industrial air-washing systems to control microbiological slime. In cooling systems, add 1.6 to 4.9 fl. oz. of Slimicide 339 per 1000 gal. of water to water sump. In air-washing systems, add 5.7 to 9.8 fl. oz. of Slimicide 339 per 1000 gal. of water to water-collection trays. Repeat treatments every 1-5 days, or as needed. The required frequency depends on relative amount of bleed and severity of slime problem.

λŤ

## STORAGE AND DISPOSAL


PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide, spray mixture, dr rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides, or buried in a safe place away from water supplies.

## CONTAINER DISPOSAL:

- [] METAL: Triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in an approved landfill or bury in a safe place. Containers over 30 gallons should be resealed before offering for reconditioning.
- PLASTIC: Containers under 30 gallons must not be reused but should be triple rinsed and disposed of in an incinerator or landfill approved for pesticide containers or buried in a safe place. Containers over 30 gallons are to be resealed and offered for reconditioning or triple rinsed (or equivalent) and offered for recycling, reconditioning, or disposal in an approved landfill or buried in a safe place.

GENERAL: Consult Federal, State, or Local disposal authorities for approved alternative procedures.



-