

RESTRICTED USE PESTICIDE
not for retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

EPIBLOC®

RODENTICIDE

Active ingredient:
Alpha-chlorohydrin (3-chloro-1, 2-propanediol)... 1%
Inert ingredients... 99%
Total 100%

Keep out of reach of children
CAUTION: See left panel for additional precautions

PRACTICAL TREATMENT:

- **IF SWALLOWED**, call a physician or a Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting. Do not induce vomiting or give anything by mouth to an unconscious person.
- **IF ON SKIN**, wash affected area with soap and water.
- **IF IN EYES**, flush thoroughly with water. See side panel for additional precautionary statements.

GAMETRICS LTD
SA 1068 4 34964




PESTCON SYSTEMS, INC.

P.O. BOX 459 • ALHAMBRA CALIFORNIA 91802 • (213) 283-2761

CONTENTS: 3500-5 gram EPIBLOC SACHETS

BEST AVAILABLE COPY



...places, between floors...
...walls, or in locations...
...about or other signs...
...observed. If prebaiting is to...
...apply 1 to 2 sachets of prebait per...
...Maintain an uninterrupted supply of preba...
...2 days. As feeding becomes established...
...replace with bait sachet. Place 2 or more...
...to 30 feet...
...placement...
...contact...

...are...
...or...
...done...
...After...
...sachets at pre...
...the entire area...
...sachet is mois...
...freshness. Collect all un...
...5 to 10 days after...
...according...

...dry...
...and under lock and key...
...cannot be used...
...disposed of...
...under...
...Container...
...according to...
...under...

Avoid contact with eyes or water.

ARDS:

...structures...
...rats eating a...
...some males...
...sterile. Sachets...
...in loca-...
...domestic animals...
...here there is a...
...aces that come

...Notice 33-2...
...