UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



OFFICE OF PREVENTION PESTRODES MAD OVER SOMSTANCES

March 16, 2007

Gametries Limited HC 65, Box 16 Alpine, Texas 79830

Attention: Dr. Ronald Erresson

Subject

EPIBLOC® Rodenticide EPA Reg. No. 42882-2

Our Notice of Registration of December 7, 2006

Our letter of January 8, 2007

Your resubmission of January 20, 2007

Purpose

This submission revises the label for this product, under see 3 of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), in accordance with the decuments listed above.

Labeling

The labeling submitted with the above letter is acceptable, provided that you submit one (1) copy of final printed labeling to us, with the following changes, before you ship the product.

- 1. On the "Main I abel" and "Sachet Label", remove the quotation marks from "Due to potential ... non-target organisms".
- 2. On both labels, revise the beginning of your "FIRST AID" text as follows:

FIRST AID

Have label with you when obtaining treatment advice.

3. In both sets of application directions, begin the last sentence as follows: "Using gloves, collect all uneaten and partially uneaten sachets and dead animals 5 to 10 ..."

4. Revise the 1st Sentence of your "USF RESTRICTIONS" as.

USE RESTRICTIONS: EPIBLOC is a unique rodenticide only for control of Norway rats (Rattus norvegicus), indoors, in industrial and commercial facilities and in sanitary sewers.

Note: The scientific name of the Norway Rat may either be underlined or "in italics".

- 5. On the sachet label, place "1" o" to the right of your chemical
- 6. Follow the "Minimum Type Sizes for Final Printed Labels" in Enclosure 2.

Existing stocks

All stocks of product must contain labels with the changes outlined in this letter.

Consequence for noncompliance

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Questions

If you have questions about this letter, please contact me at 703-308-6249 (phone): 703-305-059e (fax): or hebert john a epa.gov (E-Mail).

> Sincerely, Like with

Insecticide-Rodenticide Branch Registration Division (7504P)

Attachments 1. Stamped Label

2. Minimum Type Sizes for Final Printed Labels

Precautionary Statements

Hazards to Humans and Domestic

Animals CAUTION: Keep out of reach of children, pets, domestic animals, and wildlife. Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS:

Keep out of any body of water.

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS: EPIBLOC is a unique Rodenticide for control of the Norway rats only (Rattus norvegious) indoors of industrial and commercial facilities and sanitary sewers only. EPIBLOC will kill Norway rats eating a sufficient quantity and it is likely that some males surviving the baiting will be rendered sterile. Sachets must always be placed in tamper resistant stations except for sanitary sewer placements. Do not use in any facility (i.e., schools, libraries, etc.) where children may be present

PREBAITING AND BAITING:

Good bait acceptance is mandatory for any Rodenticide to be effective. Rats may shy away from unfamiliar food or food that has made them sick without killing them. Prebaiting rats with bait similar to EPIBLOC but lacking the active ingredient is needed to promote acceptance of EPIBLOC when it is applied. Prebaiting is required with the use of EPIBLOC.

Warranty Statement - Seller warrants that the product conforms to its commercial description and when used according to label directions under normal conditions of use it is reasonably fit for the purpose stated on the label. To the extent consistent with applicable law, seller makes no other warranty either expressed or implied, and buyer assumes all risks should the product be used contrary to label directions.

ACCEPTED
with COMMENTS
In EPA Letter Dated:

MAR 1 6 2007

Under the Poderal Investicide, Funcialie, and hely related Ant, as sense ded. Ly the positeide registered upder ENA Seg. No.

RESTRICTED USE PESTICIDE

"Due to potential toxicity and reproductive effects to non-target organisms."

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

EPIBLOC® RODENTICIDE

Active Ingredient:

Alpha-chlorohydrin (3-chloro-1, 2-propanediol) 1% Inert Ingredients 99%

KEEP OUT OF REACH OF CHILDREN CAUTION See Side Panel for Additional Precautions

FIRST AID STATEMENTS

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything to an unconscious person. If on Skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, and then continue rinsing. Call a poison control center or doctor for treatment advice.

EPA REG. NO. 42882-2

Manufactured by:
GAN-ETRICS LIMITED
426 Louissome Country Rd
Alzada, Montana 59311
(307) 878-4494

INDOORS OF INDUSTRIAL AND COMMERCIAL FACILITIES USE:

Determine area where Norway rats will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in corners or concealed places, between floors and walls, or in locations where rodents or their signs have been observed. Prebaiting is required; apply 1 to 2 sachets of prebait per placement. Maintain an uninterrupted supply of prebait for at least 2 days. As feeding becomes established on prebait sites, replace with 6 or more bait sachets. The sachet is moisture resistant to preserve bait freshness. Collect all uneaten and partially uneaten sachets 5 to 10 days after placement. Dispose of in an approved manner, according to Federal, State and Local procedures.

IN SANITARY SEWER USE: Determine where Norway rats will most likely find and consume bait. Generally these areas are manholes, tramlines, tributaries, sewer line junctions or any other accessible places with signs of recent rat activity. Once suitable applications points have been determined, place 2 to 4 sachets of prebait at each point. If the prebait can be washed away, wire sachets in place. Maintain prebait at application points for at least 2 days. After acceptance of prebait has been established, replace prebait sachets with sachets of EPIBLOC. Use 6 to 10 sachets per application point. Do not apply EPIBLOC in sewers if heavy rains and/or flooding are forecasted. Sachet is moisture resistant to preserve bait freshness. Collect all uneaten and partially uneaten sachets 5 to 10 days after placement. Dispose of in a approved manner according to Federal. State and Local procedures

STORAGE AND DISPOSAL:

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in original container in a dry place away from foodstuffs, and under lock and key.

Pesticide Disposal: Wastes resulting for the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Offer empty container for recycling, or dispose of in a sanitary landfill or by incineration, or if allowed by state and local authorities by burning. If burned, stay out of smoke.

LABEL - SACHET

Front

Back

RESTRICTED USE PESTICIDE

"Due to potential toxicity and reproductive effects to non-target organisms"

For retail sale to and use only by Certified Applicators or persons under their supervision and only for those uses covered by the Certified Applicators certification.

EPIBLOCO RODENTICIDE

Active ingredient:
Apha-chlorohydrin (3-chloro-1,2-propanediol)
1%
CAUTION
KEEP OUT OF REACH OF CHILDREN
EPA REG. NO. 42882-2
EPA EST. NO.
MFG. BY GAMETRICS LIMITED
ALZADA. MT 59311

FIRST AID STATEMENTS

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything to an unconscious person. IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, and then continue rinsing. Call a poison control center or doctor for treatment advice.

DIRECTIONS FOR USE

See main label for complete directions for use and precautionary statements. It is illegal to sell these bait sachets individually.