


42964-4 PM 17
112



**PROFESSION
PRODUCTS**

ENTACIDE®

INSECTICIDE VAPORIZER SPRAY

ACTIVE INGREDIENTS

Petroleum distillates	98.57%
N.O.C., I.B.C., clohepteno Bicarboximide	0.50%
Essential Oil Odor Control Agents	0.48%
Technical Piperonyl Butoxide**	0.30%
Pyrethrins	0.15%
	100.00%

**Equivalent to 0.24% (butylcarbityl) (6 propylpiperonyl) ether and 0.60% other related compounds

ACCEPTED

SEP 13 1980

U.S. Environmental Protection Agency
as a pesticide for use as a pesticide
registered under
EPA Reg. No. 42964-4

Keep Out Of Reach Of Children.

CAUTION

See First Aid and other Precautionary Statements on Side Panel.

EPA Reg. No. 42964-4

EPA Est. No. 9405-NJ-1
EPA Est No. 8791-MO-1

KILLS:

Lice	Grain Weevils	Bedbugs	Wasps
Rice Weevils	Silverfish	Gnats	Flies
Roaches	Confused Flour Beetle	Ants	Waterbugs
Cat fleas	Angoumois Grain Moth	Fleas	Spiders
Mealybugs	Sawtoothed Grain Beetle	Grain Mites	

Net Contents 5 Gallons

115915

PROFESSIONAL

INSECTICIDES

IDE

FOR USE IN MECHANICAL SPRAYERS

Airwick Spray is especially designed for use in electric mist spray equipment in cafes, restaurants, food storage warehouses, flour mills, meal packing plants; when not in operation. This product is not intended for use with the knal type fogging equipment.

DIRECTIONS FOR USE: It is a violation of federal law to use this product in a manner inconsistent with the label instructions.

Remove pets, birds and cover fish aquariums before spraying. For control of flies, mosquitoes, gnats, and wasps. Close all windows and stop all ventilation. Set machine to deliver mist in as fine a particle size as possible. Use not less than 6 ozs. per 10,000 cu. ft. Keep area closed for a minimum of 20 minutes after mist has been applied. Sweep up and destroy fallen insects. Repeat treatment as necessary. Do not remain in treated areas. Ventilate the area after treatment is completed.

FOR CONTROL OF FLEAS AND LICE: Vaporize lightly into beef cattle, dairy cattle and horses hair, using fine spray, proportionately to size of animal, up to maximum of 2 ozs. for a cow or horse. Rub hair against grain until insecticide contacts hide. Pay particular attention to infested areas. Do not repeat treatment more often than once in three weeks. Treat kennels, barns, stables, tack rooms with coarse spray and allow to dry before returning animals to quarters. Provide for liberal application to floor and floor coverings, cracks, crevices, infested furniture and wherever these insects may be suspected of harboring. Liberal and repeated area applications to insure contact of all pests with the spray are necessary for control.

FOR CONTROL OF BEDBUGS: Spray mattress, bedstead, corners and all cracks and crevices in the room. Use coarse spray. Repeat as needed.

FOR CONTROL OF EXPOSED CRAWLING INSECTS, ROACHES, SILVERFISH, ANTS, SPIDERS, SMALL FLYING MOTHS, ANGOUMOIS GRAIN MOTH, CADELLES, GRAIN MITES, WATERBUGS, GRAIN WEEVILS, RICE WEEVILS, CONFUSED FLOUR AND SAWTOOTH GRAIN BEETLES: Set equipment to deliver a coarse spray. The spray should be directed at baseboards and into all cracks and crevices

which are found behind switch boxes, around motor mounts, under skids, behind girds, at door and window casings, on counter-wall partitions, around scales and conduits and behind conduit terminal boxes. Spray should be applied to point of runoff for control of these insects. If ant control is also desired, be sure that door and window casings are thoroughly sprayed and that all trail ways and nests near the building being treated are also sprayed. Check the building's foundation for cracks, spraying these cracks and patching them if possible.

STORAGE AND DISPOSAL:

Storage: Store in cool place. Do not use, pour, spill or store near heat or open flame.

Disposal: Do not reuse container. Triple rinse and destroy it by perforating or crushing. Dispose of in an approved landfill, or bury in a safe place.

PRECAUTIONARY STATEMENTS: Hazard to humans and domestic animals.

CAUTION: Harmful if swallowed. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when facility is not in operation.

FIRST AID: If ingested: give water. Do not induce vomiting. For skin contact: wash with soap and water. For eye contact: wash with water for 15 minutes. Call physician if inhaled. Move to fresh air.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply when weather conditions favor drifts from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARD: Combustible mixture—NYFD permit No. 2245035

Printed in U.S.A.

963769-002

SPRAY

- 98.57%
- 0.50%
- 0.48%
- 0.30%
- 0.15%
- 100.00%

ether and 0.60% other

ts on Side Panel.

A Est. No. 9405-NJ-1
Est No. 8791-MO-1

- Wasps
- Flies
- Waterbugs
- Spiders



AIRWICK PROFESSIONAL 40 Seaview Drive
PRODUCTS DIVISION Secaucus NJ 07094
AIRWICK INDUSTRIES INC