

ENTACIDE

INSECTICIDE VAPORIZER SPRAY

ACTIVE INGREDIENTS:

Fyrethrins	0.15%
Technical Piperonyl Butoxide**	0.30%
N-Octyl Bicycloheptene Dicarboximide	0.50%
INERT INGREDIENTS:	99.05%

**Equivalent to 0.24% (butylcarbityl)(6-propylpiperonyl ether and 0.60% other related compounds

Keep Out of Reach of Children.

CAUTION

See First Aid and other Precautionary Statements on Side Panel.

EPA Reg. No. 42964-4

EPA Est. No. 1677-MN-1

Kills:

Lice	Gnats	Waterbugs	Mosquitoes	Bedbugs
Rice Weevils	Ants	Confused Flour Beetle	Grain Mites	Flies
Roaches	Fleas	Sawtoothed Grain Beetle	Spiders	Silverfish
Cadellles	Wasps	Grain Weevils	Angoumois	Grain Moth

Net Contents: 5 Gallons



Not Reviewed. Registrant claims to be in accordance with reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

FOR USE IN MECHANICAL SPRAYERS

Airkem Spray is especially designed for use in elec. ic mist spray equipment in cafes, restaurants, food storage warehouses, flour mills, meat packing plants; when not in operation. This product is not intended for use with thermal type logging equipment.

PRECAUTIONARY STATEMENTS: HAZARD TO HUMANS AND DOMESTIC ANIMALS.

CAUTION: Harmful if swallowed. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when facility is not in operation.

FIRST AID: If ingested: give water. Do not induce vomiting. For skin contact: wash with soap and water. For eye contact: wash with water for 15 minutes. Call physician. If inhaled: move to fresh air.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply when weather conditions favor drifts from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARD: Combustible mixture — NYFD permit No. Z245035

FOR EMERGENCY MEDICAL INFORMATION, CALL TOLL-FREE 1-800-328-0026.

DIRECTIONS FOR USE: It is a violation of federal law to use this product in a manner inconsistent with the label instructions. Remove pets, birds and cover fish aquariums before spraying. For control of flies, mosquitoes, gnats, and wasps. Close all windows and stop all ventilation. Set machine to deliver mist in as fine a particle size as possible. Use not less than 6 ozs per 10,000 cu. ft. Keep area closed for a minimum of 20 minutes after mist has been applied. Sweep up and destroy fallen insects. Repeat treatment as necessary. Do not remain in treated areas. Ventilate the area after treatment is completed.

FOR CONTROL OF FLEAS AND LICE: Vaporize lightly into beef cattle, dairy cattle and horses hair, using fine spray, proportionately to size of animal, up to maximum of 2 ozs. for a cow or horse. Rub hair against grain until insecticide contacts hide. Pay particular attention to infested areas. Do not repeat treatment more often than once in three weeks. Treat kennels, barns, stables, tack rooms with coarse spray and allow to dry before returning animals to quarters. Provide for liberal application to floor and floor coverings, cracks, crevices, infested furniture and wherever these insects may be suspected of harboring. Liberal and repeated area applications to insure contact of all pests with the spray are necessary for control.

FOR CONTROL OF BEDBUGS: Spray mattress, bedstead, corners and all cracks and crevices in the room. Use coarse spray. Repeat as needed.

FOR CONTROL OF EXPOSED CRAWLING INSECTS, ROACHES, SILVERFISH, ANTS, SPIDERS, SMALL FLYING MOTHS, ANGOUMOIS GRAIN MOTH, CADELLES, GRAIN MITES, WATERBUGS, GRAIN WEEVILS, RICE WEEVILS, CONFUSED FLOUR AND SAWTOOTH GRAIN BEETLES: Set equipment to deliver a coarse spray. The spray should be directed at baseboards and into all cracks and crevices which are found behind switch boxes, around motor mounts, under skids, behind sinks, at door and window casings, in double-wall partitions, around scales and conduits and behind conduit terminal boxes. Spray should be applied to point of runoff for control of these insects. If ant control is also desired, be sure that door and window casings are thoroughly sprayed and that all trail ways and nests near the building being treated are also sprayed. Check the building's foundation for cracks, spraying these cracks and patching them if possible.

STORAGE AND DISPOSAL

Storage: Store at ambient temperature. Keep container tightly closed when not in use. Do not freeze.

Disposal: Do not reuse empty container. Triple rinse and offer for reconditioning or puncture and dispose of in a sanitary landfill or by other approved federal, state or local procedures.

Airkem Professional Products Division of ECOLAB INC.
Ecolab Center, St. Paul, MN 55102

153052

710376/89000887

Printed in U.S.A.