

11/2/72

pine SCENTED asepticare

DISINFECTANT
ODOR COUNTERACTANT

Asepticare reduces airborne bacteria, eliminates offensive odors and leaves air smelling fresh and clean. On surfaces: Asepticare kills Staphylococcus, Streptococcus, Pseudomonas,

obacterium tuberculosis, Influenza (chi), Parainfluenza (CA virus), iovirus I, Canine Distemper, Adenovirus Type 2, and most disease germs provides residual bacteriostatic ion between uses if not washed or

rubbed off. Asepticare controls mold, mildew and athlete's foot fungi on environmental surfaces. Use Asepticare on door handles, clean-up carts, light switches, floor mats, linen carts, hampers, diaper pails, bedpans, toilet seats, plastic mattress covers, and lockers. Spray the surface until moist. Repeat application in 8 days to maintain control.

DIRECTIONS: To Disinfect Surfaces: Empty container 6-8 inches from the surface. Spray 2-3 seconds until surface is wet. Avoid using Asepticare on delicate items, lacquered, shellacked, or other finished wood surfaces. Do not spray the product directly on pets. To Sanitize the Air: Close the doors and windows and spray 20-30 seconds in most average size rooms, moving the spray in a circular arc about the room. Asepticare reduces the number of airborne bacteria such as Staphylococcus aureus. It is also a true odor counteractant that eliminates lingering odors, leaving Airkem's famous Air Freshened Effect.

BEST AVAILABLE COPY

EPA Reg. No. 433-44



WARNING: Keep out of reach of children. Do not spray in face. (See side panel for additional cautions)

NET WEIGHT 13 AV. OZ.



WARNING: Avoid getting into eyes. In case of contact, flush with water; if irritation persists, get medical attention. Harmful if swallowed.

FLAMMABLE - Contents under pressure. Do not use near fire, sparks, or flame. Do not puncture or incinerate container. Exposure to temperature above 130° may cause bursting.


ACTIVE INGREDIENTS:

- n-alkyl* dimethyl ethylbenzyl - ammonium chloride 0.09%
- alkyl* dimethyl dimethylbenzyl ammonium chloride 0.09%
- n-alkyl* dimethyl cumenyl ammonium chloride 0.06%
- n-alkyl (C1460%, C1630%, C125%, C185%) dimethyl benzyl ammonium chloride 0.06%
- ethanol 61.52%
- isopropanol 0.43%

*n-alkyl distribution: 50% C12, 30% C14, 17% C16, 3% C18

INERT INGREDIENTS:

27.93% Contains 0.002% Sodium Butyrate



A Division of Airchem Industries, Inc.
California Reg. 07072, Made in U.S.A.
For a Healthier Environment Through Modern Chemistry.

ACCEPTED

OCT 20 1972

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC PESTION REGISTERED UNDER NO. 533-4 SUBJECT TO ATTACHED COMMENTS.

Handwritten notes:
- The
@ crew
Sto

