


Front Panel

OMEGA

CONCENTRATE DETERGENT-DISINFECTANT-VIRUCIDE-DEODORANT



For Use in Hospitals

Active Ingredients:

n-alkyl (60% C14, 30% C16, 5% C12, 5% C18)	
dimethyl benzyl ammonium chlorides	6.00%
n-alkyl (68% C12, 32% C14)	
dimethyl ethylbenzyl ammonium chlorides	6.00%

INERT INGREDIENTS: 88.00%

(Includes essential oil odor control agent)

KEEP OUT OF REACH OF CHILDREN

DANGER

See First Aid and Other Precautions on Side Panel.

EPA Reg. No. 42964-14
EPA Est. No. 9405-NJ-1
EPA Est. No. 8791-MO-2

NET CONTENTS: Pint, One Gallon
Five Gallons
55 Gallons

Omega is a balanced formulation combining Airwick's true deodorants, synthetic detergents, organic chelating agents and synergizing builders...for effective one-step cleaning, disinfecting, and deodorizing in the presence of protein (blood serum).

ACCEPTED
APR 7 1986
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 42964-14

OMEGA is intended primarily as a heavy duty cleaner where disinfection and deodorization are also indicated. It is unexcelled for washing non porous hard surfaces such as porcelain, tile, glass, stainless steel, chrome, and does not damage washable painted varnished or lacquered surfaces. It can be used on tables, floors, walls, bed frames, bathroom fixtures and other similar surfaces. Because OMEGA rinses spot-free, it is particularly suitable for wood, linoleum, rubber, cork, vinyl, and asphalt tile floors. It has superior rinsing qualities and is an excellent cleaner for marble or terrazzo. OMEGA is recommended for use on conductive flooring.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with the label instructions. Prepare a fresh work solution daily, or more frequently as required.

Do not mix with other chemicals or products including anionic soaps and detergents.


To prepare an accurate solution use Airwick's metering pump to dispense 1/2 oz. of the concentrated product. Use one pump

stroke (up and down) for each gallon of solution prepared. To increase detergency in heavily soiled areas use two (1:128) or three strokes (1:85) per gallon. Apply use-dilution with a cloth, sponge, mop, brush or sprayer. Allow to remain wet for 10 minutes. No rinse necessary unless used on food contact surfaces. Treated food contact surfaces must be rinsed with potable water prior to reuse. For heavily soiled areas, a precleaning step ^{is} ~~may be~~ required.

) **As a detergent:** OMEGA'S BIODEGRADABLE detergents in combination with synergizing builders: (a) loosens soil through superior wetting and penetrating action; (b) suspend insoluble matter in solution; and (c) emulsify oil and grease. Low foaming OMEGA leaves surfaces soil-free and film-free.

) **As a disinfectant:** When used as directed (1/2 oz. to 1 gallon) OMEGA provides approximately 469 ppm of one of the most potent germicides commercially available, enhanced by chelating agents which inactivate metallic ions to increase effectiveness. On environmental nonporous hard surfaces, OMEGA rapidly destroys a broad range of gram positive and gram negative organisms such as those listed below.

Germicidal vs. the following organisms when tested according to A.O.A.C. (13th ed.) Use-dilution ~~procedure at 20°C.~~




Staphylococcus aureus	ATCC #6538	Escherichia coli	ATCC #11229
Salmonella choleraesuis	ATCC #10708	Serratia marcescens	ATCC #9301
Pseudomonas aeruginosa	ATCC #15442	Shigella flexneri	ATCC #25929
Proteus vulgaris	ATCC #3301	Klebsiella sp.	ATCC #8308

Fungicidal (1:256) vs. Tricophyton mentagrophytes (Athletes Foot Fungi), Aspergillus niger (mildew), Candida albicans, when tested according to A.O.A.C. (13th ed.) Fungicidal test, in the presence of protein (5% blood serum).

Virucidal (1:256) - on environmental surfaces, kills Influenza A₂ (Aichi), Parainfluenza (Sendai) Canine distemper, Feline pneumonitis, Herpes simplex type II, and Vaccinia viruses, in the presence of protein (5% blood serum).

As a fungistat: Apply use-dilution (1:256) to precleaned, hard nonporous surface. Wet surface thoroughly. If not washed or rubbed off, it will control the growth of mold and mildew on environmental surfaces for a period of 7 days. To maintain fungistatic control, repeat application in 7 days or when new growth appears.



PRECAUTIONARY STATEMENTS: HAZARD TO HUMANS AND DOMESTIC ANIMALS.

Danger: Keep out of reach of children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food. Avoid breathing spray mist.

First Aid: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician immediately.

Note to Physician:

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

ACCEPTED

APR 7 1986

U.S. Food and Drug Administration
Manufactured under 42964-14


For container of one pint,
1 gallon

STORAGE AND DISPOSAL

Storage: Store at ambient temperature. Keep container tightly closed when not in use. Do not freeze.

Disposal: Do not reuse empty container. Triple rinse empty container with water and discard into trash collection.

For container sizes of 5
gallons, ~~30 gallons and~~
55 gallons



STORAGE AND DISPOSAL

Do Not Contaminate Water, Food or Feed by Storage or Disposal.

Storage: Store at ambient temperature. Keep container tightly closed when not in use. Do not freeze.

Disposal: Do not reuse empty drum. Triple rinse and offer for reconditioning or puncture and dispose of in a sanitary landfill or by other approved federal, state or local procedures.

Pesticide Disposal: Pesticide wastes are hazardous. Improper disposal of excess pesticide spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or hazardous waste representative at the nearest EPA Regional Office for guidance.

FOR SALE FOR USE AND STORAGE
BY MAINTENANCE PERSONNEL ONLY

Airwick Professional Products
Airwick Industries, Inc.
40 Seaview Drive
Secaucus, NJ 07094