

116560

ASEPTICARE®

AEROSOL DISINFECTANT VIRUCIDE*

Air Sanitizer-Odor Counteractant with
Residual Bacteriostatic Odor Control

- ACTIVE INGREDIENTS:**
- n-Alkyl (60%C14, 30%C16, 5%C12, 5%C18)
dimethyl benzyl ammonium chlorides 0.15%
 - n-Alkyl (68%C12, 32%C14) dimethyl
ethylbenzyl ammonium chlorides 0.15%
 - Ethanol 62.74%
- INERT INGREDIENTS:** 36.96%
(Includes Essential Oil Odor Control Agents)

Keep Out of Reach of Children

WARNING

Do not spray in face. See Back Panel for
Additional Precautionary Statements.

ADVERTENCIA: SI NO PUEDE LEER EN
INGLES, PREGUNTE A SU SUPERVISOR
SOBRE LAS INSTRUCCIONES DE USO
APROPIADAS ANTES DE TRABAJAR
CON ESTE PRODUCTO.

Net Weight 14 oz. EPA Reg. No. 42964-17
EPA Est. No. 11715-TN-1



KILLS MOST GERMS—On environmental surfaces, Staphylococcus, Streptococcus, Pseudomonas, Mycobacterium tuberculosis, Candida albicans, viruses like: Influenza A2 (Aichi), Influenza B, Parainfluenza 1 (Sendai), Vaccinia, Canine distemper, Feline pneumonitis, Herpes simplex (Type 1 and 2), Adenovirus (Type 2), as well as Athletes Foot fungi and most disease germs. It provides residual bacteriostatic action against odor causing bacteria if not washed or rubbed off.

CONTROLS MOLD & MILDEW—Asepticare Spray controls mold and mildew on hard non-porous surfaces if not washed or rubbed off. **ELIMINATES ODORS AND SANITIZES THE AIR.** Asepticare temporarily reduces the number of airborne bacteria such as Staphylococcus aureus.

DIRECTIONS: It is a violation of federal law to use this product in a manner inconsistent with the label instructions.

To Disinfect: Clean surface prior to application. Hold container 6-8 inches from the surface. Spray 3-5 seconds or until surface is wet. Allow to air dry without wiping or allow to remain on treated surface for 10 minutes before wiping. Avoid using spray on delicate fabrics, lacquered, shellacked or other finished wood surfaces.

To Control Mold & Mildew: Clean surface prior to application. Spray as above. Repeat application in 7 days or as necessary to maintain control.

To Sanitize Air: Close doors and windows and spray 20-30 seconds in most average size rooms, moving the spray in a circular arc.

To Eliminate Odors: Spray 1-2 seconds in room as required. Use Asepticare on door handles, clean-up carts, light switches, dressing or linen carts, hampers, diaper pails, bedpans, toilet seats, plastic mattress covers and lockers. Asepticare is designed for use in hospitals, offices, pet care areas, motels, and other areas where odor and bacterial control is desired.

PRECAUTIONARY STATEMENTS: HAZARD TO HUMANS AND DOMESTIC ANIMALS.

WARNING: Avoid getting into eyes. Avoid contamination of food.

First Aid: In case of contact, flush with water. If irritation persists, get medical attention.

Physical and Chemical Hazards: Flammable. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

FOR EMERGENCY MEDICAL INFORMATION, CALL TOLL FREE 1-800-328-0026

STORAGE AND DISPOSAL:

Storage: Store in cool dry place away from flames, sparks or other sources of heat or ignition. Containers heated above 130°F (54°C) may burst.

Disposal: Replace cap and discard container in trash. Do not incinerate or puncture.

Airkem Professional Products Division of ECOLAB INC.
Ecolab Center, St. Paul, MN 55102

Printed in USA

Not Reviewed. Registered with the Federal Government under
EPA Registration No. 42964-17
EPA Est. No. 11715-TN-1